

IP price list

دی ۱۳۹۹

- Four 1/1.8" 8Megapixel progressive scan CMOS-**Starlight**
- H.265/H.264 triple-stream encoding
- Max 25fps@8640x3840
- Support 180-degree panoramic view
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Micro SD memory, IP67, IK10
- 4x8MP Multi-Sensor Panoramic Bullet Network Camera



۱,۰۴۸,۳۳۰,۰۰۰ ریال

- Three 1/2.8" 2Megapixel progressive scan **STARVIS™** CMOS
- H.265/H.264 triple-stream encoding
- Max 25/30fps@4096x832
- Support 180-degree panoramic view
- Day/Night(ICR), 3DNR, AWB, AGC, BLC, WDR
- Smart detection· Intelligent Function
- Max. IR LEDs length 30m
- Micro SD memory, IP67, IK10, PoE+
- 3x2MP Multi-Sensor Panoramic Network IR Bullet Camera



۱۷۶,۳۷۰,۰۰۰ ریال

- 6MP Panoramic Network IR Fisheye Camera
- 1/1.8" 6Megapixel progressive scan **STARVIS™** CMOS
- H.265/H.264 triple-stream encoding
- Max 25/30fps@6M(3072x2048)
- Multiple dewarped Mode
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Smart detection
- Intelligent Function
- Max. IR LEDs length 10m
- Micro SD memory, IP67, IK10, PoE
- Panamorph Lens RPL: B4QQV



۱۷۳,۹۰۰,۰۰۰ ریال

- 1/2.5" 8Megapixel progressive scan **STARVIS™** CMOS
- H.265&H.264 dual-stream encoding
- 15fps@4K(3840x2160), 25/30fps@3Mp(2304x1296)
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.7mm ~12mm motorized lens· Max. IR LEDs Length 50m
- Micro SD memory, IP67, IK10, PoE



۹۲,۶۰۰,۰۰۰ ریال

- 6MP WDR IR Bullet Network Camera
- 1/2.9" 6Megapixel progressive scan **STARVIS™** CMOS
- H.265&H.264 dual-stream encoding
- 20fps@6M(3072x2048), 25/30fps@4M(2688x1520)
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.7mm ~13.5mm motorized lens
- Max. IR LEDs Length 50m· Micro SD memory, IP67, IK10, PoE



۸۱,۳۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

6 DH-IPC-HFW5442EP-ZE



- 1/1.8" 4Megapixel progressive scan CMOS (AI-SATRLIGHT)
- H.265 & H.264 triple-stream encoding
- 25/30 fps@2688 × 1520, 50/60 fps@1080P(1920 × 1080)
- WDR (120 dB), Day/Night (ICR), 3D DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS (DSS/PSS) & DMSS
- 2.7 mm–12.0 mm motorized lens
- 2/1 Alarm in/out, 1/1 audio in/out
- Max. IR LEDs Length 50 m
- Micro SD memory, IP67, IK10



۸۵,۰۰۰,۰۰۰ ریال

7 DH-IPC-HFW4831EP-SE



- 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS
- H. 265&H.264 triple-stream encoding
- 15fps@4K(3840×2160), 25/30fps@3M(2304×1296)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (4mm optional)· Max. IR LEDs Length 40m
- Micro SD Memory, IP67, PoE



۵۸,۳۴۰,۰۰۰ ریال

8 DH-IPC-HFW4631EP-SE



- 1/2.9" 6Megapixel progressive scan STARVIS™ CMOS
- H. 265&H.264 triple-stream encoding
- 20fps@6MP(3072×2048), 25/30fps@4MP(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (3.6mm optional)· Max. IR LEDs Length 40m
- Micro SD Memory, IP67, PoE



۴۶,۸۷۰,۰۰۰ ریال

9 DH-IPC-HFW4431EP-SE



- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4M(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 3.6mm fixed lens (6mm optional)· Max. IR LEDs Length 40m
- Micro SD memory, IP67, PoE,



۳۹,۷۱۰,۰۰۰ ریال

10 DH-IPC-HFW4431TP-S

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4Mp(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 3.6mm fixed lens (6mm, 8mm, 12mm optional)
- Max. IR LEDs Length 80m
- Micro SD memory 256GB, IP67, IK10, PoE



۳۶,۰۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4M(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 3.6mm fixed lens (6mm, 8mm, 12mm optional)
- Max. IR LEDs Length 80m
- Micro SD memory, IP67, IK10, PoE



۴۱,۲۰۰,۰۰۰ ریال

- 1/1.8" 8Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 25/30fps@8MP(3840×2160)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB· 3.7~11mm motorized lens
- Max IR LEDs Length 60m· IP67, IK10(optional), PoE



۸,۹۰۰,۰۰۰ ریال

- 1/2.7" 5Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 15fps@5M(2592×1944)&25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB · IP67, PoE+
- 2.7~13.5mm motorized lens· Max IR LEDs Length 60m



۵۰,۸۱۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 20fps@4M(2688×1520)&25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB
- 2.7~13.5mm motorized lens· Max IR LEDs Length 60m
- IP67, IK10(optional), PoE+



۴۶,۸۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 4MP, 1/3" CMOS image sensor, low illuminance, **Starlight**
- Outputs 4MP (2560 × 1440)@25/30fps, Max. supports 4MP (2688 × 1520)@20 fps
- H.265 codec, high compression ration, ultra-low bit rate
- Built-in IR LED, max IR distance: 30 m
- ROI, SMART H.264/H.265, flexible coding, applicable to various bandwidth and storage environments
- Rotation mode, WDR, 3D DNR, HLC, BLC, digital watermarking, applicable to various monitoring scenes
- Intelligent detection: Intrusion, tripwire · IP67 protection
- Abnormality detection: Motion detection, video tampering, no SD
- Supports max. 256 GB Micro SD card · 12V DC/PoE power support



۲۷,۳۰۰,۰۰۰ ریال

- 1/2.8" 2Megapixel progressive **STARVIS™** CMOS
- H.265 & H.264 dual-stream encoding
- 25/30fps@1080P(1920×1080)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB
- 2.7~13.5mm motorized lens· Max IR LEDs Length 60m
- IP67, IK10(optional), PoE



۳۸,۴۸۰,۰۰۰ ریال

- 1/1.8" 8Megapixel progressive scan CMOS
- H. 265&H.264 dual-stream encoding
- 25/30fps@8MP(3840×2160)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (4mm, 6mm optional)
- Max. IR LEDs Length 50m ·IP67, PoE



۴۸,۱۰۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8 mm fixed lens (3.6 mm optional)
- Max IR LEDs Length 30m· IP67, PoE



۳۰,۲۲۰,۰۰۰ ریال

- 1/3" 3Megapixel progressive CMOS
- H.264+ & H.264 dual-stream encoding
- 20fps@3M(2048x1536)&25/30fps@1080P(1920×1080)
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8 mm fixed lens (3.6 mm 6mm optional)
- Max IR LEDs Length 30m· IP67, PoE



۲۲,۸۲۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

20	DH-IPC-HFW1230SP	• 1/2.7" 2Megapixel progressive CMOS • H.265& H.264 dual-stream encoding • 25/30fps@1080P(1920×1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.8 mm fixed lens (3.6mm optional) • Max IR LEDs Length 30m· IP67, PoE	
		   	۱۸,۷۵۰,۰۰۰ ریال
21	DH-IPC-K100W	• 1/3" 1.3Megapixel Aptina CMOS • H.264 & MJPEG dual-stream encoding • Max 15fps@1.3M (1280×960)/25/30fps@720P(1280×720) • DWDR, Day/Night, 2DNR, Auto iris, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens • White LEDs length 10m • PIR sensor range 6m • Micro SD memory . Wi-Fi	
			۲۱,۲۰۰,۰۰۰ ریال
22	DH-IPC-K200W	• 1/3" 2Megapixel progressive scan CMOS • H.264 & MJPEG dual-stream encoding • Max 25/30fps@1080P(1920×1080) • DWDR, Day/Night, 3DNR, Auto iris, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens • White LEDs length 10m • PIR sensor range 6m . Wi-Fi	
			۳۲,۹۳۰,۰۰۰ ریال
23	DH-IPC-HDBW5631EP-ZE	• 1/2.9" 6Megapixel progressive scan STARVIS™ CMOS • H.265&H.264 dual-stream encoding • 20fps@6M(3072×2048),25/30fps@4M(2688×1520) • Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.7mm ~13.5mm motorized lens • Max. IR LEDs Length 50m • Micro SD card memory, IP67,IK10, PoE+	
		      	۸۱,۳۰۰,۰۰۰ ریال
24	DH-IPC-HDBW5442EP-ZE	• 4MP IR Vari-focal Dome WizMind Network Camera • 1/1.8" 4Megapixel progressive scan CMOS • ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments • 25/30 fps@2688 × 1520, 50/60 fps@1080P (1920 × 1080) • WDR (140 dB), Day/Night (ICR), 3D DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS (DSS/PSS) & DMSS • 2.7 mm~12.0 mm motorized lens . 1/1 Alarm in/out, 1/1 audio in/out • Max. IR LEDs Length 40 m . Micro SD memory, IP67, IK10	
		      	۸۸,۵۰۰,۰۰۰ ریال
25	DH-IPC-HDBW5431RP-ZE	• 4MP WDR IR Dome Network Camera • 1/3" 4Megapixel progressive scan CMOS • H.265&H.264 triple-stream encoding • 25/30fps@4Mp(2688×1520) • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.7mm ~13.5mm motorized lens • Max. IR LEDs Length 50m · Micro SD card memory, IP67,IK10, PoE	
		      	۷۲,۸۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

8MP WDR IR Dome Network Camera

- > 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS
- > H.265&H.264 dual-stream encoding
- > 15fps@4K(3840×2160),25/30fps@3M(2304×1296)
- > Day/Night(ICR), 3DNR, AWB, AGC, BLC
- > Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- > 2.7mm ~12mm motorized lens
- > Max. IR LEDs Length 50m
- > Micro SD card memory, IP67,IK10, PoE



۹۰.۵۰۰,۰۰۰ ریال

- 1/2.9" 6Megapixel progressive scan CMOS
- H.265&H.264 dual-stream encoding
- 20fps@6M(3072×2048),25/30fps@4M(2688×1520)
- Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.7mm ~13.5mm motorized lens
- Built-in Mic · Max. IR LEDs Length 50m
- Micro SD card memory, IP67, PoE



۷۹.۵۰۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4Mp(2688×1520) · Built-in Mic
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.7mm ~13.5mm motorized lens· Max. IR LEDs Length 50m
- Micro SD card memory, IP67, PoE



۷۲.۸۰۰,۰۰۰ ریال

- 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS
- H.265&H.264 triple-stream encoding
- 15fps@4K(3840×2160),25/30fps@3M(2304×1296)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (4mm optional)
- 1/1 Alarm in/out, 1/1 audio in/out
- Max. IR LEDs Length 30m· Micro SD memory, IP67, IK10, PoE



۵۸.۳۴۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4Mp(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (3.6mm, 6mm optional)
- Max. IR LEDs Length 30m
- Micro SD memory 256GB, IP67, IK10, PoE



۳۷.۰۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4M(2688×1520)· Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- 2.8mm fixed lens (3.6mm, 6mm optional)
- Max. IR LEDs Length 50m
- Built-in Mic · Micro SD memory, IP67, PoE



۳۴,۸۰۰,۰۰۰ ریال

- 1/2.5" 8Megapixel progressive scan **STARVIS™** CMOS
- H.265&H.264 triple-stream encoding
- 15fps@4K(3840×2160), 25/30fps@3M(2304×1296)
- Smart detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (4mm optional)· Built-in Mic
- Max. IR LEDs Length 50m. Micro SD memory, IP67, PoE



۵۸,۳۴۰,۰۰۰ ریال

- 1/2.9" 6Megapixel progressive scan **STARVIS™** CMOS
- H.265&H.264 triple-stream encoding
- 20fps@6MP(3072×2048), 25/30fps@4MP(2688×1520)
- Smart detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (3.6mm optional)· Built-in Mic
- Max. IR LEDs Length 50m· Micro SD memory, IP67, PoE



۴۶,۸۷۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive scan CMOS
- H.265&H.264 triple-stream encoding
- 25/30fps@4M(2688×1520)
- Smart Detection supported
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (3.6mm, 6mm optional)· Built-in Mic
- Max. IR LEDs Length 50m· Micro SD memory, IP67, PoE



۳۹,۷۱۰,۰۰۰ ریال

- 1/2.8" 2Megapixel progressive scan **STARVIS™** CMOS
- H.265&H.264 triple-stream encoding
- 50/60fps@1080P(1920×1080)
- Smart detection supported
- WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8mm fixed lens (3.6mm, 6mm optional)· Built-in Mic
- Max. IR LEDs Length 50m· Micro SD memory, IP67, PoE



۳۵,۵۲۰,۰۰۰ ریال

- 1/1.8" 8Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 25/30fps@8MP(3840×2160)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB · IP67, IK10, PoE
- 3.7~11mm motorized lens· Max IR LEDs Length 30m



۸,۹۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 5MP WDR IR Dome Network Camera IP6730m
- 1/2.7" 5Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 15fps@5M(2592×1944)&25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB
- 2.7~13.5mm motorized lens
- Max IR LEDs Length 30m, IP67, IK10, PoE



۵۱,۸۰۰,۰۰۰ ریال

- 1/2.7" 5Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 15fps@5M(2592×1944)&25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB
- 2.7~13.5mm motorized lens
- Max IR LEDs Length 50m, IP67, PoE



۵۰,۵۷۰,۰۰۰ ریال

- 1/3" 4MP WDR IR Dome Network Camera
- H.265 & H.264 dual-stream encoding
- 20fps@4M(2688×1520)&25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- Micro SD card slot, up to 128GB
- 2.7~13.5mm motorized lens
- Max IR LEDs Length 30m, IP67, IK10, PoE



۴۸,۷۲۰,۰۰۰ ریال

- 4MP, 1/3" CMOS image sensor, low illuminance, **Starlight**
- Outputs 4MP (2560 × 1440)@25/30 fps, max. supports 4MP
- H.265 codec, high compression rate, ultra-low bit rate
- Built-in IR LED, max IR distance: 30 m
- ROI, SMART H.264/H.265, flexible coding, applicable to various bandwidth and storage environments
- Rotation mode, WDR, 3D DNR, HLC, BLC, digital watermarking, applicable to various monitoring scenes
- Intelligent detection: Intrusion, tripwire
- Abnormality detection: Motion detection, video tampering, no SD
- Supports max. 256 GB Micro SD card
- 12V DC/PoE power support, IP67, IK10 protection grade



۲۷,۳۰۰,۰۰۰ ریال

- 1/3" 4Megapixel progressive CMOS
- H.265 & H.264 dual-stream encoding
- 20fps@4M(2688×1520) & 25/30fps@3M(2304×1296)
- WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.8 mm fixed lens (3.6 mm optional)
- Max IR LEDs Length 30m, IP67, IK10, PoE



۳۰,۵۹۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

42	DH-IPC-HDBW1230EP	1/2.7" 2Megapixel progressive CMOS - H.265 & H.264 dual-stream encoding 25/30fps@1080P(1920x1080) - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.8mm fixed lens (3.6mm optional) - Max IR LEDs length 30m . IP67, IK10, PoE	
		   	۱۸,۵۰۰,۰۰۰ ریال
43	DH-IPC-B2B40P-ZS 	1/3" 4Megapixel progressive CMOS - H.265+ & H.265 dual-stream encoding · 2.8~12mm motorized lens 20fps@4M(2560x1440) & 25/30fps@3M(2304x1296) - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS - Max IR LEDs Length 40m · Micro SD card memory, IP67, PoE	
		   	۲۹,۸۰۰,۰۰۰ ریال
44	DH-IPC-B2B20P-ZS 	1/2.7" 2Megapixel progressive CMOS - H.265+ & H.265 dual-stream encoding 25/30fps@1080P(1920x1080) · 2.8~12mm motorized lens - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS - Max IR LEDs Length 40m - Micro SD card memory, IP67, PoE7	
		   	۲۶,۸۰۰,۰۰۰ ریال
45	DH-IPC-B1B40P 	1/3" 4Megapixel progressive CMOS - H.265+ & H.265 dual-stream encoding 20fps@4M(2560x1440) & 25/30fps@3M(2304x1296) - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.8 mm fixed lens (3.6mm optional) - Max IR LEDs Length 30m. IP67, PoE	
		   	۲۱,۵۰۰,۰۰۰ ریال
46	DH-IPC-B1B20P 	1/2.7" 2Megapixel progressive CMOS - H.265+ & H.265 dual-stream encoding 25/30fps@1080P(1920x1080) - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & 2.8 mm fixed lens (3.6mm optional) - Max IR LEDs Length 30m · IP67, PoE	
		   	۱۸,۷۵۰,۰۰۰ ریال
47	DH-IPC-B1B20P-L 	2MP IR Mini-Bullet Network Camera 1/2.7" 2Megapixel progressive CMOS - H.265+ & H.265 dual-stream encoding 25/30fps@1080P(1920x1080) - DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC - Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.8 mm fixed lens (3.6mm optional) - Max IR LEDs Length 30m · IP67, PoE	
		   	۱۵,۴۲۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

48	DH-IPC-T2B20P-ZS 	• 1/2.7" 2Megapixel progressive CMOS • H.265+ & H.265 dual-stream encoding • 25/30fps@1080P(1920×1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.8~12mm motorized • Max IR LEDs Length 40m· Micro SD card memory, IP67, PoE		۲۶,۸۰۰,۰۰۰ریال
49	DH-IPC-T1B40P 	• 4MP IR Turret Network Camera • 1/3" 4Megapixel progressive CMOS • H.265+ & H.265 dual-stream encoding • 20fps@4M(2560×1440) & 25/30fps@3M(2304×1296) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.8 mm fixed lens (3.6mm optional) • Max IR LEDs Length 30m · IP67, PoE		۲۱,۵۰۰,۰۰۰ریال
50	DH-IPC-T1B20P 	• 1/2.7" 2Megapixel progressive CMOS • H.265+ & H.265 dual-stream encoding • 25/30fps@1080P(1920×1080) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.8 mm fixed lens (3.6mm optional) • Max IR LEDs Length 30m · IP67, PoE		۱۸,۷۵۰,۰۰۰ریال
51	DH-IPC-T1B20P-L 	• 2MP IR Turret Network Camera • 1/2.7" 2Megapixel progressive CMOS • H.265+ & H.265 dual-stream encoding • 20fps@1080P(1920×1080) & 25/30fps@1.3MP(1280×960) • DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 2.8 mm fixed lens (3.6mm optional) • Max IR LEDs Length 30m · IP67, PoE		۱۵,۴۲۰,۰۰۰ریال
52	DH-NVR2B16 	• 16 Channel 1U H.265 Network Video Recorder • H.265+/H.264+ codec decoding • Max 16 channel IP camera inputs • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output • 2 SATA III Ports, up to 6TB capacity for each HDD		۳۹,۶۰۰,۰۰۰ریال
53	DH-NVR1B04 	• 4 Channel Smart 1U H.265 Network Video Recorder • H.265+/H.264+ codec decoding • Max 4 channel IP camera inputs • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output		۲۰,۹۷۰,۰۰۰ریال

IP price list

دی ۱۳۹۹

54	DH-NVR1B04-4P EZ-IP	• H.265+/H.264+ codec decoding • Max 4 channel IP camera inputs • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output • Support IPC UPnP, 4PoE ports • 1 SATA III Port, up to 6TB capacity for each HDD		۳۷,۰۷۰,۰۰۰ ریال
55	DH-NVR1B08HS EZ-IP	• H.265+/H.264+ codec decoding • Max 8 channel IP camera inputs • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output • 1 SATA III Port, up to 6TB capacity for each HDD		۲۳,۳۱۰,۰۰۰ ریال
56	DH-NVR1B08HS-8P EZ-IP	• H.265+/H.264+ codec decoding • Max 80Mbps incoming bandwidth • Max 8 channel IP camera inputs • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output • Support IPC UPnP, 8PoE ports • 1SATA III Port, up to 6TB capacity for each HDD		۴۷,۲۴۰,۰۰۰ ریال
57	DH-NVR1B08 EZ-IP	• H.265+/H.264+ codec decoding • Max 8 channel IP camera inputs • Max 80Mbps incoming bandwidth • Up to 8MP resolution preview&playback • Up to 1ch@8MP/4ch@1080P decoding • HDMI/VGA simultaneous video output		۲۲,۲۰۰,۰۰۰ ریال
58	DH-NVR104-P EZ-IP	• 4CH Smart Box 4PoE Network Video Recorder • Up to 4 channel IP camera input • H.264/MJPEG dual codec decoding • Max 56Mbps incoming bandwidth • HDMI/VGA simultaneous video output • All channel synchronous realtime playback, GRID interface • Support 1 SATA (2.5"removable HDD) up to 1TB, 2 USB2.0 • Support IPC UPnP, 4PoE ports • Support P2P (QR code Scan)		۲۰,۰۰۰,۰۰۰ ریال
59	DH-NVR108-P EZ-IP	• 8CH Smart Box 4PoE Network Video Recorder • Up to 8 channel IP camera input • H.264/MJPEG dual codec decoding • Max 56Mbps incoming bandwidth • HDMI/VGA simultaneous video output • All channel synchronous realtime playback, GRID interface • Support 1 SATA (2.5"removable HDD) up to 1TB, 2 USB2.0 • Support IPC UPnP, 4PoE ports • Support P2P (QR code Scan)		۲۶,۵۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

60	DH-SD6AL245U-HNI	1/2.8" 2Megapixel STARVIS™ CMOS - Powerful 45x optical zoom - Max. 50/60fps@1080P - Auto tracking and IVS - Support Hi-PoE - IR distance up to 550m · IP67 2MP 45x Starlight Laser PTZ Network Camera	
		     	۴۹۲,۱۰۰,۰۰۰ ریال
61	DH-SD6CE245U-HN	1/2.8" 2Megapixel STARVIS™ CMOS-Starlight - Powerful 45x optical zoom - Starlight technology - Max. 50/60fps@1080P - Auto-tracking and IVS - IR distance up to 250m - Support PoE+ IP67, IK10 2MP 45x Starlight IR PTZ Network Camera	
		      	۲۶۷,۶۳۰,۰۰۰ ریال
62	DH-SD59430U-HNI	- H.265+/H.265/H.264+/H.264 Encoding, Ultra-low bit rate transmission - Max. 25/30fps@4M(2592×1520) & 50/60fps @1080P resolution - WDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus 4.5mm ~ 135.0mm , 30x Optical Zoom - Max 400°/s pan speed, 360° endless pan rotation - Up to 300 presets, 5 auto scan, 8 tour, 5 pattern - Micro SD card memory , 64 GB. 1/3" CMOS Sensor - Audio In/Out-Alarm In/Out-IP66, POE+ - IR Distance up to 100m(AC24V)/ 80m(DC12V) - Smart Detection (Tripwire Intrusion Scene Change Face Anandoned- Missing Object)	
		    	۲۵۲,۲۲۰,۰۰۰ ریال
63	DH-SD59230U-HNI	2MP 30x Starlight IR PTZ Network Camera - H.265+/H.265/H.264+/H.264 Encoding - Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom - Max 400°/s pan speed, 360° endless pan rotation - WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus - Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) - Support Defog and EIS - Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan - Built-in 2/1 Alarm in/out-Audio 1/1 in/out-Support PoE+ - IR Distance up to 150m-IP66, OSD	
		     	۲۲۱,۰۰۰,۰۰۰ ریال
64	DH-SD49225XA-HNR	2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS - Powerful 25x optical zoom - Starlight technology - Max. 50/60fps@1080P - Perimeter protection . Support PoE+ - IR distance up to 100m . SMD PLUS . IP66	
		     	۱۲۹,۸۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 1/2.8" STARVIS™ CMOS . **STARLIGHT**
- Powerful 4x optical zoom
- Support Triple-streams encoding
- WDR, Day/Night(ICR), Ultra DNR
- Max. 25/30fps@1080P · IVS
- Support PoE · IR distance up to 30m




۴۸,۸۰۰,۰۰۰ ریال

- Intel Quad-core Processor
- 64 channel IPC input-32 Channel Live Preview:
- (1st Screen:1st Screen: 1/4/8/9/16/25/36 ,2nd Screen: 1/4/8/9/16)
- H.265/H.264/MJPEG codec decoding
- Max 384Mbps incoming bandwidth . 2HDMI/VGA simultaneous video output
- Up to 12Mp resolution preview & playback . RS232 , RS485-16 Alarm In
- Support 8 SATA HDDs up to 64TB,1 eSATA Port . Support Raid 0/1/5/6/10
- Support Smart Tracking and Intelligent Video
- 4 USB(2 USB3.0, 2 USB2.0)-2*1000 Mbps Network Card



۳۶۸,۷۷۰,۰۰۰ ریال

- Intel Dual-core Processor-32 channel IPC input
- 32 Channel Live Preview:. 16 Alarm In , 8 Relay Output
- (1st Screen:1/4/8/9/16/25/36,2nd Screen: 1/4/8/9/16)
- H.265/H.264/MJPEG codec decoding
- Max 384Mbps incoming bandwidth
- Up to 12Mp resolution preview&playback
- 2HDMI/VGA simultaneous video output
- Support 8 SATA HDDs up to 64TB,1 eSATA Port
- Support Raid 0/1/5/6/10-4 USB(2 USB3.0, 2 USB2.0)
- 2*1000 Mbps Network Card-RS232 , RS485



۲۲۱,۲۶۰,۰۰۰ ریال

- 64Channel 2U 4K&H.265 Pro Network Video Recorder (V2.00)
- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- Max 320Mbps Incoming Bandwidth
- Up to 12MP Resolution for Preview and Playback
- 2HDMI/2VGA simultaneous video output Support Raid 0/1/5/10



۲۵۴,۰۰۰,۰۰۰ ریال

- 32 channel IPC input-32 Channel Live Preview
- H.265/H.264/MJPEG/MPEG4 codec decoding
- Max 320Mbps incoming bandwidth . P2P Support-Raid 0/1/5/6/10
- Up to 12Mp resolution preview&playback
- Max 16ch@1080P | 4ch@4K H.265 | H.264 Playback
- 2HDMI/VGA simultaneous video output
- Support 8 SATA HDDs up to 64TB, 4 USB(2 USB3.0, 2 USB2.0)
- 2*1000 Mbps Network Card-RS232-16 Alarm In , 6 Relay Output



۲۱۷,۵۶۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- 32Channel 1.5U 16PoE 4K&H.265 Pro Network Video Recorder
- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- Max 320Mbps Incoming Bandwidth
- Up to 12MP Resolution for Preview and Playback
- 2HDMI/VGA simultaneous video output
- 3D intelligent positioning with Dahua PTZ camera
- 4 SATA III Ports, Up to 8 TB capacity for each HDD



۱۹۵,۲۴۰,۰۰۰ ریال

- 32 channel IPC input-32 channel Live Preview
- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding
- Max 320Mbps incoming bandwidth
- Up to 12Mp resolution preview&playback
- Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding
- 2 HDMI/VGA simultaneous video output
- Support 4 SATA HDDs up to 40TB, 3 USB(1 USB3.0, 2USB2.0)
- Support 1 e-SATA-2*1000 Mbps Network Card
- RS232, RS485-16 Alarm In , 6 Relay Output-P2P Support



۱۴۲,۰۰۰,۰۰۰ ریال

- 32 channel IP camera input.32 channel Live Preview
- Up to 12Mp resolution preview&playback
- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- Max 320Mbps incoming bandwidth-Record Rate 320 Mbps
- Max 4-ch@8MP(30fps), 16-ch@1080P(30fps) decoding
- HDMI/VGA simultaneous video output-16 channel playback
- Support 2 SATA HDDs up to 20TB, 2 USB(1 USB3.0)
- 1000 Mbps Network Card -RS232, RS485
- 4 Alarm Input, 2 Relay Output-Support P2



۹۴,۵۰۰,۰۰۰ ریال

- 16Channel 1U 16PoE AI Network Video Recorder
- 16 Channel IP video access
- Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- Up to 16 Channel perimeter protection
- Up to 4 Channel video stream face recognition
- Up to 22 face pictures /sec processing
- Up to 20 face databases with 100,000 face images in total
- 1-8 PoE Ports support ePoE & EoC



۳۶۵,۰۷۰,۰۰۰ ریال

Wiz Mind

IP price list

دی ۱۳۹۹

- . 16Channel 1U 16PoE 4K&H.265 Pro Network Video Recorder
- . Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- . Max 320Mbps Incoming Bandwidth
- . Up to 12MP Resolution for Preview and Playback
- . HDMI/VGA simultaneous video output
- . 3D intelligent positioning with Dahua PTZ camera
- . 2 SATA III Ports, Up to 8 TB capacity for each HDD



۱۲۷,۹۰۰,۰۰۰ ریال

- . 16Channel 1U 4K&H.265 Pro Network Video Recorder (V2.00)
- . Smart H.265+/H.265/Smart H.264+/H.264/MJPEG
- . Max 320Mbps Incoming Bandwidth
- . Up to 12MP Resolution for Preview and Playback
- . HDMI/VGA simultaneous video output
- . 2 SATA III Ports, Up to 10 TB capacity for each HDD



۷۶,۴۷۰,۰۰۰ ریال

- . 32 channel IP camera input. 1.5U
- . 16 channel Live Preview-H.265/H.264 codec decoding
- . Max 200Mbps incoming bandwidth
- . Up to 8MP Resolution for Preview and Playback
- . HDMI/VGA simultaneous video output
- . Support 4 SATA HDD up to 6TB
- . 2 USB Ports (1 USB2.0, 1 USB3.0)
- . 16 Alarm Input, 4 Relay Output-RS232 , RS485
- . 2*10/100/1000Mbps Mbps Network Card-P2P support



۸۵,۰۰۰,۰۰۰ ریال

- . 32 Channel 1U 4K&H.265 Lite Network Video Recorder codec decoding
- . Max 200Mbps Incoming Bandwidth · H.265/H.264
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output



۱,۰۰۰,۰۰۰ ریال

- . 16 Channel 1U 16PoE 4K&H.265 Lite Network Video Recorder
- . Smart H.265+/H.265/Smart H.264+/H.264
- . Max 200Mbps Incoming Bandwidth
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output
- . Support IPC UPnP, 16PoE ports
- . 2 SATA III Ports, Up to 6 TB capacity for each HDD



۹۸,۰۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

- . 16 channel IP camera input
- . 16 channel Live Preview . Support 2 SATA HDD up to 6TB
- . H.265/H.264 codec decoding . 2 USB Ports (1 USB2.0, 1 USB3.0)
- . Max 200Mbps incoming bandwidth . 4 Alarm Input, 2 Relay Output
- . Up to 8MP Resolution for Preview and Playback
- . HDMI/VGA simultaneous video output
- . 1*10/100/1000Mbps Network Card-P2P support



۵۶,۵۰۰,۰۰۰ ریال

- . Smart H.265+/H.265/Smart H.264+/H.264
- . Max 80Mbps Incoming Bandwidth
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output



۳۹,۴۰۰,۰۰۰ ریال

- . 8 Channel Compact 1U 8PoE 4K&H.265 Lite Network Video Recorder
- . Smart H.265+/H.265/Smart H.264+/H.264
- . Max 80Mbps Incoming Bandwidth . Support IPC UPnP, 8PoE ports
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output
- . 1 SATA III Port, Up to 6 TB capacity for each HDD



۵۲,۵۰۰,۰۰۰ ریال

- . 8 channel IP camera input-1/4/8/9 channel Live Preview
- . 8CH Playback-H.265/H.264 codec decoding
- . Max 80Mbps incoming bandwidth . 100 Mbps Network Card-P2P support
- . Up to 8MP Resolution for Preview and Playback
- . HDMI/VGA simultaneous video output
- . Support 1 SATA HDD up to 6TB, 2 USB2.0



۳۲,۰۷۰,۰۰۰ ریال

- . Smart H.265+/H.265/Smart H.264+/H.264
- . Max 80Mbps Incoming Bandwidth . Support IPC UPnP, 4PoE ports
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output
- . 1 SATA III Port, Up to 6 TB capacity for each HDD



۴۳,۷۸۰,۰۰۰ ریال

- . 4 Channel Compact 1U 4K&H.265 Lite Network Video Recorder
- . Smart H.265+/H.265/Smart H.264+/H.264
- . Max 80Mbps Incoming Bandwidth
- . Up to 8MP Resolution for Preview and Playback
- . Up to 2ch@4K/8ch@1080P decoding
- . HDMI/VGA simultaneous video output
- . 1 SATA III Port, Up to 6 TB capacity for each HDD



۲۹,۶۰۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

85	DH-NVR2108HS-8P-4KS2	8 Channel Compact 1U 8PoE Lite 4K - H.265/H.264 codec decoding . HDMI/VGA simultaneous video output - Max 80Mbps incoming bandwidth - Up to 8Mp resolution preview&playback - Up to 1ch@8MP/4ch@1080P decoding - Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card-8Port PoE. P2P support		Lite 8Mp H.265 Max 6TB	۴۲,۵۰۰,۰۰۰ ریال
86	DH-NVR2104HS-P-4KS2	4 Channel Compact 1U 4PoE Lite 4K. H.265/H.264 codec decoding - Max 80Mbps incoming bandwidth-Up to 8Mp resolution - preview&playback-Up to 1ch@8MP/4ch@1080P decoding - HDMI/VGA simultaneous video output - Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card-4PoE Port. P2P support		Lite 8Mp H.265 Max 6TB	۳۲,۶۸۰,۰۰۰ ریال
87	DH-NVR2108HS-4KS2	8 channel IP camera input 1U Lite 4K - H.265/H.264 codec decoding . 100 Mbps Network Card. P2P support - Max 80Mbps incoming bandwidth . HDMI/VGA simultaneous video output - Up to 8Mp resolution preview&playback - Up to 1ch@8MP/4ch@1080P decoding - Support 1 SATA HDD up to 6TB, 2 USB2.0		Lite 8Mp H.265 Max 6TB	۳۳,۶۸۰,۰۰۰ ریال
88	DH-NVR2104HS-4KS2	4 channel IP camera input 1U Lite 4K - H.265/H.264 codec decoding . 100 Mbps Network Card. P2P support - Max 80Mbps incoming bandwidth . HDMI/VGA simultaneous video output - Up to 8Mp resolution preview&playback - Up to 1ch@8MP/4ch@1080P decoding - Support 1 SATA HDD up to 6TB, 2 USB2.0		Lite 8Mp H.265 Max 6TB	۲۰,۳۵۰,۰۰۰ ریال
89	DH-PFS4226-24ET-240	24-Port PoE Switch - Layer 2 management PoE switch - PoE budget: 240W - Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission - PoE management, PoE Setting/Event Statistics/Green PoE - Search and upgrade via ConfigTool - Support Web management · Non-blocking video transmission - High lightning protection design			۹۷,۰۰۰,۰۰۰ ریال
90	DH-PFS3010-8ET-96	8-Port PoE Switch (Unmanaged) . Layer two commercial switch - Supports PoE power management - Supports wall-mount installation · Supports anti-theft lock hole - MAC auto learning and aging, MAC address capacity is 16K - Supports IEEE802.3, IEEE802.3u and IEEE802.3X standards - RJ45 port supports 10/100 Mbps self-adaptation - Supports 250 meters long distance PoE transmission - Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply			۲۴,۵۴۰,۰۰۰ ریال

IP price list

دی ۱۳۹۹

91	DH-PFS3110-8ET-96	8-Port PoE Switch (Unmanaged) - Layer two Hardened PoE switch - Supports PoE power management - MAC auto learning and aging, MAC address capacity is 8K - Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply - Supports IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards - Wide working temperature design: -30°C~ 65°C · Supports dual power backup		۲۵,۲۸۰,۰۰۰ریال
92	DH-PFS3106-4ET-60	4-Port PoE Switch (Unmanaged) - Layer two Hardened PoE switch - Supports PoE power management - MAC auto learning and aging, MAC address capacity is 8K - Conforms to IEEE802.3af and IEEE802.3at power supply standard. Port 1 supports Hi-PoE 60W power supply - Supports IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards - Wide working temperature design: -30°C~ 65°C · Supports dual power backup		۱۹,۶۱۰,۰۰۰ریال
93	DH-PFS4218-16ET-240	16-Port PoE Switch - Layer 2 management PoE switch - PoE budget: 240W - Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission - PoE management, PoE Setting/Event Statistics/Green PoE - Search and upgrade via ConfigTool - Support Web management · Non-blocking video transmission - High lightning protection design		۸۵,۱۰۰,۰۰۰ریال
94	DH-PFL2106-4ET-96	4-Port ePoE Switch - Supports long distance PoE transmission up to 800m with ePoE technology of Dahua - Two-layer industrial PoE switch - MAC auto study and aging, MAC address list capacity is 8K - Conform IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards - Supports IEEE802.3af, IEEE802.3at, Hi-PoE standard - Industrial wide temperature design		۳۲,۶۸۰,۰۰۰ریال
95	DH-LR2110-8ET-120	8-Port ePoE Switch - Supports long distance PoE transmission up to 800m with ePoE technology of Dahua - Layer-two ePoE switch - MAC auto study and aging, MAC address list capacity is 8K - Conform IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards - Supports IEEE802.3af, IEEE802.3at, Hi-PoE standard - Industrial wide temperature design - Port indicator light is to display the status of current transmission mode for the port, which includes IEEE, E100 and E10		۵۱,۱۸۰,۰۰۰ریال
96	DH-LR2218-16ET-240	16-Port ePoE Switch - Supports long distance PoE transmission up to 800m with ePoE technology of Dahua - Layer-two web managed ePoE switch - Port 1-8 support three self-adaptive transmission modes which are IEEE, E100 and E10 - Port 1-8 support both twisted-pair transmission and coaxial cable transmission - Support web management: port management, 802.1Q VLAN, STP/RSTP, LACP, 802.1X, QoS - Support PoE management, Green PoE, Legacy Support - Conform IEEE802.3, IEEE802.3u, IEEE802.3ab/z and		۱۰۴,۸۳۰,۰۰۰ریال