



تارتن دژ آریانا

دفتر مرکزی هایلوک



لیست قیمت رسمی زمستان 1399
(تماس) 021-88500020 - 09901368002 (تلگرام)

HiLook

دوربین تحت شبکه و دستگاه NVR

جهت دریافت مشاوره و اطلاع از تخفیفات محصولات با شماره زیر تماس بگیرید:








021-88500020

(20 خط)

	1	2	3	4	5	6
Click for More information	IPC-B120	IPC-B120H	IPC-B121H	IPC-B140H	IPC-B220	IPC-B220-D
						
Price (Rials)	۱۷,۶۰۰,۰۰۰	۲۱,۰۰۰,۰۰۰	۲۱,۵۰۰,۰۰۰	۲۵,۵۰۰,۰۰۰	۱۷,۹۰۰,۰۰۰	۱۵,۹۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8/4 Fix	2.8/4/6mm Fix	4mm Fix	4mm Fix
Viewing Angle	105°	103°/86°/54°	103°/86°/54°	103°/86°/54°	86°	86°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Metal & Plastic	-	-
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	No	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes		No
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC

	7	8	9	10	11	12
Click for More information	IPC-T120	IPC-T120-D	IPC-T220	IPC-T220-H	IPC-T240H	IPC-D120
						
Price (Rials)	۱۳,۸۰۰,۰۰۰	۱۰,۷۵۰,۰۰۰	۱۳,۸۰۰,۰۰۰	۱۶,۷۵۰,۰۰۰	۱۹,۹۰۰,۰۰۰	۱۷,۱۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4/6mm Fix	2.8/4/6mm Fix	2.8mm Fix
Viewing Angle	103°/86°/54°	105°	103°/86°/54°	103°/86°/54°	103°/86°/54°	105°
IR Range	Up to 10m IR	Up to 10m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Plastic	-	Metal & Plastic	Metal & Plastic	Metal & Plastic	-
Standard	IP67	IP67	IP67	IP67	IP67	IP67 & IK10
SD Card Support	No	No	No	Yes	No	No
WDR	No	No	Yes	No	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	No	Yes	Yes	Yes	Yes
Other Features	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+

	13	14	15	16	17	18
Click for More information	IPC-D120H	IPC-D140H	IPC-B620H-V	IPC-B620H-Z	IPC-B640H-V	IPC-B640H-Z
						
Price (Rials)	۱۹,۹۰۰,۰۰۰	۲۱,۵۰۰,۰۰۰	۳۸,۳۰۰,۰۰۰	۳۸,۵۰۰,۰۰۰	۴۲,۳۰۰,۰۰۰	۴۸,۲۰۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8/4/6mm Fix	2.8/4/6mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	103°/86°/54°	103°/86°/54°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67	IP67	IP67	IP67
SD Card Support	No	No	Yes	Yes	Yes	Yes
WDR	No	No	No	No	Yes	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
Click for More information	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z	IPC-D640H-V	IPC-D640H-Z	PTZ-P332ZI-DE3
						
Price (Rials)	۳۰,۵۱۰,۰۰۰	۲۵,۵۰۰,۰۰۰	۳۵,۲۰۰,۰۰۰	۳۱,۶۰۰,۰۰۰	۳۹,۵۰۰,۰۰۰	۱۵,۹۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	4x
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR
Body Type	Metal & Plastic	Full Metal	-	Full Metal	Full Metal	Aluminum alloy
Standard	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67 & IK10	-
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	Yes	No	No	Yes	Yes	No
Microphone Support	No	No	No	No	No	-
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	Capture 360°images

	25	26	27	28	29	30
Click for More information	PTZ-N2204I-DE3	PTZ-N2404I-DE3	PTZ-N4215-DE3	PTZ-N4215I-DE	PTZ-N4225I-DE	PTZ-N5225I-AE
						
Price (Rials)	٦١,٥٠٠,٠٠٠	٥٠,٧٥٠,٠٠٠	٩١,٥٠٠,٠٠٠	١١٦,٠٠٠,٠٠٠	١٢٧,٠٠٠,٠٠٠	١٤٨,٥٠٠,٠٠٠
Camera Type	PTZ	PTZ	PTZ	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal	5-75mm Varifocal	5-75mm Varifocal	4.8-120mm Varifocal	4.8-120mm Varifocal
Viewing Angle	4x	4x	15x	15x	25x	25x
IR Range	Up to 20m IR	Up to 20m IR	-	Up to 100m IR	Up to 100m IR	Up to 150m IR
Body Type	Aluminum alloy	Aluminum alloy	-	-	-	-
Standard	IP66 & IK10	IP66 & IK10	-	IP66	IP66	IP66
SD Card Support	Yes	Yes	Yes	Yes	Yes	Yes
WDR	Yes	Yes	Yes	Yes	Yes	Yes
Microphone Support	No	No	No	No	No	-
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, HLC, EIS	H.265+, 3D DNR, HLC, EIS	H.265+, 3D DNR, BLC,	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC

جهت دریافت مشاوره و اطلاع از تخفیفات محصولات با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

	31	32	33	34	35	36
Click for More information	NVR-104-B	NVR-104-B/4P	NVR-108-B	NVR-108-B/8P	NVR-104MH-C	NVR-104MH-C/4P



Price (Rials)	۱۳,۶۰۰,۰۰۰	Call:88500020	۱۶,۸۰۰,۰۰۰	Call:88500020	۲۲,۵۰۰,۰۰۰	۳۰,۵۰۰,۰۰۰
NVR Type	4-ch	4-ch	8-ch	8-ch	4-ch	4-ch
Input BandWidth	40Mbps	40Mbps	40Mbps	60Mbps	40Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	4 ch POE	-	8 ch POE	4 ch POE	4 ch POE
Compression Standard	H.264+	H.264+	H.264+	H.264+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	H.265+
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

	37	38	39	40	41	42
Click for More information	NVR-104MH-D	NVR-104MH-D/4P	NVR-108MH-C	NVR-108MH-C/8P	NVR-108MH-D	NVR-108M-D/8P



Price (Rials)	۱۶,۸۰۰,۰۰۰	۳۰,۶۷۲,۰۰۰	۲۹,۵۰۰,۰۰۰	۵۳,۵۰۰,۰۰۰	۲۳,۳۰۰,۰۰۰	۴۷,۵۲۰,۰۰۰
NVR Type	4-ch	4-ch	8-ch	8-ch	8-ch	8-ch
Input BandWidth	40Mbps	40Mbps	80Mbps	80Mbps	60Mbps	60Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	40Mbps	60Mbps
Resolution Support	4 Megapixel	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 1080P 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	8 ch POE	8 ch	8 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.264+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Feathures	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	Support multiple VCA (Video Content Analytics) events	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

43

44

45

50

Click for More
information

NVR-116MH-C

NVR-208MH-C

NVR-216MH-C

NVR-216MH-C/16P



Price (Rials)	۳۳,۹۰۰,۰۰۰	۳۱,۷۵۰,۰۰۰	۳۸,۲۰۰,۰۰۰	۸۲,۵۰۰,۰۰۰
NVR Type	16-ch	8-ch	16-ch	16-ch
Input BandWidth	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	8 ch	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Feathures	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback



تارتن دژ آریانا
دفتر مرکزی هایلوک



HiLook

دوربین‌های توربو HD و دستگاه DVR

جهت دریافت مشاوره و اطلاع از تخفیفات محصولات با شماره زیر تماس بگیرید:

021-88500020

(خط 20)






	1	2	3	4	5	6
Click for More information	THC-B110-M	THC-B120-P	THC-B120-M	THC-B140-P	THC-B140-M	THC-B220



Price (Rials)	٥,٨٢٠,٠٠٠	٧,٤٠٠,٠٠٠	٨,٩٠٠,٠٠٠	٨,٣٥٠,٠٠٠	١٠,٠٠٠,٠٠٠	٩,٩٥٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)
Body Type	Plastic	Plastic	Metal	Plastic	Full Metal	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	7	8	9	10	11	12
Click for More information	THC-B220-M	THC-B240	THC-B240-M	THC-T110-P	THC-T120-PC	THC-T120
						
Price (Rials)	11,200,000	11,250,000	12,400,000	4,150,000	6,450,000	7,400,000
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°	105°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Full Metal	Metal	Full Metal	Plastic	Plastic	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes	No	Yes	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	13	14	15	16	17	18
Click for More information	THC-T120-M	THC-T140-P	THC-T140	THC-T140-M	THC-T220-P	THC-T220-M
						
Price (Rials)	٨,١٠٠,٠٠٠	٧,٣٠٠,٠٠٠	٧,٨٠٠,٠٠٠	٨,٥٥٠,٠٠٠	٦,٧٥٠,٠٠٠	٨,٩٥٠,٠٠٠
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal	Plastic	Metal & Plastic	Metal	Plastic	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	19	20	21	22	23	24
Click for More information	THC-T240-P	THC-T240-M	THC-B320-VF	THC-B340-VF	THC-D320-VF	THC-D340-VF
						
Price (Rials)	٧,٨٠٠,٠٠٠	٩,٩٠٠,٠٠٠	١٤,٥٠٠,٠٠٠	١٩,٩٠٠,٠٠٠	١١,٣٠٠,٠٠٠	١٣,٩٠٠,٠٠٠
Camera Type	Dome	Dome	Bullet	Bullet	Dome	Dome
Resolution	4 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	105°	105°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Plastic	Metal	Metal & Plastic	Metal & Plastic	Full Metal	Full Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

25

26

Click for More information

THC-T320-VF

THC-T340-VF



Price (Rials)	۱۰,۵۰۰,۰۰۰	۱۲,۴۰۰,۰۰۰
Camera Type	Dome	Dome
Resolution	2 Megapixel	4 Megapixel
Lens	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic
IP Standard	IP66	IP66
OSD Menu	No	No
WDR	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

27

28

29

Click for More
information

PTZ-T4215I-D

PTZ-T4225I-D

PTZ-T5225I-A



















Price (Rials)	Call:88500020	Call:88500020	Call:88500020
Camera Type	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x	25x
IR Range	Up to 100m	Up to 100m	Up to 150m
Body Type	-	-	-
IP Standard	IP66	IP66	IP66
OSD Menu	-	-	-
WDR	No	Yes	No
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

جهت دریافت مشاوره و اطلاع از تخفیفات محصولات با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

	30	31	32	33	34	35
Click for More information	DVR-104G-F1	DVR-108G-F1	DVR-116G-F1	DVR-204G-F1	DVR-208G-F1	DVR-216G-F1
						
Price (Rials)	۱۲,۱۰۰,۰۰۰	۲۱,۴۰۰,۰۰۰	۳۱,۱۰۰,۰۰۰	۱۴,۸۰۰,۰۰۰	۲۵,۷۰۰,۰۰۰	۳۶,۵۰۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVB	16-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 2MP	8 Ch. HDTV/Analog Up to 2MP	16 Ch. HDTV/Analog Up to 2MP	4 Ch. HDTV/Analog Up to 2MP	8 Ch. HDTV/Analog Up to 2MP	16Ch. HDTV/Analog AHD Up to 2MP
	1 Port HDMI Port VGA,	1 1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI 1 Port VGA, 1Ch. USB
		1 HDD up to 4TB H.265+	1 HDD up to 6TB H.264+	1 HDD up to 6TB H.264+	1 HDD up to 6TB H.264+	1 HDD up to 6TB H.264+
Other Features	Smart search for efficient playback	Smart search for efficient playback	Max. 1200 m for 720p HDTV signal transmission	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras








	36	37	38	39	40	41
Click for More information	DVR-204Q-F1	DVR-204Q-K1	DVR-208Q-F1	DVR-208Q-K1	DVR-216Q-F1	DVR-216Q-K1
						
Price (Rials)	۱۷,۰۵۰,۰۰۰	۲۱,۴۰۰,۰۰۰	۳۰,۷۰۰,۰۰۰	۳۷,۵۰۰,۰۰۰	۵۱,۰۰۰,۰۰۰	۵۹,۲۰۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch HDTV/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 3MP	4 Ch. HDTV/Analog Up to 2MP	8 Ch. HDTV/Analog Up to 3MP	8 Ch. HDTV/Analog Up to 3MP	16 Ch. HDTV/Analog Up to 3MP	16Ch. HDTV/Analog AHD Up to 5MP
Video Output	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI 1 Port VGA, 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB
Compression Standard	H.264+	H.265+	H.264+	H.265+	H.264+	H.265+
Other Features	SupportsPTZ control via Omnicast VMS of Genetec protoco	Smart search for efficient playback Support the 3rd party cloud storage	SupportsPTZ control via Omnicast VMS of Genetec protoco	Smart search for efficient playback Support the 3rd party cloud storage	SupportsPTZ control via Omnicast VMS of Genetec protoco	Smart search for efficient playback Support the 3rd party cloud storage

Click for More
information

DVR-216Q-K2



Price (Rials)	٤٤,٥٠٠,٠٠٠
DVR Type	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	16Ch. HDTV/Analog AHD Up to 6MP
Video Output	1 Port HDMI 1 Port VGA, 1Ch. USB
SATA Interface	2 HDD up to 10TB
Compression Standard	H.265+
Other Features	Smart search for efficient playback Support the 3rd party cloud storage

	43	44	45	46	47	48
Click for More information	DVR-204U-F1	DVR-204U-K1	DVR-208U-F1	DVR-208U-K1	DVR-216U-F2	DVR-216U-K2
						
Price (Rials)	۲۴,۳۰۰,۰۰۰	۲۸,۳۰۰,۰۰۰	۴۹,۹۰۰,۰۰۰	۵۳,۷۰۰,۰۰۰	۹۲,۵۰۰,۰۰۰	۱۰۶,۵۰۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 5MP	4 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	16Ch. HDTV/Analog AHD Up to 5MP	16 Ch. HDTV/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA, 1Ch. USB	1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI Port VGA, 1Ch. USB	1 1 Port HDMI Port VGA, 2Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras

8MP DVRs

برای کنترل موجودی در لیست قیمت با شماره زیر تماس بگیرید:

021-88500020

(20 خط)

83

84

Click for More
information

DS-7204HTHI-K1

DS-7208HTHI-K2



Price (Rials)	۳۳,۵۳۰,۰۰۰	۶۵,۱۹۰,۰۰۰
DVR Type	4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
IP Video Input	2 Ch. Up to 8MP	4 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
Recording	8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS	8MP: 10FPS/5MP: 20FPS 1920x1080P : 25FPS 1280x720P : 25 FPS
Video Output	1 Port HDMI : 4K 1 Port VGA CVBS	1 Port HDMI : 4K 1 Port VGA CVBS
SATA Interface	1 HDD up to 8TB	2 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA