

HIKVISION

لیست قیمت رسمی (مستان ۱۴۰۰)

تارتن دژ آریانا

جشنواره زمستانه هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

1

2

3

4

5

6

Click for More information

DS-2CE16D0T-ITF

DS-2CE16D0T-ITFS

DS-2CE16D0T-VFIR3F

DS-2CE56D0T-VFIR3F

DS-2CE76D0T-ITPF(C)

DS-2CE76D0T-ITPFS



Price (Rials)

9,310,000

13,030,000

21,390,000

21,190,000

9,290,000

9,610,000

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

Min. Illustration

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

0.01Lux/F1.2

Lens

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

2.8 - 12mm VariFocal

2.8 - 12mm VariFocal

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

Viewing Angle

101°/79.6° /51.9°

106.4°/79.6° /51.9°

102.25° - 32°

105° - 32°

103°/82.2° /54°

106.4°/79.6° /51.9°

IR Range

Up to 30m (Exir)

Up to 30m (Exir)

Up to 40m

Up to 40m

Up to 20m (EXIR)

Up to 20m (EXIR)

Body Type

Metal

Metal

Metal & Plastic

Metal & Plastic

Plastic

Plastic

IP Standard

IP67

IP67

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

DWDR

DWDR

No

No

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12V DC

12 VDC

12 VDC

Other Features

Smart IR, HLC, DNR, BLC, 2D DNR, Switchable

HLC,2D DNR, BLC, Switchable, Built-in microphon

ICR, BLC, Smart IR, Switchable

Smart IR, ICR, AGC, Switchable

Smart IR, HLC,BLC, Switchable

built-in microphone, Smart IR, Switchable

7

8

9

Click for More
information

DS-2CE76D0T-ITMFS

DS-2CE76D3T-ITPF

DS-2AE4225TI-D



Price (Rials)

۱۳,۸۰,۰۰۰

۱۱,۴۵۰,۰۰۰

۱۱۶,۶۰۰,۰۰۰

Camera Type

Dome

Dome

PTZ

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

1920 × 1080

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

Min. Illustration

0.01Lux/F1.2

0.005Lux/F1.2

0.005 Lux/F1.6

Lens

2.8/3.6/6 Fixed

2.8/3.6/6 Fixed

4.8 mm-120mm

Viewing Angle

103°/82.2° /54°

106°/82° /51°

25x Optical Zoom

IR Range

Up to 30m

Up to 30m(Exir)

Up to100m

Body Type

Metal

Plastic

Metal

IP Standard

IP67

IP66

IP66

OSD Menu

No

Yes

No

WDR

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC,BLC,
SwitchableSmart IR, HLC,BLC,
SwitchableSmart IR, ICR,
Switchable

10

11

12

13

14

15

Click for More information

DS-2CE16H0T-ITF

DS-2CE16H0T-ITFS

DS-2CE16H0T-IT3F

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3ZF

DS-2CE56H1T-IT3E



Price (Rials)

۱۳,۷۳۰,۰۰۰

۱۴,۷۲۰,۰۰۰

۱۵,۶۵۰,۰۰۰

۱۴,۳۷۰,۰۰۰

۲۵,۹۵۰,۰۰۰

۲۲,۵۰۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2592*1944)

5MP (2592*1944)

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

Min. Illustration

0.01Lux/F1

0.01Lux/F1.2

0.01Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

Lens

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.8 - 12mm Motorized

2.8/3.6/6mm Fixed

Viewing Angle

85.5°/80.1°/57.1°

85.5°/80.1°/57.1°

105°/85°/65°

105°/85°/65°

105° - 32°

105°/85°/65°

IR Range

Up to 20m (EXIR)

Up to 30m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal

Metal

Metal & Plastic

Metal

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

OSD Menu

Yes

No

Yes

Yes

Yes

Yes

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC/built-in PoC

Other Features

2D DNR, DWDR, Switchable

2D DNR, HLC,BLC, Switchable, Built-in microphone

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC, Switchable

Smart IR, ICR, AGC, BLC

16

17

18

19

Click for More
information

DS-2CE76H0T-ITMF

DS-2CE76H0T-ITMFS

DS-2CE18U8T-IT3

DS-2CE78U8T-IT3



Price (Rials)

۱۴,۸۳۰,۰۰۰

۱۴,۸۹۰,۰۰۰

۴۴,۵۷۰,۰۰۰

۴۱,۹۹۰,۰۰۰

Camera Type

Dome

Dome

Bullet

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

8.29 Megapixel

8.29 Megapixel

Resolution

5MP (2560*1944)

5MP (2560*1944)

8MP (3840*2160)

8MP (3840*2160)

Signal System

HDTVI,AHD,HDCVI,ANLOG

HDTVI,AHD,HDCVI,ANLOG

HD-TVI

HD-TVI

Min. Illustration

0.01 Lux/F1.2

0.01 Lux/F1.2

0.01 Lux/F1.2

0.003 Lux/F1.2

Lens

2.8/3.6/6mm Fix

2.8/3.6mm FIX

2.8/3.6/6mm FIX

2.8/3.6/6mm FIX

Viewing Angle

105°/85°/65°

360°/75°

105°/85°/65°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 60m (EXIR)

Up to 60m (EXIR)

Body Type

Metal

Metal

Metal

Metal & Plastic

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

No

No

No

WDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC,
Switchable, Built-in
microphon

Smart IR, ICR, AGC, BLC

Smart IR, ICR

Click for More
information

DS-7216HGHI-K1



Price (Rials)

۴۱,۰۰۰,۰۰۰

DVR Type	16+2 Ch. quadruple HybridHD-TVI /AHD/ Analog / IP
Analog Video Input	16 Ch. HDTV/Analog Up to 2MP AHD Up to 2MP
IP Video Input	2 Ch. Up to 2MP
Audio Input/Output	1Ch. In / 1Ch. Out
Recording	1080P: 15FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1
SATA Interface	1 HDD up to 10TB
Network Interface	1 RJ45 1000M
Chassis	Standalone 1U
Other Features	H.265/H.265+ Compression 1080 output

21

22

23

24

25

26

Click for More
information

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7116HQHI-K1

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7232HQHI-K2



Price (Rials)

۳۲,۱۰۰,۰۰۰

۴۱,۷۷۰,۰۰۰

۶۱,۷۷۰,۰۰۰

۷۸,۱۲۰,۰۰۰

۹۰,۹۶۰,۰۰۰

۱۸۱,۸۹۰,۰۰۰

DVR Type

4+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MP

IP Video Input

1 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 4MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS4MP: 15FPS
3MP: 15FPS
1080P: 15FPS

Video Output

1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 1080P
1 Port VGA : 1080P
1Ch. CVBS: WD1

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+
Compression
4K UHD output

27

28

29

30

31

Click for More
information

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-K1

DS-7208HUHI-K2/P

DS-7216HUHI-K2



Price (Rials)

۳۵,۱۰,۰۰۰

۴۲,۲۴,۰۰۰

۷۷,۲۲,۰۰۰

۸۰,۱۰۰,۰۰۰

۱۴۳,۸۰۰,۰۰۰

DVR Type

4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16 + 8 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 8MP

2 Ch. Up to 8MP

4 Ch. Up to 8MP

4 Ch. Up to 8MP

8 Ch. Up to 8MP

Audio Input/Output

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

Recording

5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS5MP: 12FPS
4MP: 15FPS
3mp: 18FPS

Video Output

1 Port HDMI : 1080P,
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS1 Port HDMI : 4K
1 Port VGA : 1080P
CVBS1 Port HDMI : 4K
1 Port VGA
CVBS

SATA Interface

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : 8/4
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 8/4
Built-in PoC1xE-SATA interface
H.265/H.265+ COMPR
Alarm In/Out : 16/4