



لیست قیمت (سمی بھار) ۱۴۰۱


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

Dahua**DH-HAC-B1A21P****DH-HAC-B2A21P-0360B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۶,۵۴۰,۰۰۰	۸,۰۹۰,۰۰۰	۱۲,۰۵۰,۰۰۰	۹,۲۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	82°	93°	84°	84°
IR Range	Up to 20m	Up to 20m	Up to 80m	Up to 30m
Body Type	Plastic	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

Dahua**DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B****DH-HAC-HFW1239TP-LED3.6mm**

Price (Rials)	۱۰,۹۰۰,۰۰۰	۲۴,۷۰۰,۰۰۰	۱۱,۱۰,۰۰۰	۱۳,۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6	0.001Lux/F1.6
Lens	3.6 Fixed	Motorized	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	2.7 mm–12 mm	86.9°	86.9°
IR Range	Up to 80m	Starlight Up to 80m	Starlight Up to 20m	Starlight Up to 20m
Body Type	Metal	Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	WDR 130db	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,AWB,AGC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable, Built in mic

9

10

11

12

Dahua**DH-HAC-T1A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0360B****DH-HAC-HDW1209TLQP-A-LED-0280B**

Price (Rials)	۶,۵۴۰,۰۰۰	۷,۵۴۰,۰۰۰	۸,۷۲۰,۰۰۰	۱۰,۲۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.01Lux/F1.6
Lens	2.8 / 3.6 Fixed	2.8 Fixed	2.8 / 3.6 Fixed	2.8 Fixed
Viewing Angle	100°/82°	100°	101°/84°	106°
IR Range	Up to 20m	Up to 20m	Up to 25m	Starlight Up to 20m
Body Type	Plastic	Metal	Plastic	Plastic & Metal
IP Standard	IP67	IP67	IP50	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, BLC, Switchable. Built in mic

13

14

15

16

Dahua**DH-HAC-HFW1400CMP****DH-HAC-HFW1400DP-0360B-S3****DH-HAC-HDW1400TRQP-0280B-S3****DH-HAC-B1A51P**

Price (Rials)	۱۱,۷۴۰,۰۰۰	۱۵,۹۰۰,۰۰۰	۸,۰۷۰,۰۰۰	۱۱,۶۳۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Bullet
Imaging Sensor	4 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	87°	87°	105°	104°
IR Range	Up to 30m	Up to 80m	Up to 25m	Up to 20m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP50	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, AGC, Switchable

17

18

19

20

Dahua**DH-HAC-HFW1500THP-I8-0360B****DH-HAC-HFW1500TLP****DH-HAC-HFW1500CMP****DH-HAC-HFW1509TLMP-LED**

Price (Rials)	۱۵,۰۰۰,۰۰۰	۱۴,۵۳۰,۰۰۰	۱۵,۲۶۰,۰۰۰	۱۸,۸۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.2
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	105°	98°	98°	83°
IR Range	Up to 80m	Starlight Up to 40m	Starlight Up to 30m	Starlight Up to 40m
Body Type	Plastic	Plastic	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC - PoC (CVI)	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable- Built in Mic

21

22

23

24

Dahua**DH-HAC-HFW1509TLMP-A-LED****DH-HAC-T2A51P****DH-HAC-HDW1500TRQP-A****DH-HAC-HDW1509TLQP-A-LED**

Price (Rials)	۱۹,۶۱۰,۰۰۰	۱۲,۷۶۰,۰۰۰	۱۳,۰۸۰,۰۰۰	۱۹,۶۱۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2592×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.2	0.02Lux/F2.0	0.005Lux/F1.6	0.001Lux/F1.0
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	83°	104°	105°	88°
IR Range	Color Up to 40m	Up to 20m	Up to 30m	Color Up to 20m
Body Type	Plastic & Metal	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP50	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	WDR 120db	DWDR	DWDR	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, HLC Pro, BLC,3D NR, Switchable- Built in Mic

25

26

27

Dahua**DH-SD42215-HC-LA****DH-SD49225-HC-LA****DH-SD59232-HC-LA**

Price (Rials)	۱۱۴,۷۶۰,۰۰۰	۱۳۴,۳۷۰,۰۰۰	۲۳۸,۹۵۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5 mm–75 mm	4.8 mm–120 mm	4.5 mm–144 mm
Viewing Angle	15x Optical Zoom	25x Optical Zoom	32x Optical Zoom
IR Range		IR 100m	IR 150m
Body Type	Plastic	Plastic	Plastic
IP Standard	IP66, IK10	IP66	IP66
OSD Menu	No	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)
Power Supply	DC 12V/5A	DC 12V/3A	DC 12V/3A
Other Features	Starlight, Smart IR, HLC,2D,3D DNR, BLC, Defog	Starlight, Smart IR, HLC,2D,3D DNR, BLC, Defog	Starlight, Smart IR, HLC,2D,3D DNR, BLC, Defog

28

29

30

31

Dahua**DH-XVR1B04-I****DH-XVR1B08-I****DH-XVR1B16-I****DH-XVR5104HS-I3**

Price (Rials)	۱۷,۸۱۰,۰۰۰	۲۲,۰۱۰,۰۰۰	۴۰,۴۹۰,۰۰۰	۲۹,۲۹۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	8 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	4+1 Ch. Up to 2MP	8+2 Ch. Up to 6MP	16+2 Ch. Up to 6MP	4+2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25/30FPS 720P: 60FPS	2MP: 25/30FPS 720P: 25/30FPS	2MP: 25FPS 720P: 25FPS	5MP: 25/30FPS 4MP: 25/30FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M		1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support

Dahua

DH-XVR5104HS-4KL-I3

DH-XVR5108HS-I3

DHI-XVR5108HS-4KL



Price (Rials)	۴۳,۵۸۰,۰۰۰	۴۰,۴۴۰,۰۰۰	۶۳,۸۱۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	4+4 Ch. Up to 8MP	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 6MP: 25/30FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264



لیست قیمت (سهمی بهار ۱۴۰۱)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۸۹۹-۳۲۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2-3.6mm	DH-IPC-HFW2231SP-S-0360B-S2
				
Price (Rials)	۱۹,۰۱۰,۰۰۰	۲۰,۰۵۰,۰۰۰	۲۶,۸۸۰,۰۰۰	۳۰,۰۷۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	102°/84°	106°/88°	91°	87°
Night Vision Distance	IR 30 M	Warm Light 10/15M	IR 30 M	Starlight/ IR 30M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	No
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI

	5	6	7	8
Dahua	DH-IPC-HDW2230T-AS-S2	DH-IPC-HDW2231TP-AS-0280B-S2	DH-IPC-HFW1431SP-0360B-S4	DH-IPC-HFW2431SP-S-0360B-S2
				
Price (Rials)	۲۶,۸۸۰,۰۰۰	۲۹,۳۴۰,۰۰۰	۲۸,۱۷۰,۰۰۰	۲۹,۳۵۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @20fps
Sensor Size	1/2.7"	1/2.8"	1/3"	1/3"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
Viewing Angle	110°/91°	107°/88°	93°/81°	81°
Night Vision Distance	IR 30 M	Starlight/ IR 30M	IR 30 M	IR 30 M
Dynamic Range	DWDR	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

9

10

11

12

Dahua**DH-IPC-HFW2431TP-ZS-27135-S2****DH-IPC-HFW2439MP-AS-LED-B-S2****DH-IPC-HFW3441TP-ZS****DH-IPC-HDW1431T1P-0280B-S4**

	۵۷,۸۳۰,۰۰۰	۳۴,۱۴۰,۰۰۰	۷۱,۱۸۰,۰۰۰	۲۳,۲۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2688×1520) @30fps	4MP(2560×1440) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	Motorized	3.6/6 Fixed	Varifocal	2.8/3.6 Fixed
Viewing Angle	2.7–13.5 mm	91°/55°	2.7–13.5 mm	93°/81°
Night Vision Distance	IR 60 M	Warm light/IR 40 M	IR 60 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264
Protection	IP67,IK10	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, ROI, AWB, AGC

13

14

15

16

Dahua

DH-IPC-HDW2431TP-AS-S2

DH-IPC-HDBW2431EP-S-0280B-S2

DH-IPC-HDW2431TMP-AS-0280B-S2

DH-IPC-HDW2439TP-AS-LED-0280B-S2



Price (Rials)	۲۲,۶۹۰,۰۰۰	۲۹,۷۸۰,۰۰۰	۳۳,۷۴۰,۰۰۰	۳۴,۴۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2560×1440) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2560×1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	84°	102°/84°	102°	96°
Night Vision Distance	IR 30 M	IR 30 M	Starlight/ IR 30M	Warm light/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67,IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

17

18

19

20

Dahua**DHI-NVR1104HS-S3/H****DHI-NVR1108HS-S3/H****DHI-NVR2108HS-I****DH-NVR2216-4KS2**

Price (Rials)	۲۰,۹۱۰,۰۰۰	۲۴,۲۱۰,۰۰۰	۴۴,۳۱۰,۰۰۰	۵۰,۱۱۰,۰۰۰
NVR Type	4 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	60Mbps	60Mbps	80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	H.264/H.265/Smart H.264+/Smart H.265+/JPEG Alarm I/O 4/1	H.265/H.264

21

22

23

24

Dahua**DHI-NVR4104HS-P-4KS2/L****DHI-NVR4116HS-4KS2/L****DHI-NVR4216-4KS2/L****DHI-NVR4232-4KS2/L**

Price (Rials)	۵۲,۳۰۰,۰۰۰	۴۷,۳۲۰,۰۰۰	۶۱,۷۸۰,۰۰۰	۷۰,۹۰۰,۰۰۰
NVR Type	4 Ch	16 Ch	16 Ch	32 Ch
Input BandWidth	8Mbps	40Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	60Mbps	64Mbps	48Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out			
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4k 1 Port VGA			
POE Ports	4 POE Ports	-	-	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	2 RJ45 100M	3 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

25

26

Dahua**DHI-NVR5208-4KS2****DHI-NVR5208-8P-4KS2**

Price (Rials)	۹۴,۴۲۰,۰۰۰	۱۳۰,۷۸۰,۰۰۰
NVR Type	8 Ch	8 Ch
Input BandWidth	320Mbps	320Mbps
Output Bandwidth		
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12Mp	Upto 12Mp
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	8 POE Ports
SATA Interface	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG