



لیست قیمت (سهمی بهار ۱۴۰۱)

تارتون دز آریانا

## جشنواره بهار هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

1

2

3

4

5

6

**Click for More information**

DS-2CE16D0T-ITPF

DS-2CE16D0T-ITF

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF

DS-2CE16D3T-ITF

DS-2CE16D0T-VFIR3F



Price (Rials)	9,110,000	8,110,000	11,350,000	7,430,000	11,820,000	18,640,000
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
<b>Min. Illustration</b>	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.02Lux/F1.2	0.02Lux/F1.2	0.01Lux/F1.2
<b>Lens</b>	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8 - 12mm VariFocal
<b>Viewing Angle</b>	106.4°/79.6° /51.9°	101°/79.6° /51.9°	106.4°/79.6° /51.9°	102°/81°	106°/82°	102.25° - 32°
<b>IR Range</b>	Up to 25m	Up to 30m (Exir)	Up to 30m (Exir)	Up to 20m	Up to 30m (Exir)	Up to 40m
<b>Body Type</b>	Plastic	Metal	Metal	Metal	Metal	Metal & Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP66	IP67	IP66
<b>OSD Menu</b>	No	No	No	No	No	No
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR	Yes (120db)	No
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, DNR, BLC, 2D DNR, Switchable	Smart IR, HLC, DNR, BLC, 2D DNR, Switchable	HLC,2D DNR, BLC, Switchable, Built-in microphone	2D DNR, BLC, Switchable	3D DNR,HLC, BLC, Switchable	ICR, BLC, Smart IR, Switchable

7

8


9

10

11

**Click for More information**

**DS-2CE56D0T-VFIR3F DS-2CE76D0T-ITPF(C) DS-2CE76D3T-ITPF DS-2CE72DF3T-F DS-2CE70DF0T-PF**



<b>Price (Rials)</b>	<b>۱۸,۴۷۰,۰۰۰</b>	<b>۶,۳۲۰,۰۰۰</b>	<b>۹,۹۸۰,۰۰۰</b>	<b>۱۳,۳۷۰,۰۰۰</b>	<b>۱۳,۴۲۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Turret	Turret
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
<b>Min. Illustration</b>	0.01Lux/F1.2	0.01Lux/F1.2	0.005Lux/F1.2	0.0005Lux/F1.0	0.001Lux/F1.0
<b>Lens</b>	2.8 - 12mm VariFocal	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed	2.8/3.6/6 Fixed
<b>Viewing Angle</b>	105° - 32°	103°/82.2° /54°	106°/82° /51°	98°/77° /51°	98°/76° /50°
<b>IR Range</b>	Up to 40m	Up to 20m (EXIR)	Up to 30m(Exir)	Up to 40m (ColorVu)	Up to 20m (ColorVu)
<b>Body Type</b>	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
<b>IP Standard</b>	IP66	IP66	IP66	IP76	IP76
<b>OSD Menu</b>	No	No	Yes	Yes	Yes
<b>WDR</b>	No	DWDR	Yes (120db)	Yes (130db)	DWDR
<b>Power Supply</b>	12V DC	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, ICR, AGC, Switchable	Smart IR, HLC,BLC, Switchable	Smart IR, HLC,BLC, Switchable	3D DNR, HLC,BLC, Switchable, HLS	3D DNR, HLC,BLC, Switchable

12

13

14

15

16

17

**Click for More information**

DS-2CE16H0T-ITF


DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F

DS-2CE56H0T-IT3ZF



Price (Rials)	11,090,000	13,310,000	13,640,000	15,830,000	12,520,000	22,610,000
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Dome	Dome
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2592*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)
<b>Signal System</b>	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
<b>Min. Illustration</b>	0.01Lux/F1	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2
<b>Lens</b>	2.8/3.6/6mm Fixed	2.4/2.8/3.6mm Fixed	2.8/3.6/6mm Fixed	3.6/6/8mm Fixed	2.8/3.6/6mm Fixed	2.8 - 12mm Motorized
<b>Viewing Angle</b>	85.5°/80.1°/57.1°	110°/85°/80°	85°/80°/57°	80°/57°/41°	105°/85°/65°	105° - 32°
<b>IR Range</b>	Up to 20m (EXIR)	Up to 30m	Up to 40m	Up to 80m	Up to 20m (EXIR)	Up to 40m (EXIR)
<b>Body Type</b>	Metal	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	No	No	No	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	2D DNR, DWDR, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC, BLC, Switchable

18

19

20

21

22

23

**Click for More information**

DS-2CE56H1T-IT3E

DS-2CE76H0T-ITPFS

DS-2CE76H0T-ITMF

DS-2CE78H0T-IT3F

DS-2CE18U8T-IT3

DS-2CE78U8T-IT3



Price (Rials)	۱۹,۵۰۰,۰۰۰	۱۱,۰۷۰,۰۰۰	۱۲,۹۲۰,۰۰۰	۱۴,۷۷۰,۰۰۰	۳۸,۸۳۰,۰۰۰	۳۶,۰۹۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Bullet	Dome
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	8.29 Megapixel	8.29 Megapixel
<b>Resolution</b>	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	8MP (3840*2160)	8MP (3840*2160)
<b>Signal System</b>	HD-TVI	HD-TVI	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HD-TVI	HD-TVI
<b>Min. Illustration</b>	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.003 Lux/F1.2
<b>Lens</b>	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm FIX	2.8/3.6/6mm FIX
<b>Viewing Angle</b>	105°/85°/65°	85°/80°/57.1°	105°/85°/65°	85°/80°/57°	105°/85°/65°	105°/85°/65°
<b>IR Range</b>	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 30m (EXIR)	Up to 40m (EXIR)	Up to 60m (EXIR)	Up to 60m (EXIR)
<b>Body Type</b>	Metal & Plastic	Plastic	Metal	Metal & Plastic	Metal	Metal & Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	No	No	No
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR	Yes (120db)	Yes (120db)
<b>Power Supply</b>	12 VDC/built-in PoC	12 VDC/built-in PoC	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, ICR, AGC, BLC	Smart IR, ICR ,AGC, HLC, BLC, Built-in microphone	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC,HLC, BLC, Switchable	Smart IR, ICR, AGC, BLC	Smart IR, ICR

24

25

26

27

28

**Click for More information**

DS-7204HQHI-K1

DS-7208HQHI-K1

DS-7216HQHI-K1

DS-7216HQHI-K2

DS-7232HQHI-K2



Price (Rials)	۲۷,۹۷۰,۰۰۰	۳۶,۴۰۰,۰۰۰	۶۸,۰۶۰,۰۰۰	۷۹,۲۵۰,۰۰۰	۱۵۸,۴۸۰,۰۰۰
DVR Type	4+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	32+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	4 Ch. HDTV/Analog Up to 4MP	8 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	32 Ch. HDTV/Analog Up to 4MP
IP Video Input	1 Ch. Up to 6MP	2 Ch. Up to 6MP			
Audio Input/Output	1Ch. In / 1Ch. Out				
Recording	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS				
Video Output	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 1080P 1 Port VGA : 1080P 1Ch. CVBS: WD1
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M
Chassis	Standalone 1U				
Other Features	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ Compression 4K UHD output			

29

30

31

32

33

**Click for More information**

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7208HUHI-K1

DS-7208HUHI-K2/P

DS-7216HUHI-K2



**Price (Rials)**

۲۲,۴۱۰,۰۰۰

۳۹,۱۱۰,۰۰۰

۶۷,۲۸۰,۰۰۰

۹۹,۷۹۰,۰۰۰

۱۲۵,۲۹۰,۰۰۰

**DVR Type**

4 + 2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP      4 + 2 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP      8 + 4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP      8 + 4 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP      16 + 8 Ch. quadruple Hybrid  
HD-TVI /AHD/ Analog / IP

**Analog Video Input**

Support	Support	Support	Support	Support
Up to 5MP resolution recording				

**IP Video Input**

2 Ch. Up to 8MP      2 Ch. Up to 8MP      4 Ch. Up to 8MP      4 Ch. Up to 8MP      8 Ch. Up to 8MP

**Audio Input/Output**

4Ch. In / 1Ch. Out      4Ch. In / 1Ch. Out

**Recording**

5MP: 12FPS				
4MP: 15FPS				
3mp: 18FPS				

**Video Output**

1 Port HDMI : 1080P, 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA CVBS: PAL	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P CVBS	1 Port HDMI : 4K 1 Port VGA CVBS
------------------------------------	--	--------------------------------	--	--

**SATA Interface**

1 HDD up to 10TB      1 HDD up to 10TB      1 HDD up to 10TB      2 HDD up to 10TB      2 HDD up to 10TB

**Network Interface**

1 RJ45 100M      1 RJ45 100M      1 RJ45 100M      1 RJ45 100M      1 RJ45 1000M

**Chassis**

Standalone 1U      Standalone 1U      Standalone 1U      Standalone 1U      Standalone 1U

**Other Features**

H.265/H.265+ COMPR Alarm In/Out : 4/1 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 4/1 Built-in PoC	H.265/H.265+ COMPR Alarm In/Out : 8/4 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 8/4 Built-in PoC	1xE-SATA interface H.265/H.265+ COMPR Alarm In/Out : 16/4
--	--	--	--	---




لیست قیمت (سهمی بهار ۱۴۰۱)

تارتون دز آریانا

## جشنواره بهار هایک ویژن

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

	1	2	3	4	5	6
Click for More information	<a href="#">DS-2CD1023G0E-I</a>	<a href="#">DS-2CD1023G0-IUF</a>	<a href="#">DS-2CD1043G0-I</a>	<a href="#">DS-2CD1053G0-I</a>	<a href="#">DS-2CD1123G0E-I</a>	<a href="#">DS-2CD1323G0-IUF</a>
						
Price (Rials)	۱۷,۹۳۰,۰۰۰	۲۲,۲۵۰,۰۰۰	۲۵,۶۵۰,۰۰۰	۲۹,۳۳۰,۰۰۰	۳۰,۵۰۰,۰۰۰	۲۲,۲۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Imaging Sensor	1/2.7" Prog. CMOS	1/2.7" Prog. CMOS	1/3" Prog. CMOS	1/2.7" Prog. CMOS	1/2.8" Prog. CMOS	1/2.7" Prog. CMOS
Resolution	2MP(1920x1080/30FPS)	2MP(1920x1080/30FPS)	4MP(2560x1440/20fps)	5MP (2560 × 1920/20fps)	2MP(1920x1080/30FPS)	2MP(1920x1080/25FPS)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.01Lux @ F1.2	0.01Lux @ F2.0	0.01Lux @ F2.0	0.01Lux @ F2.0	0.01Lux @ F1.2	0.028Lux @ F2.0
Lens	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
Viewing Angle	112.1°/90.2°	112.1°/90.2°	98°/78.7°	98°/75.3°	114.8°/86°	112.1°/90.2°
IR Range	Up to 30m	Up to 30m (EXIR)	Up to 30m	Up to 30m (EXIR)	Up to 30m	Up to 30m (EXIR)
Body Type & Standard	Plastic / IP67	Metal/Plastic / IP67	Plastic / IP67	Plastic / IP67	Plastic / IP67	Metal/Plastic / IP67
SD Card Support	No	Yes (Up to 256G)	No	No	No	Yes (Up to 256G)
Microphone Support	No	Yes (Built in MIC)	No	No	No	Yes (Built in MIC)
WDR	DWDR	DWDR	DWDR	Yes (120db)	DWDR	DWDR
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP

	7	8	9	10	11	12
Click for More information	<a href="#">DS-2CD1143G0-I</a>	<a href="#">DS-2CD2023G2-I</a>	<a href="#">DS-2CD2027G2-L</a>	<a href="#">DS-2CD2043G2-I</a>	<a href="#">DS-2CD2047G2-L</a>	<a href="#">DS-2CD2063G2-I</a>
						
Price (Rials)	۲۸,۱۶۰,۰۰۰	۳۵,۱۲۰,۰۰۰	۳۷,۷۶۰,۰۰۰	۳۷,۷۶۰,۰۰۰	۴۳,۰۵۰,۰۰۰	۴۱,۶۲۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	1/3" Prog. CMOS	1/2.7" Prog. CMOS	1/2.7" Prog. CMOS	1/3" Prog. CMOS	1/1.8" Prog. CMOS	1/2.8" Prog. CMOS
Resolution	4MP(2560×1440/20fps)	2MP(1920x1080/25FPS)	2MP(1920x1080/25FPS)	4MP(2560×1440/30fps)	4MP(2560×1440/30fps)	6MP (3072 × 2048/20fps)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.028Lux @ F2	0.005Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.6	0.0005Lux @ F1.0	0.005Lux @ F1.6
Lens	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
Viewing Angle	98°/78.7°	107°/87°	107°/87°	103°/84°	1097°/94°	107°/87°
IR Range	Up to 30m	Up to 40m (EXIR)	Up to 40m (Color Vu)	Up to 40m	Up to 40m (Color Vu)	Up to 40m
Body Type & Standard	Plastic / IP67	Metal/Plastic / IP67	Metal/Plastic / IP67	Metal/Plastic / IP67	Metal/Plastic / IP67	Metal/Plastic / IP67
SD Card Support	No	Yes (Up to 256 G)	Yes (Up to 256 G)	Yes (Up to 256 G)	Yes (Up to 256 G)	Yes (Up to 256 G)
Microphone Support	No	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)
WDR	DWDR	Yes (120db)	Yes (120db)	Yes (120db)	Yes (130db)	Yes (120db)
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP

	13	14	15	16	17	18
Click for More information	DS-2CD2083G2-I	DS-2CD2143G2-IU	DS-2CD2163G0-IU	DS-2CD2183G0-IS	DS-2CD2T43G2-2I	DS-2CD2T43G0-I5
						
Price (Rials)	۴۹,۵۱۰,۰۰۰	۴۰,۶۳۰,۰۰۰	۴۲,۰۲۰,۰۰۰	۴۸,۷۹۰,۰۰۰	۴۴,۰۲۰,۰۰۰	۴۶,۴۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome	Bullet	Bullet
Imaging Sensor	1/2.8" Prog. CMOS	1/3" Prog. CMOS	1/2.9" Prog. CMOS	1/2.5" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS
Resolution	8MP(3072×1728/20fps)	4MP(2688 × 1520/25fps)	6MP(3072 × 2048/20fps)	8MP(3840 × 2160/15fps)	4MP(2560×1440/25fps)	4MP(2560×1440/25fps)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.005Lux @ F1.6	0.005 Lux @ F1.6	0.028 Lux @ F2.0	0.01Lux @ F1.2	0.005Lux @ F1.6	0.01Lux @ F1.2
Lens	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4/6 mm Fixed	2.8/4/6 mm Fixed
Viewing Angle	107°/87°	103°/84°	97°/78°	102°/79°	103°/84°/52°	103°/83°/51°
IR Range	Up to 40m	Up to 30m	Up to 30m	Up to 30m	Up to 60m (EXIR)	Up to 50m (EXIR)
Body Type & Standard	Metal/Plastic / IP67	Metal / IP67 & IK10	Metal / IP66 & IK10	Metal / IP67 & IK10	Metal / IP67	Metal / IP67
SD Card Support	Yes (Up to 256 G)	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 128G)
Microphone Support	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)	Yes (1.ch Audio Input)	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC,H.265+ COMP	3D DNR, BLC, HLC,H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP,PIR

19

20

21

22

23

24

**Click for More information**

DS-2CD2T43G0-I8

DS-2CD2T63G0-I8

DS-2CD2T83G0-I8

DS-2CD1623G0-I

DS-2CD1643G0-IZ

DS-2CD1743G0-IZ



Price (Rials)	۴۵,۸۵۰,۰۰۰	۵۰,۲۵۰,۰۰۰	۵۳,۱۱۰,۰۰۰	۴۱,۱۳۰,۰۰۰	۴۹,۸۸۰,۰۰۰	۵۲,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Dome
Imaging Sensor	1/3" Prog. CMOS	1/2.9" Prog. CMOS	1/2.5" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS
Resolution	4MP(2688×1520/25fps)	6MP(3072×2048/20fps)	8MP(3840 × 2160/15fps)	2MP(1920 × 1080/30fps)	4MP(2560 × 1440/20fps)	4MP (2560x1440/20FPS)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.01Lux @ F1.2	0.01Lux @ F1.2	0.01Lux @ F1.2	0.01Lux @ F1.2	0.005Lux @ F1.6	0.018Lux @ F2
Lens	2.8/4/6 mm Fixed	2.8/4/6 mm Fixed	2.8/4 mm Fixed	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized
Viewing Angle	103°/83°/51°	97°/78°/60°	102°/79°	98°~34°	102°~31°	91.2°~28.3°
IR Range	Up to 80m (EXIR)	Up to 80m (EXIR)	Up to 80m (EXIR)	Up to 30m (EXIR)	Up to 50m (EXIR)	Up to 30m (EXIR)
Body Type & Standard	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67
SD Card Support	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)			
Microphone Support	No	No	No	No	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)	DWDR	Yes (120db)	Yes (120db)
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE			
Other Features	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, HLC,H.265+ COMP, ROI	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP


25

26

27

**Click for More information**

DS-2CD2643G2-Izs DS-2CD2743G1-Izs DS-2CD2443G0-Iw



Price (Rials)	۷۳,۱۲۰,۰۰۰	۷۵,۳۹۰,۰۰۰	۷۷,۵۰۰,۰۰۰
<b>Camera Type</b>	Bullet	Dome	Cube
<b>Imaging Sensor</b>	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS
<b>Resolution</b>	4MP(2688 × 1520/25fps)	4MP (2560x1440/20FPS)	4MP(2688×1520/30fps)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.005Lux @ F1.6	0.01Lux @ F1.2	0.01Lux @ F1.2
<b>Lens</b>	2.8-12mm Motorized	2.8-12mm Motorized	2.8/4mm Fixed
<b>Viewing Angle</b>	95.8°~29.2°	104°~29°	98°/78°
<b>IR Range</b>	Up to 60m	Up to 30m	Up to 10m
<b>Body Type &amp; Standard</b>	Metal / IP67,IK10	Metal / IP67,IK10	Plastic
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 128G)	Yes (up to 128GB)
<b>Microphone Support</b>	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (Built-in Mic & Spkr)
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No	Yes
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC
<b>Other Features</b>	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP,PIR

28

29

30

31

32

**Click for More information**

DS-2CD2955FWD-I DS-2CD2955FWD-IS DS-2DE4225IW-DE T5 DS-2DE4425IW-DE DS-2DE4425IW-DE T5



Price (Rials)	۱۷,۳۵۰,۰۰۰	۱۰۰,۴۷۰,۰۰۰	۱۲۵,۹۲۰,۰۰۰	۱۴۷,۰۷۰,۰۰۰	۱۴۷,۰۷۰,۰۰۰
Camera Type	Fisheye	Fisheye	PTZ	PTZ	PTZ
Imaging Sensor	1/2.5" Prog. CMOS	1/2.5" Prog. CMOS	1/2.8" Prog. CMOS	1/2.5" Prog. CMOS	1/2.8" Prog. CMOS
Resolution	5MP(2560 × 1920/30FPS)	5MP(2560 × 1920/30FPS)	2MP(1920x1080/60FPS)	4MP(1920x1080/30FPS)	4MP(1920x1080/30FPS)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
Lens	1.05mm	1.05mm	4.8-120mm Motorized	4.8-120mm Motorized	4.8-120mm Motorized
Viewing Angle	180°	180°	25x	25x	25x
IR Range	Up to 8 m	Up to 8 m	Up to 100m	Up to 100m	Up to 100m
Body Type & Standard	-	-	Metal/IP66	Metal/IP66	Metal/IP66
SD Card Support	Yes (Up to 128G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Microphone Support	No	Yes (1.ch Audio Input)	No	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
WIFI	No	No	No	No	No
Power Supply	12VDC & POE(802.3at)	12VDC & POE(802.3at)	24VAC & POE(802.3at)	24VAC & POE(802.3at)	24VAC & POE(802.3at)
Other Features	3D DNR, H.265+	3D DNR, H.265+	16x Digital Zoom, H.265+, HLC, BLC, 3D DNR	16x Digital Zoom, VCA, H.265+, HLC, BLC, 3D DNR	16x Digital Zoom, H.265+, HLC, BLC, 3D DNR

33

34

35

36

**Click for More information**

DS-7104NI-Q1/M

DS-7604NI-K1

DS-7108NI-Q1/M

DS-7608NI-K1



Price (Rials)

۱۹,۴۷۰,۰۰۰

۲۵,۱۱۰,۰۰۰

۲۵,۶۰۰,۰۰۰

۳۸,۳۸۰,۰۰۰

NVR Type

4 Ch

4 Ch

8 Ch

8 Ch

Input BandWidth

40Mbps

40Mbps

60Mbps

80Mbps

Output Bandwidth

60Mbps

80Mbps

60Mbps

80Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 4Mp

Upto 8Mp

Upto 4Mp

Upto 8Mp

Video Output

1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 4k  
1 Port VGA1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 4K  
1 Port VGA : 1080P

POE Ports

-

-

-

-

SATA Interface

1 HDD up to 6TB

1 HDD up to 8TB

1 HDD up to 6TB

1 HDD up to 8TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP  
Alarm I/O 4/1

37

38

39


<a href="#">Click for More information</a>	DS-7616NI-Q1	DS-7616NI-K2	DS-7616NI-Q2/16P
			
Price (Rials)	۴۵,۷۲۰,۰۰۰	۵۴,۷۷۰,۰۰۰	۸۸,۰۴۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch / 16 POE
Input BandWidth	160Mbps	160Mbps	160Mbps
Output Bandwidth	80Mbps	160Mbps	80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA : 1920P
POE Ports	-	-	16 POE Ports
SATA Interface	1 HDD up to 8TB	2 HDD up to 6TB	2 HDD up to 8TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	1U chassis	Standalone 1U	1U chassis
Other Features	H.265+ COMPR	H.265+ COMPR Alarm I/O 4/1	H.265+ COMPR

40

41

42

43

<a href="#">Click for More information</a>	DS-7732NI-K4	DS-7732NI-K4/16P	DS-7732NI-Q4	DS-7732NI-Q4/16P
				
Price (Rials)	۱۲۳,۷۹۰,۰۰۰	۱۹۲,۸۰۰,۰۰۰	۱۱۳,۸۷۰,۰۰۰	۱۶۲,۶۲۰,۰۰۰
NVR Type	32 Ch	32 Ch / 16 POE	32 Ch	32 Ch / 16 POE
Input BandWidth	256Mbps	256Mbps	200Mbps	200Mbps
Output Bandwidth	160Mbps	160Mbps	128Mbps	128Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI:1080P 1 Port VGA:1080P	1 Port HDMI:1080P 1 Port VGA:1080P
POE Ports	-	16 POE Ports	-	16 POE Ports
SATA Interface	4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 8TB
Network Interface	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M
Chassis	19" 1.5 Case	19" 1.5 Case	19" Case	19" Case
Other Features	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4