



لیست قیمت (سهمی تاپستان ۱۴۰۱)

تارتان دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳-۳۲۱۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	THC-B110-M	THC-B120-P	THC-B120-PC	THC-B120-M	THC-B120-MS	THC-B120-MC
HiLook						
Price (Rials)	Call:91009555	۷,۳۲۰,۰۰۰	۶,۲۲۰,۰۰۰	۷,۸۹۰,۰۰۰	۹,۱۵۰,۰۰۰	۷,۳۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Plastic	Plastic	Plastic	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	7	8	9	10	11	12
	THC-B120-MPIRL	THC-B123-M	THC-B140-P	THC-B140-M	THC-B150-M	THC-B220
HiLook						
Price (Rials)	Call:91009555	۱,۵۱۰,۰۰۰	Call:91009555	Call:91009555	۱,۸۸۰,۰۰۰	۲,۷۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°
IR Range	Up to 20m	Up to 30m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m	Up to 40m (EXIR)
Body Type	Plastic	Metal & Plastic	Plastic	Full Metal	Metal & Plastic	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	Yes	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS, PIR	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220C**THC-B220-M****THC-B240****THC-B240-M****THC-T110-P****THC-T120****HiLook**

Price (Rials)	Call:91009555	Call:91009555	Call:91009555	Call:91009555	Call:91009555	Call:91009555
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel
Lens	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Full Metal	Metal	Full Metal	Plastic	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes	Yes	No	Yes	No	No
WDR	DWDR	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

19

20

21

22

23

24

THC-T120-PC**THC-T120-PS****THC-T120-M****THC-T120-MS****THC-T123****THC-T123-P****HiLook**

Price (Rials)	Call:91009555	¥,٩٩٠,٠٠٠	Call:91009555	Call:91009555	Call:91009555	¥,٩٩٠,٠٠٠
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°/85°/65°	105°
IR Range	Up to 20m (EXIR)	Up to 20m	Up to 20m (EXIR)	Up to 20m	Up to 30m (EXIR)	Up to 30m (EXIR)
Body Type	Plastic	Plastic	Metal	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	Yes
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR

	25	26	27	28	29	30
	THC-T140-P	THC-T140	THC-T140-M	THC-T220-P	THC-T220-PC	THC-T220-M
HiLook						
Price (Rials)	۹,۵۱۰,۰۰۰	۹,۸۸۰,۰۰۰	۱۰,۲۵۰,۰۰۰	Call:91009555	۹,۸۹۰,۰۰۰	Call:91009555
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	4 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m	Up to 40m (EXIR)
Body Type	Plastic	Metal & Plastic	Metal	Plastic	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	31	32	33	34	35	36
	THC-T240-P	THC-T240-M	THC-B320-VF	THC-B340-VF	THC-D320-VF	THC-D340-VF
HiLook						
Price (Rials)	10,790,000	11,710,000	17,060,000	19,390,000	19,020,000	20,120,000
Camera Type	Dome	Dome	Bullet	Bullet	Dome	Dome
Resolution	4 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	105°	105°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Plastic	Metal	Metal & Plastic	Metal & Plastic	Full Metal	Full Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

37

38

THC-T320-VF

THC-T340-VF




Price (Rials)	۱۷,۵۶۰,۰۰۰	۱۹,۳۹۰,۰۰۰
Camera Type	Dome	Dome
Resolution	2 Megapixel	4 Megapixel
Lens	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal & Plastic
IP Standard	IP66	IP66
OSD Menu	No	No
WDR	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

39

40

41

PTZ-T4215I-D

PTZ-T4225I-D

PTZ-T5225I-A



HiLook

Price (Rials)	۸۰,۴۷۰,۰۰۰	۹۵,۱۰۰,۰۰۰	Call: 91009555
Camera Type	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x	25x
IR Range	Up to 100m	Up to 100m	Up to 150m
Body Type	-	-	-
IP Standard	IP66	IP66	IP66
OSD Menu	-	-	-
WDR	No	Yes	No
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

42

43

44

45

46

47

DVR-104G-F1**DVR-108G-F1****DVR-116G-F1****DVR-204G-F1****DVR-208G-F1****DVR-216G-F1**

Price (Rials)	Call:91009555	Call:91009555	Call:91009555	Call:91009555	۱۸,۹۹۰,۰۰۰	۲۲,۱۹۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVB	16-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 2MP	8 Ch. HDTV/Analog Up to 2MP	16 Ch. HDTV/Analog Up to 2MP	4 Ch. HDTV/Analog Up to 2MP	8 Ch. HDTV/Analog Up to 2MP	16Ch. HDTV/Analog AHD Up to 2MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 4TB	1 HDD up to 4TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Compression Standard	H.265+	H.265+	H.264+	H.264+	H.264+	H.264+
Other Features	Smart search for efficient playback	Smart search for efficient playback	Max. 1200 m for 720p HDTV signal transmission	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras

48

49

50

51

52

53

DVR-216G-K1**DVR-232G-K2****DVR-204Q-F1****DVR-204Q-K1****DVR-208Q-F1****DVR-208Q-K1****Hilook**

Price (Rials)	۲۰,۷۰۰,۰۰۰	۸۴,۲۵۰,۰۰۰	Call:91009555	۲۱,۹۵۰,۰۰۰	Call:91009555	۲۱,۷۰۰,۰۰۰
DVR Type	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	4-ch HDTVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS
Analog Video Input	16 Ch. HDTVI/Analog Up to 3MP	32 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 3MP	8 Ch. HDTVI/Analog Up to 3MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
SATA Interface	1 HDD up to 6TB	2 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 6TB
Compression Standard	H.264+	H.265 Pro+	H.264+	H.265+	H.264+	H.265+
Other Features	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage

54

55

56

57

58

59

DVR-208Q-K2**DVR-216Q-F1****DVR-216Q-F2****DVR-216Q-K1****DVR-216Q-K2****DVR-232Q-K2**

Price (Rials)	Call:91009555	Call:91009555	Call:91009555	۵۳,۶۶۰,۰۰۰	Call:91009555	Call:91009555
DVR Type	8-ch TVI/AHD/CVI/CVB	16-ch TVI/AHD/CVI/CVB	16-ch TVI/AHD/CVI/CVB	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS
Analog Video Input	8 Ch. HDTV/Analog Up to 3MP	16 Ch. HDTV/Analog Up to 3MP	16 Ch. HDTV/Analog Up to 3MP	16Ch. HDTV/Analog AHD Up to 5MP	16Ch. HDTV/Analog AHD Up to 6MP	5 Ch. HDTV/Analog Up to 4MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Compression Standard	H.265 Pro+	H.264+	H.264+	H.265+	H.265+	H.265 Pro+
Other Features	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol

60	61	62	63	64	65
DVR-204U-F1	DVR-204U-K1	DVR-208U-F1	DVR-208U-K1	DVR-216U-F2	DVR-216U-K2

Hilook



Price (Rials)	۲۰,۰۰۰,۰۰۰	۲۱,۲۸۰,۰۰۰	۴۷,۷۳۰,۰۰۰	۴۷,۷۳۰,۰۰۰	۹۵,۱۳۰,۰۰۰	۹۵,۱۳۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTVI/Analog Up to 5MP	4 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	16Ch. HDTVI/Analog AHD Up to 5MP	16 Ch. HDTVI/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras



لیست قیمت (سنه تابستان ۱۴۰۱)

تارتن دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B120-D/W	IPC-B121H	IPC-B121H-M	IPC-B140H
HiLook						
Price (Rials)	Call:91009555 ۱۸,۷۷۰,۰۰۰	Call:91009555 ۱۸,۲۹۰,۰۰۰	Call:91009555 ۱۸,۲۹۰,۰۰۰	Call:91009555 ۲۲,۶۸۰,۰۰۰		
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix
Viewing Angle	105°	103°/86°/54°	114.5°	112.1°	112.1°/90.2°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR
Body Type	-	Metal & Plastic	Metal & Plastic	Plastic	Plastic	Metal & Plastic
Standard	IP67	IP67	IP66	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	DWDR	Yes	DWDR	No
Microphone Support	No	No	Yes	No	No	No
POE	Yes	Yes	No	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC, Supports Hik-Connect, Wireless connection	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	7	8	9	10	11	12
	IPC-B140H-M	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D
HiLook						
Price (Rials)	Call:91009555	۲۹,۲۶۰,۰۰۰	۱۸,۷۷۰,۰۰۰	۱۷,۹۳۰,۰۰۰	۱۸,۲۹۰,۰۰۰	۱۷,۵۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Resolution	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix
Viewing Angle	98°/78.7°	98°/75.3°	86°	86°	103°/86°/54°	105°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR
Body Type	Plastic	Plastic	-	-	Plastic	-
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	Yes	DWDR	No	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	No	Yes	No
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+

	13	14	15	16	17	18
	IPC-T220	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H
HiLook						
Price (Rials)	۱۹,۶۰۰,۰۰۰	۲۰,۸۰۰,۰۰۰	۲۰,۸۰۰,۰۰۰	۲۷,۰۰۰,۰۰۰	۱۸,۶۶۰,۰۰۰	Call:91009555
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	103°/86°/54°	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	No	Yes	No	No	No	No
WDR	Yes	No	DWDR	No	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	Supports Hik-Connect ,3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z
HiLook						
Price (Rials)	۱۸,۲۹۰,۰۰۰	۱۸,۲۹۰,۰۰۰	۲۷,۰۰۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۳۸,۱۹۰,۰۰۰	۴۲,۸۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	112.1°/90.2°	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67
SD Card Support	No	No	No	No	Yes	Yes
WDR	DWDR	DWDR	No	Yes	No	No
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-V	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V
HiLook						
Price (Rials)	۳۶,۹۴۰,۰۰۰	۴۲,۰۸۰,۰۰۰	۴۹,۸۰۰,۰۰۰	۴۷,۵۵۰,۰۰۰	۴۳,۱۶۰,۰۰۰	۳۸,۱۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Full Metal
Standard	IP66	IP66	IP67	IP67	IP67	IP67 & IK10
SD Card Support	Yes	Yes	Yes	Yes	No	No
WDR	DWDR	DWDR	Yes	Yes	Yes	No
Microphone Support	Yes	Yes	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect

31

32

33

34

IPC-D620H-Z

IPC-D640H-V

IPC-D640H-Z

PTZ-P332ZI-DE3

Hilook

	₮ ۸۷۰,۰۰۰	₮ ۱,۴۸۰,۰۰۰	Call: 91009555	Call: 91009555
Camera Type	Dome	Dome	Dome	PTZ
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	4x
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR
Body Type	-	Full Metal	Full Metal	Aluminum alloy
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	-
SD Card Support	No	Yes	Yes	Yes
WDR	No	Yes	Yes	No
Microphone Support	No	No	No	-
POE	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	Capture 360°images

35

36

37

38

39

PTZ-N2204I-DE3**PTZ-N2404I-DE3****PTZ-N4215-DE3****PTZ-N4215I-DE****PTZ-N4225I-DE**
HiLook

Price (Rials)	Call:91009555	Call:91009555	Call:91009555	¥٩,٥٠٠,٠٠	٩٩,٤٠٠,٠٠
Camera Type	PTZ	PTZ	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal	5-75mm Varifocal	5-75mm Varifocal	4.8-120mm Varifocal
Viewing Angle	4x	4x	15x	15x	25x
IR Range	Up to 20m IR	Up to 20m IR	-	Up to 100m IR	Up to 100m IR
Body Type	Aluminum alloy	Aluminum alloy	-	-	-
Standard	IP66 & IK10	IP66 & IK10	-	IP66	IP66
SD Card Support	Yes	Yes	Yes	Yes	Yes
WDR	Yes	Yes	Yes	Yes	Yes
Microphone Support	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, HLC, EIS	H.265+, 3D DNR, HLC, EIS	H.265+, 3D DNR, BLC,	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC

	40	41	42	43	44	45
	NVR-104-B	NVR-108-B	NVR-108-B/8P	NVR-104H-D	NVR-108H-D	NVR-104MH-C
HiLook						
Price (Rials)	15,150,000	18,440,000	20,490,000	14,370,000	18,290,000	19,750,000
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	4 ch POE	-	4 ch POE
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

46

47

48

49

50

51

NVR-104MH-C/4P**NVR-104MH-D****NVR-104MH-D/4P****NVR-108MH-C****NVR-108M-C/8P****NVR-108MH-D**

Price (Rials)	Call:91009555	18,180,000	20,020,000	27,800,000	Call:91009555	18,440,000
NVR Type	4-ch	4-ch	4-ch	8-ch	8-ch	8-ch
Input BandWidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	60Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	40Mbps
Resolution Support	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 1080P 1 Port VGA : 1080P
POE Ports	4 ch POE	-	-	8 ch POE	8 ch POE	8 ch
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.264+
SATA Interface	H.265+	1 HDD up to 6TB	1 HDD up to 6TB			
Other Features	VCA detection alarm, Smart search, Smart playback	Support multiple VCA (Video Content Analytics) events	VCA detection alarm, Smart search, Smart playback			

52

53

54

55

56

NVR-108MH-D/8P**NVR-116MH-C****NVR-208MH-C****NVR-216MH-C****NVR-216MH-C/16P****Hilook**

Price (Rials)	۴۷,۰۰۰,۰۰۰	۲۹,۶۲۰,۰۰۰	۳۳,۹۷۰,۰۰۰	Call:91009555	Call:91009555
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	8 ch	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback				