



لیست قیمت (رسمی) تاپسّان ۱۴۰


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

**Dahua****DH-HAC-B1A21P****DH-HAC-B2A21P-0360B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۹,۸۰۰,۰۰۰	۸,۲۲۰,۰۰۰	۱۳,۴۸۰,۰۰۰	۱۰,۳۲۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	82°	93°	84°	84°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 80m	Up to 30m
<b>Body Type</b>	Plastic	Metal	Plastic	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

**Dahua****DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B****DH-HAC-HFW1239TP-LED3.6mm**

Price (Rials)	<b>۱۱,۹۰۰,۰۰۰</b>	<b>۲۶,۹۸۰,۰۰۰</b>	<b>۱۲,۰۲۰,۰۰۰</b>	<b>۱۵,۰۸۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6	0.001Lux/F1.6
<b>Lens</b>	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	84°	102°-33°	86.9°	86.9°
<b>IR Range</b>	Up to 80m	Starlight Up to 80m	Starlight Up to 20m	Starlight Up to 20m
<b>Body Type</b>	Metal	Metal	Plastic & Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	No	Yes	Yes
<b>WDR</b>	DWDR	WDR 130db	WDR 130db	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,AWB,AGC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable, Built in mic

9

10

11

12

**Dahua****DH-HAC-HFW1200TLP-0360B-S5****DH-HAC-HFW1200TP-A-0360B-S5****DH-HAC-HFW1200THP-I8****DH-HAC-HFW1230TLP**

Price (Rials)	<b>۱۰,۶۳۰,۰۰۰</b>	<b>۱۰,۸۵۰,۰۰۰</b>	<b>۱۲,۱۰۰,۰۰۰</b>	<b>Call: ۹۱۰۰۹۵۵۵</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.005Lux/F1.6
<b>Lens</b>	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	84°	101°	84°	86.9°
<b>IR Range</b>	Up to 40m	Up to 30m	Up to 80m	Starlight/Up to 40m
<b>Body Type</b>	Metal	Metal	Plastic & Metal	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

13

14

15

16

**Dahua****DH-HAC-HFW1200THP-I4****DH-HAC-HFW1200TP-A****DH-HAC-HFW1200DP-S5****DH-HAC-HFW1200RP-Z-IRE6**

Price (Rials)	۱۲,۳۱۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	Call: ۹۱۰۰۹۵۵۵	۲۳,۰۱۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)
<b>Viewing Angle</b>	84°	84°	84°	105.9°–33.4°
<b>IR Range</b>	Up to 40m	Up to 30m	Up to 80m	Starlight/ Up to 60m
<b>Body Type</b>	Plastic & Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC

17

18

19

20

**Dahua****DH-HAC-HFW1209CP-LED-0360B****DH-HAC-HFW1209CMP-LED-0360B****DH-HAC-HFW1200CMP-A****DH-HAC-T1A21P-0280B**

Price (Rials)	10,020,000	11,220,000	11,110,000	7,140,000
<b>Camera Type</b>	Bullet	Bullet	Bullet	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.01Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	2.8/ 3.6 Fixed
<b>Viewing Angle</b>	86.9°	86.9°	84°	100°/82°
<b>IR Range</b>	Starlight/ Up to 20m	Starlight/ Up to 20m	Up to 30m	Up to 20m
<b>Body Type</b>	Metal	Metal	Metal	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable

21

22

23

24

**Dahua****DH-HAC-T1A21P-0360B****DH-HAC-T2A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0280B-S5**

Price (Rials)	۷,۴۷۰,۰۰۰	۹,۵۲۰,۰۰۰	۸,۴۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9
<b>Lens</b>	2.8/ 3.6 Fixed	2.8 Fixed	3.6 Fixed	2.8/ 3.6 Fixed
<b>Viewing Angle</b>	100°/82°	100°	84°	101°/84°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 20m	Up to 25m
<b>Body Type</b>	Plastic	Metal	Metal	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP50
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

25

26

27

28

**Dahua****DH-HAC-HDW1200TRQP-A-0360B****DH-HAC-HDW1209TLQP-A-LED-0280B****DH-HAC-HDW1239TP-A-LED-0280B-S2****DH-HAC-HDW1200EMP-A-0280B-S5****Price (Rials)****۹,۵۲۰,۰۰۰****۱۱,۲۲۰,۰۰۰****۱۶,۸۳۰,۰۰۰****Call: ۹۱۰۰۹۵۵۵****Camera Type**

Dome

Dome

Dome

Dome

**Imaging Sensor**

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

**Resolution**

HD1080P

HD1080P

HD1080P

HD1080P

**Signal System**

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

**Min. Illustration**

0.02Lux/F1.9

0.01Lux/F1.6

0.001Lux/F1.6

0.02Lux/F1.85

**Lens**

2.8 / 3.6 Fixed

2.8 Fixed

3.6 Fixed

3.6 Fixed

**Viewing Angle**

101°/84°

106°

86°

87.5°

**IR Range**

Up to 25m

Starlight/Up to 20m

Starlight/Up to 40m

Up to 50m

**Body Type**

Plastic

Plastic &amp; Metal

Plastic

Metal

**IP Standard**

IP50

IP67

IP67

IP67

**OSD Menu**

Yes

Yes

Yes

No

**WDR**

DWDR

DWDR

WDR 130db

DWDR

**Power Supply**

12 VDC

12 VDC

12 VDC

12 VDC

**Other Features**

Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

Smart IR, BLC, Switchable. Built in mic

Smart IR, HLC, BLC, 3D DNR, Switchable, Built in mic

Smart IR, HLC, BLC, 2D DNR, AGC, Switchable, Built in mic

29

30

31

31

**Dahua****DH-HAC-HDW1209TLQP-LED-0280B****HAC-HDW1200EMP-A****HAC-HDW1200EMP-A-S4****HAC-HDW1200MP-0280B-S5**

Price (Rials)	<b>10,420,000</b>	<b>Call: ٩١٠٠٩٥٦٦</b>	<b>12,420,000</b>	<b>10,320,000</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.01Lux/F1.6	0.02Lux/F1.85	0.02Lux/F1.85	0.02Lux/F1.9
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	87.5°	87.5°	87.5°	84°
<b>IR Range</b>	Starlight/Up to 20m	Up to 50m	Up to 50m	Up to 30m
<b>Body Type</b>	Plastic & Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	Yes	No
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D DNR, Switchable

33

34

35

36

**Dahua****HAC-HDW1200M-S5****DH-HAC-HFW1230DP(S)****DH-HAC-HFW1400CMP****DH-HAC-HFW1400DP-0360B-S3**

Price (Rials)	<b>Call: ۹۱۰۰۹۵۵۵</b>	<b>Call: ۹۱۰۰۹۵۵۵</b>	<b>۱۲,۸۲۰,۰۰۰</b>	<b>۱۷,۲۶۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2.1 Megapixel	4 Megapixel	4 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	4MP (2560×1440)	4MP (2560×1440)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.005Lux/F1.6	0.02Lux/F2.0	0.02Lux/F2.0
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	84°	86.9°	87°	87°
<b>IR Range</b>	Up to 30m	starlight/Up to 80m	Up to 30m	Up to 80m
<b>Body Type</b>	Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	Yes	Yes	No
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, Switchable

37

38

39

40

**Dahua****DH-HAC-HDW1400TRQP-0280B-S3****DH-HAC-HDW1400TRQP-A****DH-HAC-HDW1400TRQP-A-0280B-S3****DH-HAC-B1A51P**

Price (Rials)	۸,۸۲۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۹,۶۲۰,۰۰۰	۱۲,۷۰۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Bullet
<b>Imaging Sensor</b>	4 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
<b>Resolution</b>	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	5MP (2880×1620)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0
<b>Lens</b>	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	105°	84.8°	84.8°	88°
<b>IR Range</b>	Up to 25m	Up to 25m	Up to 25m	Up to 20m
<b>Body Type</b>	Plastic	Plastic	Plastic	Plastic
<b>IP Standard</b>	IP50	IP50	IP50	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable

41

42

43

44

**Dahua****DH-HAC-HFW1500THP-I8-0360B****DH-HAC-HFW1500TLP****DH-HAC-HFW1500CMP****DH-HAC-HFW1509TLMP-LED**

<b>Price (Rials)</b>	<b>۱۷,۲۹۰,۰۰۰</b>	<b>۱۵,۸۷۰,۰۰۰</b>	<b>۱۶,۶۶۰,۰۰۰</b>	<b>۲۰,۶۳۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.005Lux/F1.6	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.2
<b>Lens</b>	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	105°	98°	98°	83°
<b>IR Range</b>	Up to 80m	Starlight Up to 40m	Starlight Up to 30m	Starlight Up to 40m
<b>Body Type</b>	Plastic	Plastic	Metal	Plastic & Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC - PoC (CVI)	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable- Built in Mic

45

46

47

48

**Dahua****DH-HAC-HFW1509TLMP-A-LED DH-HAC-HFW1500TP-A-S2-0360B DH-HAC-HFW1500RP-Z-IRE6 DH-HAC-B2A51P-0360B-S2**

Price (Rials)	۲۱,۴۲۰,۰۰۰	۱۸,۰۳۰,۰۰۰	۳۰,۱۵۰,۰۰۰	۱۴,۰۴۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2592×1944)	5MP (2592×1944)	5MP (2880×1620)	5MP (2880×1620)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.005Lux/F1.2	0.02Lux/F1.85	0.005Lux/F1.6	0.02Lux/F2.0
<b>Lens</b>	3.6 Fixed	3.6 Fixed	Motorized (2.7 –12 mm)	3.6 Fixed
<b>Viewing Angle</b>	83°	77.5°	107°-34°	88°
<b>IR Range</b>	Color Up to 40m	Up to 30m	Up to 60m	Up to 20m
<b>Body Type</b>	Plastic & Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	WDR 120db	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

49

50

51

52

**Dahua****DH-HAC-T2A51P****DH-HAC-HDW1500TRQP-A****DH-HAC-HDW1500TLMQP-0280B-S2****DH-HAC-HDW1509TLQP-A-LED**

Price (Rials)	<b>۱۴,۲۸۰,۰۰۰</b>	<b>۱۴,۲۸۰,۰۰۰</b>	<b>۱۵,۲۲۰,۰۰۰</b>	<b>۲۱,۴۲۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2880×1620)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F2.0	0.005Lux/F1.6	0.005Lux/F1.6	0.001Lux/F1.0
<b>Lens</b>	3.6 Fixed	2.8 Fixed	2.8/ 3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	88°	105°	111° / 92°	88°
<b>IR Range</b>	Up to 20m	Up to 30m	Up to 30m	Color Up to 20m
<b>Body Type</b>	Metal	Plastic	Plastic & Metal	Metal
<b>IP Standard</b>	IP67	IP50	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	No
<b>WDR</b>	DWDR	DWDR	DWDR	WDR 120db
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC,2D DNR, Switchable, Built in Mic	Smart IR, HLC, HLC Pro, BLC,3D NR, Switchable- Built in Mic

**Dahua****DH-HAC-HDW1509TLP-A-LED****DH-HAC-HUM3201BP-B****Price (Rials)****Call: ٩١٠٠٩٥٥٥****١٩,٦٣٠,٠٠****Camera Type**

Dome

Pinhole

**Imaging Sensor**

5 Megapixel

2 Megapixel

**Resolution**

5MP (2592×1944)

1920 x 1080

**Signal System**

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

**Min. Illustration**

0.005Lux/F1.2

0.004Lux/F2.4

**Lens**

3.6 Fixed

2.8 Fixed

**Viewing Angle**

77.5°

103°

**IR Range**

Starlight/Up to 20m

**Body Type**

Metal

Metal

**IP Standard**

IP67

-

**OSD Menu**

-

-

**WDR**

DWDR

WDR 120db

**Power Supply**

12 VDC

12 VDC

**Other Features**Smart IR, HLC, BLC, 2D NR, Switchable,  
Built in micSmart IR, HLC, BLC, 3D NR, Switchable,  
Digital zoom 4x

55

56

57

**Dahua****DH-SD42215-HC-LA****DH-SD49225-HC-LA****DH-SD59232-HC-LA**

Price (Rials)	۱۲۸,۵۶۰,۰۰۰	۱۵۰,۵۳۰,۰۰۰	۲۶۷,۷۰۰,۰۰۰
<b>Camera Type</b>	PTZ	PTZ	PTZ
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	1920 x 1080	1920 x 1080	1920 x 1080
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
<b>Lens</b>	5–75 mm	4.8–120 mm	4.5–144 mm
<b>Viewing Angle</b>	15x	25x	32x
<b>IR Range</b>		IR 100m	IR 150m
<b>Body Type</b>	Plastic	Plastic	Plastic
<b>IP Standard</b>	IP66, IK10	IP66	IP66
<b>OSD Menu</b>	No	No	No
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)
<b>Power Supply</b>	DC 12V/5A	DC 12V/3A	DC 12V/3A
<b>Other Features</b>	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog	Starlight, Smart IR, HLC, 2D, 3D DNR, BLC, Defog

**Dahua****DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

Price (Rials)	۱۸,۸۴۰,۰۰۰	۳۰,۰۹۰,۰۰۰	۴۵,۶۰۰,۰۰۰	۲۲,۳۴۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4+1 Ch. Up to 2MP	4+2 Ch. Up to 6MP	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25/30FPS 720P: 60FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264

62

63

64

65

**Dahua****DH-XVR5108HS-I3****DHI-XVR5108HS-4KL****DH-XVR5108HS-4KL-I2****DH-XVR5108HS-4KL-I3**

Price (Rials)	۴۸,۷۴۰,۰۰۰	۶۷,۶۷۰,۰۰۰	۶۸,۷۳۰,۰۰۰	۷۸,۹۰۰,۰۰۰
<b>XVR Type</b>	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
<b>IP Video Input</b>	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
<b>Video Output</b>	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
<b>SATA Interface</b>	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Penta-brid	Standalone 1U
<b>Other Features</b>	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

66

67

68

69

**Dahua****DH-XVR1B16-I****DH-XVR4116HS-I****DHI-XVR5116HS-S2****DH-XVR5216AN-I2**

Price (Rials)	۴۸,۷۴۰,۰۰۰	۵۱,۲۷۰,۰۰۰	۷۲,۴۸۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16+2 Ch. Up to 6MP	2+16 Ch. Up to 6MP	16+8 Ch. Up to 5MP	16+8 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out			
Recording	2MP: 25FPS 720P: 25FPS	2MP: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 8TB	2 HDD up to 10TB
Network Interface		1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Mini 1U	Standalone 1U
Other Features	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264	Smart H.264+/H.264, Smart Search	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification

70

71

72

73

**Dahua****DHI-XVR5216AN-S2****DHI-XVR5216AN-4KL****DH-XVR5216AN-4KL-I2****DH-XVR5232AN-I2**

Price (Rials)	<b>۹۴,۰۰۰,۰۰۰</b>	<b>۱۴۰,۰۰۰,۰۰۰</b>	<b>Call: ۹۱۰۰۹۵۵۵</b>	<b>Call: ۹۱۰۰۹۵۵۵</b>
<b>XVR Type</b>	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4K	32 Ch. HDCVI/AHD/TVI Up to 5MP
<b>IP Video Input</b>	16+8 Ch. Up to 5MP	16+8 Ch. Up to 8MP	16+16 Ch. Up to 8MP	32 Ch. Up to 6MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS	4K: 25/30FPS 720P:25/30FPS	5MP: 25/30FPS 720P: 50/60FPS
<b>Video Output</b>	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
<b>SATA Interface</b>	2 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Penta-brid	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.264+/H.264, Smart Search	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/ Search by target classification

Dahua

DHI-XVR5232AN-S2

DH-XVR5432L-I2



Price (Rials)	۱۴۲,۳۰۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵
XVR Type	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	32 Ch. HDCVI/AHD/TVI Up to 4MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	32 Ch. Up to 5MP	32 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
Recording	4MP: 25/30FPS 720P: 50/60FPS	5MP: 10FPS 720P: 30FPS
Video Output	1 Port HDMI :1080p 1 Port VGA	2 Port HDMI :4k , 1080p 1 Port VGA : 1080p
SATA Interface	2 HDD up to 8TB	4 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	1.5U
Other Features	H.264+/H.264, Smart Search, Face Detection	H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/ Search by target classification



لیست قیمت (سهمی گابستان ای۱۵)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۳۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2-3.6mm	DH-IPC-HFW2231SP-S2-0360B
				
Price (Rials)	۲۱,۲۶۰,۰۰۰	۲۲,۴۳۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۲۲,۸۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	102°/84°	106°/88°	91°	87°
Night Vision Distance	IR 30 M	Warm Light 10/15M	IR 30 M	Starlight/ IR 30M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	No
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI

5

6

7

8

**Dahua****DH-IPC-HFW1230S-S5****DH-IPC-HFW1230SP-0360B-S5****DH-IPC-HFW2239SP-SA-LED-S2****DH-IPC-HDBW1239T1-LED-S5**

<b>Price (Rials)</b>	<b>Call: ٩١٠٠٩٨٥٨</b>	<b>٢١,٨٦٠,٠٠٠</b>	<b>٣١,٧٩٠,٠٠٠</b>	<b>٢٠,٠٣٠,٠٠٠</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Dome
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps
<b>Sensor Size</b>	1/2.7"	1/2.7"	1/2.8"	1/2.8"
<b>Lens</b>	3.6 Fixed	3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	84°	84°	107°	106°/88°
<b>Night Vision Distance</b>	IR 30M	IR 30M	Warmlight/ IR 30 M	IR 20/ 30 M
<b>Dynamic Range</b>	DWDR	DWDR	WDR 120db	DWDR
<b>Built in Mic</b>	No	No	Yes	No
<b>SD Card Support</b>	No	No	Yes (Up to 256G)	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
<b>Protection</b>	IP67	IP67	IP67	IP67
<b>Other Features</b>	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI

9

10

11

12

**Dahua**

DH-IPC-HDW1239T1P-LED-0280B-S5-QH2

DH-IPC-HDW1239T1-LED-0280-S5

DH-IPC-HDW2239TP-AS-LED-S2

DH-IPC-HDW1230T1P-0280B-S5



Price (Rials)	Call: ٩١٠٠٩٥٥٥	٢٢,٤٣٠,٠٠	٣١,٧٩٠,٠٠	٢١,٢٦٠,٠٠
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed
Viewing Angle	106°/88°	110°/91°	107° /91°	102°
Night Vision Distance	Warmlight/ IR 30 M	IR 15M	Warmlight/ IR 30 M	IR 30M
Dynamic Range	DWDR	DWDR	WDR 120db	DWDR
Built in Mic	No	No	Yes	No
SD Card Support	No	No	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS

13

14

15

16

**Dahua****DH-IPC-HDW2230T-AS-S2****DH-IPC-HDW2231TM-AS-S2****DH-IPC-HDW2231TP-AS-0280B-S2****DH-IPC-HDBW2231E-S-S2**

<b>Price (Rials)</b>	<b>۲۹,۳۸۰,۰۰۰</b>	<b>۳۲,۶۰۰,۰۰۰</b>	<b>۳۲,۰۵۰,۰۰۰</b>	<b>۲۸,۵۵۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
<b>Sensor Size</b>	1/2.7"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	110°/91°	107°/88°	107°/88°	107°/88°
<b>Night Vision Distance</b>	IR 30 M	IR 30M	Starlight/ IR 30M	IR 30M
<b>Dynamic Range</b>	DWDR	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265;/ H.264/ H.264B/ MJPEG
<b>Protection</b>	IP67	IP67	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

17

18

19

20

**Dahua****DH-IPC-HFW1431SP-0360B-S4****DH-IPC-HFW2431SP-S-0360B-S2****DH-IPC-HFW2431TP-ZS-27135-S2****DH-IPC-HFW2439MP-AS-LED-B-S2**

	<b>Price (Rials)</b>	<b>۳۱,۵۰۰,۰۰۰</b>	<b>۲۲,۸۵۰,۰۰۰</b>	<b>۶۲,۲۱۰,۰۰۰</b>	<b>۳۷,۲۹۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2560×1440) @25/30fps	4MP(2560×1440) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	2.8/3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed	
<b>Viewing Angle</b>	93°/81°	81°	104°-27°	91°/55°	
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M	
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db	
<b>Built in Mic</b>	No	No	Yes	Yes	
<b>SD Card Support</b>	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	
<b>Video Compression</b>	SMART H.264/H.265	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+	
<b>Protection</b>	IP67	IP67	IP67,IK10	IP67	
<b>Other Features</b>	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	

21

22

23

24

**Dahua****DH-IPC-HFW3441TP-ZS****DH-IPC-HFW3441EP-AS-0360B****DH-IPC-HFW3449EP-AS-LED****DH-IPC-HFW4431EP-S-S4**

	<b>۷۷,۷۵۰,۰۰۰</b>	<b>۵۶,۶۵۰,۰۰۰</b>	<b>۴۶,۸۹۰,۰۰۰</b>	<b>۳۸,۴۲۰,۰۰۰</b>
<b>Price (Rials)</b>				
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps
<b>Sensor Size</b>	1/3"	1/3"	1/2.7"	1/3"
<b>Lens</b>	Motorized (2.7–13.5 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	104°-27°	103°/84°	103°/80°	103°/84°
<b>Night Vision Distance</b>	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
<b>Protection</b>	IP67,IK10	IP67	IP67	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC

25

26

27

28

**Dahua****DH-IPC-HFW4431TP-S-S4****DH-IPC-HFW5442EP-ZE-0832****DH-IPC-HFW2439SP-SA-LED-0360B-S2****DH-IPC-HFW1431S1P-S4**

<b>Price (Rials)</b>	۱۳,۲۷۰,۰۰۰	۱۹۱,۰۱۰,۰۰۰	۳۵,۲۵۰,۰۰۰	۲۶,۴۴۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2688×1520) @25/30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @25/30fps
<b>Sensor Size</b>	1/3"	1/1.8"	1/3"	1/3"
<b>Lens</b>	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed	2.8,3.6 Fixed
<b>Viewing Angle</b>	84°	114°-47°	81°	93° /81°
<b>Night Vision Distance</b>	IR 80 M	IR 50 M	Warmlight/IR 30 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	SMART H.264+/H.265+	H.265/ H.264/ H.264B/ MJPEG
<b>Protection</b>	IP67, IK10	IP67, IK10	IP67	IP67
<b>Other Features</b>	3D NR, HLC, BLC, AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ePoE	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI

29

30

31

32

**Dahua****DH-IPC-HDW1431T1P-0280B-S4****DH-IPC-HDBW1431EP-S4****DH-IPC-HDW2431TP-AS-S2****DH-IPC-HDBW2431EP-S-0280B-S2**

<b>Price (Rials)</b>	۲۵,۹۹۰,۰۰۰	۳۰,۵۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰	۳۲,۰۳۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	2.8/3.6 Fixed	2.8 Fixed	3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	93°/81°	104°	84°	102°/84°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 30 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	No	Yes	No
<b>SD Card Support</b>	No	No	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+	SMART H.264/H.265
<b>Protection</b>	IP67	IP67, IK10	IP67	IP67,IK10
<b>Other Features</b>	3D NR, HLC, BLC, ROI, AWB, AGC	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

33

34

35

36

**Dahua****DH-IPC-HDBW2431EP-S-0360B-S2****DH-IPC-HDBW2431RP-ZS-S2****DH-IPC-HDW2431TMP-AS-S2****DH-IPC-HDW2439TP-AS-LED-S2**

<b>Price (Rials)</b>	۲۲,۰۵۰,۰۰۰	۶۰,۸۸۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۷,۶۵۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8 Fixed	2.8 Fixed
<b>Viewing Angle</b>	102° /84°	114°-27°	102°	96°
<b>Night Vision Distance</b>	IR 30M	IR 30M	Starlight/ IR 30M	Warm light/IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
<b>Protection</b>	IP67, IK10	IP67, IK10	IP67	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

37

38

39

40

**Dahua****DH-IPC-HDW3449TMP-AS-LED****DH-IPC-HDBW5442EP-ZE****DH-IPC-HFW2531SP-S-0360B-S2****DH-IPC-HDBW2531EP-S**

**dahua**

Price (Rials)	۴۴,۰۰۰,۰۰۰	Call: ۹۱۰۰۹۵۵۵	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Bullet	Dome
<b>Max Resolution</b>	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps
<b>Sensor Size</b>	1/2.7"	1/1.8"	1/2.7"	1/2.7"
<b>Lens</b>	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	103°/80°	114°-47°	103°/84°	103°/84°
<b>Night Vision Distance</b>	Warmlight/IR 30 M	IR 40 M	Starlight/IR 30 M	Starlight/IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 140db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	No	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67, IK10	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC	3D NR, HLC, BLC

**Dahua****DH-IPC-HFW5842EP-ZE-2712-S2****DH-IPC-HDBW5842EP-ZE-2712-S2**

<b>Price (Rials)</b>	<b>1,53,510,000</b>	<b>1,53,510,000</b>
<b>Camera Type</b>	Bullet	Dome
<b>Max Resolution</b>	8MP(3840×2160) @30fps	8MP(3840×2160) @30fps
<b>Sensor Size</b>	1/1.8"	1/1.8"
<b>Lens</b>	Motorized (2.7–12 mm)	Motorized (2.7–12 mm)
<b>Viewing Angle</b>	110.4°-45°	110.4°-45°
<b>Night Vision Distance</b>	Color/ IR 60 M	Color/ IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG
<b>Protection</b>	IP67, IK10	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC,Tripwire; intrusion, ePoE	3D NR, HLC, BLC,Tripwire; intrusion, ePoE

43

44

45

**Dahua****DH-SD5A432XA-HNR****DH-SD49225-HC-LA1****DH-SD49225XA-HNR**

	<b>۳۵۹,۴۳۰,...</b>	<b>Call: ۹۱۰۰۹۸۰۰</b>	<b>۱۷۴,۱۷۰,...</b>
<b>Camera Type</b>	PTZ	PTZ	PTZ
<b>Max Resolution</b>	4MP(2560×1440) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @50/60fps
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	4.9–156 mm	4.8–120mm	4.8–120 mm
<b>Optical zoom</b>	32x	25x	25x
<b>Night Vision Distance</b>	Starlight/IR 150 M	Starlight/IR 100 M	Starlight
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	24V DC or POE	PoE+	DC 12V or PoE+
<b>Video Compression</b>	H.265+, H.264+, H.265, H.264, MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264/MJPEG
<b>Protection</b>	IP67/IK10	IP66	IP66
<b>Other Features</b>	EIS, Defog, ROI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering	3D DNR, Deep-learning-based auto tracking and perimeter protection, Face Detection	EDefog, ROI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Auto iris, Auto focus, Deep-learning-based auto tracking and perimeter protection, Face Detection

46

47

48

49

Dahua

DHI-NVR1104HS-S3/H

DH-NVR4104HS-4KS2/L

DHI-NVR4104HS-P-4KS2/L

DHI-NVR1108HS-S3/H



	۲۴,۱۹۰,۰۰۰	۳۹,۷۵۰,۰۰۰	۶۰,۵۱۰,۰۰۰	۲۸,۰۰۰,۰۰۰
<b>NVR Type</b>	4 Ch	4 Ch	4 Ch	8 Ch
<b>Input BandWidth</b>	80Mbps	80Mbps	80Mbps	80Mbps
<b>Output Bandwidth</b>	60Mbps	48Mbps	60Mbps	60Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
<b>POE Ports</b>	-	-	4 POE Ports	-
<b>SATA Interface</b>	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
<b>Chassis</b>	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

50

51

52

53

**Dahua****DHI-NVR4108HS-4KS2/L****DH-NVR4108HS-4KS2****DHI-NVR2108HS-I****DHI-NVR5208-4KS2**

<b>Price (Rials)</b>	60,600,000	Call: ٩١٠٠٩٨٦٦	51,280,000	109,250,000
<b>NVR Type</b>	8 Ch	8 Ch	8 Ch	8 Ch
<b>Input BandWidth</b>	8Mbps	80Mbps	80Mbps	320Mbps
<b>Output Bandwidth</b>	60Mbps	48Mbps	60Mbps	
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 12Mp
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
<b>POE Ports</b>	-	-	-	-
<b>SATA Interface</b>	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M
<b>Chassis</b>	Compact 1U	Compact 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+/ Smart H.264+/ H.265/ H.264/ AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD · Supports remote configuration and management of IPC	Smart H.265+/ Smart H.264+/ H.265/ H.264/	H.264/H.265/Smart H.264+/Smart H.265+/JPEG Alarm I/O 4/1	Smart H.265+/H.265/Smart H.264+/H.264/JPEG

54

55

56

57

**Dahua****DHI-NVR5208-8P-4KS2****DHI-NVR2216-I****DH-NVR2216-4KS2****DHI-NVR4116HS-4KS2/L**

<b>Price (Rials)</b>	<b>۱۵۱,۲۹۰,۰۰۰</b>	<b>۶۷,۲۵۰,۰۰۰</b>	<b>۵۲,۱۴۰,۰۰۰</b>	<b>۵۴,۷۵۰,۰۰۰</b>
<b>NVR Type</b>	8 Ch	16 Ch	16 Ch	16 Ch
<b>Input BandWidth</b>	320Mbps	80Mbps	80Mbps	80Mbps
<b>Output Bandwidth</b>		80Mbps	80Mbps	60Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 12MP	Upto 8Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
<b>POE Ports</b>	8 POE Ports	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 6TB	1 HDD up to 8TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M
<b>Chassis</b>	Standalone 1U	1U Lite	Standalone 1U	Compact 1U
<b>Other Features</b>	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264	H.265/H.264	Smart H.265/H.264

58

59

60

61

**Dahua****DHI-NVR4216-4KS2/L****DHI-NVR4216-16P-4KS2/L****DHI-NVR5216-4KS2****DHI-NVR4232-4KS2**

<b>Price (Rials)</b>	۷۷,۶۷۰,۰۰۰	۱۳۲,۵۸۰,۰۰۰	۱۴۸,۰۲۰,۰۰۰	Call: ۹۱۰۰۹۸۸۸
<b>NVR Type</b>	16 Ch	16 Ch	16 Ch	32 Ch
<b>Input BandWidth</b>	160Mbps	160Mbps	320Mbps	200Mbps
<b>Output Bandwidth</b>	64Mbps	64Mbps	320Mbps	96Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out			
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8MP	Upto 24MP	Upto 8MP
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA			
<b>POE Ports</b>	-	16 POE Ports	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

62

63

64

65

**Dahua****DHI-NVR4232-4KS2/L****DHI-NVR5232-4KS2(V2.0)****DHI-NVR4432-4KS2/L****DHI-NVR5432-4KS2(V2.0)**

<b>Price (Rials)</b>	۹۱,۱۱۰,۰۰۰	۱۳۴,۰۲۰,۰۰۰	۱۵۴,۶۸۰,۰۰۰	۲۰۱,۶۸۰,۰۰۰
<b>NVR Type</b>	32 Ch	32 Ch	32 Ch	32 Ch
<b>Input BandWidth</b>	160Mbps	320Mbps	200Mbps	320Mbps
<b>Output Bandwidth</b>	48Mbps	320Mbps	96Mbps	320Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out
<b>Decoding Capacity</b>	Upto 8MP	Upto 12MP	Upto 8MP	Upto 12MP
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA : 1080p	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p
<b>POE Ports</b>	-	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	1.5U	1.5U
<b>Other Features</b>	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

66

67

68

**Dahua****DH-NVR608-64-4KS2****DHI-NVR608-32-4KS2****DHI-NVR608-128-4KS2**

Price (Rials)	۵۲۵,۸۹۰,۰۰۰	۲۷۷,۱۳۰,۰۰۰	۶۰۴,۵۵۰,۰۰۰
NVR Type	64 Ch	32 Ch	128 Ch
Input BandWidth	384Mbps	384Mbps	384Mbps
Output Bandwidth	384Mbps	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 12MP	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-
SATA Interface	8 HDD up to64TB	8 HDD up to10TB	8 HDD up to10TB
Network Interface	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	2U	2U	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video