



لیست قیمت (رسمی) تاپسّان ۱۴۰


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

Dahua**DH-HAC-B1A21P****DH-HAC-B2A21P-0360B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۹,۸۰۰,۰۰۰	۸,۰۰۰,۰۰۰	۱۲,۴۰۰,۰۰۰	۱۰,۳۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	82°	93°	84°	84°
IR Range	Up to 20m	Up to 20m	Up to 80m	Up to 30m
Body Type	Plastic	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

Dahua**DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B****DH-HAC-HFW1239TP-LED**

Price (Rials)	۱۱,۹۰۰,۰۰۰	۲۶,۹۸۰,۰۰۰	۱۱,۷۱۰,۰۰۰	۱۵,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6	0.001Lux/F1.6
Lens	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	102°-33°	86.9°	86.9°
IR Range	Up to 80m	Starlight Up to 80m	Starlight Up to 20m	Starlight Up to 20m
Body Type	Metal	Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	WDR 130db	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, 3D NR, Switchable. Built in mic	Smart IR, HLC, BLC, AWB, AGC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable, Built in mic

9

10

11

12

Dahua**DH-HAC-HFW1200TLP-0360B-S5****DH-HAC-HFW1200TP-A-0360B-S5****DH-HAC-HFW1200TL-A****DH-HAC-HFW1200THP-I4**

Price (Rials)	۱۰,۶۳۰,۰۰۰	۱۰,۸۵۰,۰۰۰	۱۰,۹۰۰,۰۰۰	۱۲,۳۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	101°	84°	84°
IR Range	Up to 40m	Up to 30m	Up to 80m	Up to 40m
Body Type	Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable

13

14

15

16

Dahua**DH-HAC-HFW1200THP-I8****DH-HAC-HFW1200TP-A****DH-HAC-HFW1200RP-Z-IRE6****DH-HAC-HFW1209CP-LED-0360B**

Price (Rials)	۱۳,۱۰۰,۰۰۰	۱۰,۲۷۰,۰۰۰	۲۳,۰۱۰,۰۰۰	۱۰,۰۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8	0.01Lux/F1.6
Lens	2.8- 3.6 Fixed	3.6 Fixed	Motorized (2.7-12 mm)	3.6 Fixed
Viewing Angle	101°/84°	84°	105.9°-33.4°	86.9°
IR Range	Up to 80m	Up to 30m	Starlight/ Up to 60m	Starlight/ Up to 20m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, Switchable

17

18

19

20

Dahua**DH-HAC-HFW1209CMP-LED-0360B****DH-HAC-HFW1200CMP-A****DH-HAC-T1A21P-0280B****DH-HAC-T1A21P-0360B**

Price (Rials)	۱۱,۲۱۰,۰۰۰	۱۱,۱۱۰,۰۰۰	۶,۹۶۰,۰۰۰	۷,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0	0.04Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	2.8/ 3.6 Fixed	2.8/ 3.6 Fixed
Viewing Angle	86.9°	84°	100°/82°	100°/82°
IR Range	Starlight/ Up to 20m	Up to 30m	Up to 20m	Up to 20m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable

21

22

23

24

Dahua**DH-HAC-T2A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0280B-S5****DH-HAC-HDW1200TRQP-A-0360B**

Price (Rials)	۹,۵۲۰,۰۰۰	۸,۴۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۹,۵۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	2.8/ 3.6 Fixed	2.8/ 3.6 Fixed
Viewing Angle	100°	84°	101°/84°	101°/84°
IR Range	Up to 20m	Up to 20m	Up to 25m	Up to 25m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP50	IP50
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

25

26

27

28

Dahua**DH-HAC-HDW1209TLQP-A-LED-0280B****DH-HAC-HDW1239TP-A-LED-0280B-S2****DH-HAC-HDW1209TLQP-LED-0280B****DH-HAC-HDW1200EMP-A-S4**

Price (Rials)	۱۱,۲۲۰,۰۰۰	۱۶,۸۳۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۱۲,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	106°	86°	87.5°	103°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Up to 50m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic

29

30

31

32

Dahua**DH-HAC-HDW1200EMP-A-0280B-S5****DH-HAC-HDW1200MP-S5****DH-HAC-HDW1200MP-0280B-S5****DH-HAC-HFW1400CMP**

Price (Rials)	۱۱,۳۷۰,۰۰۰	۹,۱۸۰,۰۰۰	۱۰,۳۲۰,۰۰۰	۱۲,۸۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	87.5°	84°	84°	87°
IR Range	Up to 50m	Up to 30m	Up to 30m	Up to 30m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable

Dahua**DH-HAC-HFW1400DP-0360B-S3****DH-HAC-HDW1400TRQP-0280B-S3****DH-HAC-HDW1400TRQP-A-0280B-S3****DH-HAC-B1A51P**

Price (Rials)	۱۷,۲۶۰,۰۰۰	۸,۰۷۰,۰۰۰	۹,۶۲۰,۰۰۰	۱۲,۷۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Bullet
Imaging Sensor	4 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	87°	105°	84.8°	88°
IR Range	Up to 80m	Up to 25m	Up to 25m	Up to 20m
Body Type	Metal	Plastic	Plastic	Plastic
IP Standard	IP67	IP50	IP50	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable

37

38

39

40

Dahua**DH-HAC-B2A51P-0360B-S2****DH-HAC-HFW1500THP-I8-0360B****DH-HAC-HFW1500TLP****DH-HAC-HFW1500CMP**

Price (Rials)	۱۳,۶۸۰,۰۰۰	۱۶,۶۵۰,۰۰۰	۱۵,۸۷۰,۰۰۰	۱۶,۶۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.02Lux/F1.85	0.005Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	88°	105°	98°	98°
IR Range	Up to 20m	Up to 80m	Starlight Up to 40m	Starlight Up to 30m
Body Type	Metal	Plastic	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC - PoC (CVI)
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable-Built in Mic

41

42

43

44

Dahua**DH-HAC-HFW1509TLMP-LED****DH-HAC-HFW1509TLMP-A-LED****DH-HAC-HFW1500TP-0360B-S2****DH-HAC-HFW1500TP-A-S2-0360B**

Price (Rials)	۱۹,۸۲۰,۰۰۰	۲۱,۴۲۰,۰۰۰	۱۵,۰۹۰,۰۰۰	۱۵,۶۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2592×1944)	5MP (2592×1944)	5MP (2592×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.2	0.005Lux/F1.2	0.005Lux/F1.2	0.02Lux/F1.85
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	83°	83°	83°	77.5°
IR Range	Starlight Up to 40m	Color Up to 40m	Up to 30m	Up to 30m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	WDR 120db	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC

45

46

47

48

Dahua	DH-HAC-HFW1500DP(S)	DH-HAC-HFW1500RP-Z-IRE6	DH-HAC-T2A51P	DH-HAC-HDW1500TRQP-A
-------	---------------------	-------------------------	---------------	----------------------



Price (Rials)	۲۱,۰۱۰,۰۰۰	۳۰,۱۵۰,۰۰۰	۱۴,۲۸۰,۰۰۰	۱۴,۲۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2560×1944)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.02Lux/F2.0	0.005Lux/F1.6
Lens	3.6 Fixed	Motorized (2.7 –12 mm)	3.6 Fixed	2.8 Fixed
Viewing Angle	92°	107°-34°	88°	105°
IR Range	Up to 80m	Up to 60m	Up to 20m	Up to 30m
Body Type	Metal	Metal	Metal	Plastic
IP Standard	IP67	IP67	IP67	IP50
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic

49

50

51

52

Dahua**DH-HAC-HDW1500TLMQP-0280B-S2****DH-HAC-HDW1509TLP-A-LED****DH-HAC-HDW1509TLQP-LED-0280B****DH-HAC-HDW1509TLQP-A-LED**

Price (Rials)	۱۵,۲۲۰,۰۰۰	۱۹,۸۱۰,۰۰۰	۲۲,۲۰۰,۰۰۰	۲۱,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2592×1944)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.2	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 / 3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	111° / 92°	77.5°	112°	88°
IR Range	Up to 30m	Starlight/Up to 20m	Up to 20m	Color Up to 20m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	-	Yes	No
WDR	DWDR	DWDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, HLC Pro, BLC, 3D NR, Switchable- Built in Mic

Dahua**DH-SD42215-HC-LA****DH-SD59232-HC-LA****Price (Rials)****۱۱۴,۷۶۰,۰۰۰****۲۳۸,۹۵۰,۰۰۰****Camera Type**

PTZ

PTZ

Imaging Sensor

2 Megapixel

2 Megapixel

Resolution

1920 x 1080

1920 x 1080

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.005Lux/F1.6

0.005Lux/F1.6

Lens

5–75 mm

4.5–144 mm

Viewing Angle

15x

32x

IR Range

Starlight

Starlight

Body Type

Plastic

Plastic

IP Standard

IP66/IK10

IP66

OSD Menu

No

No

WDR

Yes (120db)

Yes (120db)

Power Supply

DC 12V/3A

DC24V/2.5A

Other Features

EDefog, ROI, 3D DNR, HLC, BLC

EDefog, ROI, 2D & 3D DNR, HLC, BLC, Auto iris, Auto focus

55

56

57

58

Dahua**DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

Price (Rials)	۱۸,۰۰۰,۰۰۰	۳۰,۰۰۰,۰۰۰	۴۳,۰۷۰,۰۰۰	۲۲,۷۳۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4+1 Ch. Up to 2MP	4+2 Ch. Up to 6MP	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25/30FPS 720P: 60FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264 face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264

59

60

61

62

Dahua**DH-XVR5108HS-I3****DHI-XVR5108HS-4KL****DH-XVR5108HS-4KL-I2****DH-XVR5108HS-4KL-I3**

Price (Rials)	۴۵,۱۰۰,۰۰۰	۶۵,۹۱۰,۰۰۰	۶۸,۷۳۰,۰۰۰	۷۸,۹۰۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

63

64

65

66

Dahua**DH-XVR5116H-I2****DH-XVR1B16-I****DH-XVR4116HS-I****DHI-XVR5116HS-S2**

Price (Rials)	۷۲,۱۳۰,۰۰۰	۴۳,۵۲۰,۰۰۰	۵۱,۲۷۰,۰۰۰	۷۲,۴۸۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4MP
IP Video Input	16+8 Ch. Up to 6MP	16+2 Ch. Up to 6MP	2+16 Ch. Up to 6MP	16+8 Ch. Up to 5MP
Audio Input/Output	1Ch. In / 1Ch. Out			
Recording	5MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	2MP: 25/30FPS 720P: 25/30FPS	4MP: 25/30FPS 720P: 50/60FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA : 1080p	1 Port HDMI : 1080p 1 Port VGA : 1080p
SATA Interface	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 8TB
Network Interface			1 RJ45 100M	1 RJ45 1000M
Chassis	Mini 1U	Standalone 1U	Compact 1U	Mini 1U
Other Features	H.265+/H.265	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264	Smart H.264+/H.264, Smart Search

67

68

69

70

Dahua**DH-XVR5216AN-I2****DHI-XVR5216AN-S2****DHI-XVR5216AN-4KL****DH-XVR5216AN-4KL-I2**

Price (Rials)	۷۴,۸۱۰,۰۰۰	۹۴,۵۰۰,۰۰۰	۱۳۶,۳۷۰,۰۰۰	۱۴۰,۸۵۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4K
IP Video Input	16+8 Ch. Up to 6MP	16+8 Ch. Up to 5MP	16+8 Ch. Up to 8MP	16+16 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS	4K: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	2 HDD up to 10TB	2 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Penta-brid	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification	Smart H.264+/H.264, Smart Search	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification

Dahua**DHI-XVR5232AN-S2****DH-XVR5232AN-I2**

Price (Rials)	142,300,000	120,270,000
XVR Type	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	32 Ch. HDCVI/AHD/TVI Up to 4MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	32 Ch. Up to 5MP	32 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4MP: 25/30FPS 720P: 50/60FPS	5MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI :1080p 1 Port VGA	1 Port HDMI :4K 1 Port VGA
SATA Interface	2 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Penta-brid 1U
Other Features	H.264+/H.264, Smart Search, Face Detection	AI Coding/H.265+/H.265/H.264+/H.264, AI Search, Face Detection



لیست قیمت (سهمی گابستان ای۱۵)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۹۱۰۰۹۵۵۵

۰۹۹۳۰-۳۳۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2231SP-S2-0360B
				
Price (Rials)	۲۰,۷۱۰,۰۰۰	۲۱,۴۸۰,۰۰۰	۲۶,۸۸۰,۰۰۰	۳۰,۰۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	102°/84°	106°/88°	91°	87°
Night Vision Distance	IR 30 M	Warm Light 10/15M	IR 30 M	Starlight/ IR 30M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	No
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI

	5	6	7	8
Dahua	DH-IPC-HFW1230S-S5	DH-IPC-HFW1230SP-0360B-S5	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2
				
Price (Rials)	۲۱,۲۹۰,۰۰۰	۲۱,۸۶۰,۰۰۰	۳۱,۷۹۰,۰۰۰	۱۹,۰۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
Viewing Angle	84°	84°	107°	106°/88°
Night Vision Distance	IR 30M	IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M
Dynamic Range	DWDR	DWDR	WDR 120db	DWDR
Built in Mic	No	No	Yes	No
SD Card Support	No	No	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI

9

10

11

12

Dahua**DH-IPC-HDW1239T1-LED-0280-S5****DH-IPC-HDW2239TP-AS-LED-S2****DH-IPC-HDW1230T1P-0280B-S5****DH-IPC-HDW2230T-AS-S2**

Price (Rials)	۲۱,۴۸۰,۰۰۰	۲۱,۷۹۰,۰۰۰	۲۰,۷۱۰,۰۰۰	۲۹,۳۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.8"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed
Viewing Angle	110°/91°	107° /91°	102°	110°/91°
Night Vision Distance	Warmlight/ IR 15M	Warmlight/ IR 30 M	IR 30M	IR 30 M
Dynamic Range	DWDR	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	Yes
SD Card Support	No	Yes (Up to 256G)	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

13

14

15

16

Dahua**DH-IPC-HDW2231TM-AS-S2****DH-IPC-HDW2231TP-AS-0280B-S2****DH-IPC-HDBW2231E-S-S2****DH-IPC-HFW1431SP-0360B-S4**

	۳۲,۸۰۰,۰۰۰	۳۲,۰۵۰,۰۰۰	۲۸,۵۵۰,۰۰۰	۳۰,۰۰۰,۰۰۰
Price (Rials)				
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/3"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	107°/88°	107°/88°	107°/88°	93°/81°
Night Vision Distance	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE			
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265/; H.264/ H.264B/ MJPEG	SMART H.264/H.265
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

17

18

19

20

Dahua**DH-IPC-HFW1431S1P-S4****DH-IPC-HFW2431SP-S-0360B-S2****DH-IPC-HFW2431TP-ZS-27135-S2****DH-IPC-HFW2439MP-AS-LED-B-S2**

Price (Rials)	۲۴,۴۳۰,۰۰۰	۲۲,۸۵۰,۰۰۰	۵۹,۰۵۰,۰۰۰	۳۷,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @25/30fps	4MP(2560×1440) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
Viewing Angle	93° /81°	81°	104°-27°	91°/55°
Night Vision Distance	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

Dahua**DH-IPC-HFW3441TP-ZS****DH-IPC-HFW3441EP-AS-0360B****DH-IPC-HFW3449EP-AS-LED****DH-IPC-HFW5442EP-ZE-0832**

Price (Rials)	۷۷,۷۵۰,۰۰۰	۵۶,۶۵۰,۰۰۰	۴۶,۸۹۰,۰۰۰	۱۵۶,۸۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°-27°	103°/84°	103°/80°	114°-47°
Night Vision Distance	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
Protection	IP67,IK10	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

25

26

27

28

Dahua

DH-IPC-HFW2439SP-SA-LED-0360B-S2

DH-IPC-HDW1431T1P-0280B-S4

DH-IPC-HDBW1431EP-S4

DH-IPC-HDW2431TP-AS-S2



Price (Rials)	۳۵,۲۵۰,۰۰۰	۲۸,۱۷۰,۰۰۰	۳۰,۵۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	2.8/3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	81°	93°/81°	104°	84°
Night Vision Distance	Warmlight/IR 30 M	IR 30 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	No	Yes
SD Card Support	Yes (Up to 256G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, AWB, AGC	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking

29

30

31

32

Dahua**DH-IPC-HDBW2431EP-S-0360B-S2****DH-IPC-HDBW2431RP-ZS-S2****DH-IPC-HDW2431TMP-AS-S2****DH-IPC-HDW2439TP-AS-LED-S2**

Price (Rials)	۳۱,۲۱۰,۰۰۰	۵۷,۷۴۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۷,۶۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8 Fixed	2.8 Fixed
Viewing Angle	102° /84°	114°-27°	102°	96°
Night Vision Distance	IR 30M	IR 30M	Starlight/ IR 30M	Warm light/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67, IK10	IP67, IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC

33

34

35

36

Dahua**DH-IPC-HDW3449TMP-AS-LED****DH-IPC-HDBW5442EP-ZE****DH-IPC-HFW2531SP-S-0360B-S2****DH-IPC-HDBW2531EP-S-S2**

dahua

	۱۹۹,۰۰۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰
Price (Rials)	۱۹۹,۰۰۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps
Sensor Size	1/2.7"	1/1.8"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	Motorized (2.7–12 mm)	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	103°/80°	114°-47°	103°/84°	103°/84°
Night Vision Distance	Warmlight/IR 30 M	IR 40 M	Starlight/IR 30 M	Starlight/IR 30 M
Dynamic Range	WDR 120db	WDR 140db	WDR 120db	WDR 120db
Built in Mic	Yes	No	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC	3D NR, HLC, BLC

Dahua

DH-IPC-HFW2831S-S-0360B-S2



Price (Rials)	۶۶,۴۸۰,۰۰۰
Camera Type	Bullet
Max Resolution	8MP(3840×2160) @20fps
Sensor Size	1/2.7"
Lens	2.8/3.6 Fixed
Optical zoom	105°/87°
Night Vision Distance	Starlight/IR 30 M
Dynamic Range	WDR 120db
Built in Mic	No
SD Card Support	Yes (Up to 256G)
Power Supply	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264
Protection	IP67
Other Features	3D NR, HLC, BLC

Dahua

DH-SD5A232XA-HNR

DH-SD5A432XA-HNR



Price (Rials)	۳۵۲,۶۰۰,۰۰۰	۳۵۹,۴۳۰,۰۰۰
Camera Type	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.9–156 mm
Optical zoom	32x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db
Built in Mic	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	24V DC or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP67/IK10
Other Features	Defog, RoI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, RoI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

40

41

42

43

Dahua**DHI-NVR1104HS-S3/H****DH-NVR4104HS-4KS2/L****DHI-NVR4104HS-P-4KS2/L****DHI-NVR1108HS-S3/H**

Price (Rials)	۲۲,۵۸۰,۰۰۰	۳۹,۷۵۰,۰۰۰	۵۸,۹۴۰,۰۰۰	۶۹,۱۴۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+ / Smart H.264+ / H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

44

45

46

47

Dahua**DH-NVR4108HS-4KS2****DHI-NVR4108HS-4KS2/L****DH-NVR2108-8P-4KS2****DHI-NVR2108HS-I**

Price (Rials)	۱,۹۰۰,۰۰۰	۸۰,۰۰۰,۰۰۰	۵۶,۲۰۰,۰۰۰	۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/ · Supports remote configuration and management of IPC	AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD	H.264/H.265/Smart H.264+/Smart H.265+/JPEG	H.264/H.265/Smart H.264+/Smart H.265+/JPEG Alarm I/O 4/1

48

49

50

51

Dahua**DH-NVR2108HS-8P-4KS2****DHI-NVR5208-4KS2****DHI-NVR5208-8P-4KS2****DHI-NVR2216-I**

Price (Rials)	۵۸,۵۴۰,۰۰۰	۱۰۹,۲۵۰,۰۰۰	۱۵۱,۲۹۰,۰۰۰	۶۸,۲۳۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	8Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	8Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

52

53

54

55

Dahua**DH-NVR2216-4KS2****DHI-NVR4116HS-4KS2/L****DHI-NVR4216-4KS2/L****DHI-NVR4216-16P-4KS2/L**

Price (Rials)	۳۰,۸۳۰,۰۰۰	۵۵,۰۰۰,۰۰۰	۷۷,۶۷۰,۰۰۰	۱۲۹,۱۴۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	80Mbps	60Mbps	64Mbps	64Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8MP
Video Output	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	16 POE Ports
SATA Interface	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

56

57

58

59

Dahua**DHI-NVR5216-4KS2****DHI-NVR4232-4KS2****DHI-NVR4232-4KS2/L****DHI-NVR5232-4KS2(V2.0)**

Price (Rials)	۱۴۸,۰۲۰,۰۰۰	۷۶,۳۶۰,۰۰۰	۹۱,۱۱۰,۰۰۰	۱۳۰,۵۴۰,۰۰۰
NVR Type	16 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	320Mbps	200Mbps	160Mbps	320Mbps
Output Bandwidth	320Mbps	96Mbps	48Mbps	320Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out			
Decoding Capacity	Upto24MP	Upto 8MP	Upto 8MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

60

61

62

63

Dahua**DHI-NVR4432-4KS2/L****DH-NVR5432-4KS2****DHI-NVR5432-4KS2(V2.0)****DHI-NVR608-32-4KS2**

Price (Rials)	۱۵۴,۶۸۰,۰۰۰	۱۸۰,۰۷۰,۰۰۰	۱۹۰,۰۰۰,۰۰۰	۲۶۹,۹۳۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	200Mbps	320Mbps	320Mbps	384Mbps
Output Bandwidth	96Mbps		320Mbps	384Mbps
Audio Input/Output	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 12MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	16 POE Ports	-	-
SATA Interface	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB
Network Interface	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	1.5U	1.5U	1.5U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

64

65

Dahua**DH-NVR608-64-4KS2****DHI-NVR608-128-4KS2**

Price (Rials)	۵۲۵,۸۹۰,۰۰۰	۶۰۴,۰۵۰,۰۰۰
NVR Type	64 Ch	128 Ch
Input BandWidth	384Mbps	384Mbps
Output Bandwidth	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-
SATA Interface	8 HDD up to64TB	8 HDD up to10TB
Network Interface	2 RJ45 1000M	2 RJ45 1000M
Chassis	2U	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video