



لیست قیمت (سهی اسفند ۱۴۰۰)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

Dahua**DH-HAC-B1A21P-0360B****DH-HAC-B2A21P-0280B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۸,۸۰۰,۰۰۰	۱۲,۷۴۰,۰۰۰	۱۹,۵۶۰,۰۰۰	۱۰,۳۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	82°	103°	84°	84°
IR Range	Up to 20m	Up to 20m	Up to 80m	Up to 30m
Body Type	Plastic	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

Dahua**DH-HAC-HFW1200TLP-S5****DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B**

Price (Rials)	15,120,000	15,980,000	21,040,000	11,710,000
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6
Lens	2.8 Fixed	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed
Viewing Angle	100°	84°	102°-33°	86.9°
IR Range	Up to 40m	Up to 80m	Starlight Up to 80m	Starlight Up to 20m
Body Type	Plastic	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	DWDR	WDR 130db	WDR 130db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,AWB,AGC, Switchable. Built in mic

9

10

11

12

Dahua**DH-HAC-HFW1239TP-LED****DH-HAC-HFW1200TLP-0360B-S5****DH-HAC-HFW1200TP-A-0360B-S5****DH-HAC-HFW1200TL-A**

Price (Rials)	۱۵,۰۸۰,۰۰۰	۱۵,۱۲۰,۰۰۰	۱۰,۵۵۰,۰۰۰	۱۰,۹۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.6	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	86.9°	84°	84°	84°
IR Range	Starlight Up to 20m	Up to 40m	Up to 30m	Up to 80m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

13

14

15

16

Dahua**DH-HAC-HFW1200THP-I4****DH-HAC-HFW1200THP-I8****DH-HAC-HFW1200RP-Z-IRE6****DH-HAC-HFW1209CP-LED-0360B**

Price (Rials)	۱۲,۳۱۰,۰۰۰	۱۳,۱۰۰,۰۰۰	۲۳,۰۱۰,۰۰۰	۱۰,۰۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8	0.01Lux/F1.6
Lens	3.6 Fixed	2.8- 3.6 Fixed	Motorized (2.7-12 mm)	3.6 Fixed
Viewing Angle	84°	101°/84°	105.9°-33.4°	86.9°
IR Range	Up to 40m	Up to 80m	Starlight/ Up to 60m	Starlight/ Up to 20m
Body Type	Plastic & Metal	Plastic & Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, Switchable

17

18

19

20

Dahua**DH-HAC-HFW1209CMP-LED-0360B****DH-HAC-HFW1200CMP-A****DH-HAC-T1A21P-0280B****DH-HAC-T1A21P-0360B**

Price (Rials)	١١,٢١٠,٠٠٠	٢٠,٣٢٠,٠٠٠	٨,٤٨٠,٠٠٠	٧,٠٦٠,٠٠٠
Camera Type	Bullet	Bullet	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0	0.04Lux/F2.0
Lens	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	86.9°	84°	100°	82°
IR Range	Starlight/ Up to 20m	Up to 30m	Up to 20m	Up to 20m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable

21

22

23

24

Dahua**DH-HAC-T2A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0280B-S5****DH-HAC-HDW1200TRQP-A-0360B**

Price (Rials)	۹,۵۲۰,۰۰۰	۱۲,۳۸۰,۰۰۰	۱۰,۴۲۰,۰۰۰	۱۰,۴۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	100°	84°	101°	84°
IR Range	Up to 20m	Up to 20m	Up to 25m	Up to 25m
Body Type	Metal	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP50	IP50
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

25

26

27

28

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1200EMP-A-0280B-S5



Price (Rials)	۱۵,۱۹۰,۰۰۰	۲۴,۴۸۰,۰۰۰	۱۴,۵۱۰,۰۰۰	۱۶,۶۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	107°	106°	101°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Up to 50m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	No
WDR	DWDR	WDR 130db	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic

29

30

31

32

Dahua**DH-HAC-HDW1200MP-S5****DH-HAC-HDW1200MP-0280B-S5****DH-HAC-HFW1400CMP****DH-HAC-HFW1400DP-0360B-S3**

Price (Rials)	۹,۱۸۰,۰۰۰	۱۴,۱۰۰,۰۰۰	۱۲,۸۲۰,۰۰۰	۱۷,۲۶۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Resolution	HD1080P	HD1080P	4MP (2560×1440)	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F2.0
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	101°	87°	87°
IR Range	Up to 30m	Up to 30m	Up to 30m	Up to 80m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, Switchable

33

34

35

36

Dahua**DH-HAC-B2A41P-S2****DH-HAC-HDW1400TRQP-0280B-S3****DH-HAC-HDW1400TRQP-A-0280B-S3****DH-HAC-T1A41P-S2**

Price (Rials)	۱۶,۹۹۰,۰۰۰	۸,۰۷۰,۰۰۰	۹,۶۲۰,۰۰۰	۱۲,۹۶۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Imaging Sensor	4 Megapixel	4 Megapixel	4 Megapixel	4 Megapixel
Resolution	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.04Lux/F2.0
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	88°	105°	105°	89°
IR Range	Up to 20m	Up to 25m	Up to 25m	Up to 20m
Body Type	Metal	Plastic	Plastic	Plastic
IP Standard	IP67	IP50	IP50	-
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, 2D, Switchable

37

38

39

40

Dahua**DH-HAC-T2A41P-S2****DH-HAC-B1A51P****DH-HAC-B2A51P-0360B-S2****DH-HAC-HFW1500THP-I8-0360B**

Price (Rials)	۱۵,۸۱۰,۰۰۰	۱۲,۷۰۰,۰۰۰	۱۳,۶۸۰,۰۰۰	۱۸,۸۹۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Bullet
Imaging Sensor	4 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	4MP (2560×1440)	5MP (2880×1620)	5MP (2880×1620)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.005Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	89°	88°	88°	92°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 80m
Body Type	Plastic	Plastic	Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable

41

42

43

44

Dahua**DH-HAC-HFW1500TLP****DH-HAC-HFW1500CMP****DH-HAC-HFW1509TLMP-LED****DH-HAC-HFW1509TLMP-A-LED**

Price (Rials)	۱۵,۸۷۰,۰۰۰	۱۶,۶۵۰,۰۰۰	۱۹,۸۲۰,۰۰۰	۲۱,۴۲۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.2	0.005Lux/F1.2
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	98°	98°	83°	83°
IR Range	Starlight Up to 40m	Starlight Up to 30m	Starlight Up to 40m	Color Up to 40m
Body Type	Plastic	Metal	Plastic & Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	WDR 120db
Power Supply	12 VDC	12 VDC - PoC (CVI)	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable- Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable- Built in Mic

45

46

47

48

Dahua**DH-HAC-HFW1500TP-0360B-S2 DH-HAC-HFW1500TP-A-S2-0280B****DH-HAC-HFW1500DP(S)****DH-HAC-HFW1500RP-Z-IRE6**

Price (Rials)	۱۵,۰۶۰,۰۰۰	۲۵,۴۶۰,۰۰۰	۳۱,۰۱۰,۰۰۰	۳۰,۱۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2592×1944)	5MP (2592×1944)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.2	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	Motorized (2.7 –12 mm)
Viewing Angle	83°	111°	92°	107°-34°
IR Range	Up to 30m	Up to 30m	Up to 80m	Up to 60m
Body Type	Plastic & Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	WDR 120db	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

Dahua**DH-HAC-T2A51P****DH-HAC-HDW1500TRQP-A****DH-HAC-HDW1500TLMQP-0280B-S2****DH-HAC-HDW1509TLP-A-LED**

Price (Rials)	۱۹,۱۳۰,۰۰۰	۱۴,۲۸۰,۰۰۰	۱۵,۲۲۰,۰۰۰	۱۹,۶۱۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.2
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	88°	105°	111°	77.5°
IR Range	Up to 20m	Up to 30m	Up to 30m	Starlight/Up to 20m
Body Type	Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP50	IP67	IP67
OSD Menu	Yes	Yes	No	-
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic

Dahua

DH-HAC-HDW1509TLQP-LED-
0280B

DH-HAC-HDW1509TLQP-A-LED



Price (Rials)	٢٢,٢٠٠,٠٠٠	٢١,٤٢٠,٠٠٠
Camera Type	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed
Viewing Angle	112°	88°
IR Range	Up to 20m	Color Up to 20m
Body Type	Metal	Metal
IP Standard	IP67	IP67
OSD Menu	Yes	No
WDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, HLC Pro, BLC, 3D NR, Switchable- Built in Mic

55

56

57

Dahua**DH-SD42215-HC-LA****DH-SD59232-HC-LA****DH-SD49225-HC-LA**

Price (Rials)	۱۱۴,۷۶۰,۰۰۰	۲۳۸,۹۵۰,۰۰۰	۱۹۰,۷۱۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5–75 mm	4.5–144 mm	4.8–120 mm
Viewing Angle	15x	32x	25x
IR Range	Starlight	Starlight	Starlight
Body Type	Plastic	Plastic	Plastic
IP Standard	IP66/IK10	IP66	IP66
OSD Menu	No	No	No
WDR	Yes (120db)	Yes (120db)	Yes (120db)
Power Supply	DC 12V/3A	DC24V/2.5A	DC 12V/3A
Other Features	EDefog, ROI, 3D DNR, HLC, BLC	EDefog, ROI, 2D & 3D DNR, HLC, BLC, Auto iris, Auto focus	EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

Dahua**DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

Price (Rials)	۲۳,۴۶۰,۰۰۰	۳۶,۶۱۰,۰۰۰	۶۰,۵۹۰,۰۰۰	۳۳,۳۳۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4+1 Ch. Up to 2MP	4+2 Ch. Up to 6MP	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25/30FPS 720P: 60FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264

62

63

64

65

Dahua**DH-XVR5108HS-I3****DHI-XVR5108HS-4KL****DH-XVR5108HS-4KL-I2****DH-XVR5108HS-4KL-I3**

Price (Rials)	۵۶,۳۵۰,۰۰۰	۹۱,۳۲۰,۰۰۰	۸۴,۰۹۰,۰۰۰	۱۱۰,۷۹۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264

66

67

68

69

Dahua**DH-XVR5116H-I2****DH-XVR1B16-I****DH-XVR4116HS-I****DHI-XVR5116HS-S2**

Price (Rials)	۷۲,۱۳۰,۰۰۰	۶۰,۳۵۰,۰۰۰	۵۱,۲۷۰,۰۰۰	۷۲,۴۸۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4MP
IP Video Input	16+8 Ch. Up to 6MP	16+2 Ch. Up to 6MP	2+16 Ch. Up to 6MP	16+8 Ch. Up to 5MP
Audio Input/Output	1Ch. In / 1Ch. Out			
Recording	5MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	2MP: 25/30FPS 720P: 25/30FPS	4MP: 25/30FPS 720P: 50/60FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA : 1080p	1 Port HDMI : 1080p 1 Port VGA : 1080p
SATA Interface	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 8TB
Network Interface			1 RJ45 100M	1 RJ45 1000M
Chassis	Mini 1U	Standalone 1U	Compact 1U	Mini 1U
Other Features	H.265+/H.265	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264	Smart H.264+/H.264, Smart Search

70

71

72

73

Dahua	DH-XVR5216AN-I2	DHI-XVR5216AN-S2	DHI-XVR5216AN-4KL	DH-XVR5216AN-4KL-I2
				
Price (Rials)	۷۹,۸۱۰,۰۰۰	۹۴,۵۰۰,۰۰۰	۱۶۹,۴۱۰,۰۰۰	۱۴۰,۸۵۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4K
IP Video Input	16+8 Ch. Up to 6MP	16+8 Ch. Up to 5MP	16+8 Ch. Up to 8MP	16+16 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS	4K: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	2 HDD up to 10TB	2 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Penta-brid	Standalone 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification	Smart H.264+/H.264, Smart Search	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification

Dahua**DH-XVR5216AN-4KL-I3****DHI-XVR5232AN-S2****DH-XVR5232AN-I2**

Price (Rials)	۲۱۳,۰۱۰,۰۰۰	۱۴۲,۳۰۰,۰۰۰	۱۲۰,۲۷۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 4K	32 Ch. HDCVI/AHD/TVI Up to 4MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16+16 Ch. Up to 8MP	32 Ch. Up to 5MP	32 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 720P: 25/30FPS	4MP: 25/30FPS 720P: 50/60FPS	5MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA	1 Port HDMI :4K 1 Port VGA
SATA Interface	2 HDD up to 16TB	2 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Penta-brid 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	H.264+/H.264, Smart Search, Face Detection	AI Coding/H.265+/H.265/H.264+/H.264, AI Search, Face Detection



لیست قیمت (سهمی اسفند ۱۴۰۱)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۱۰

۰۹۹۳۰-۳۳۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1230S-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2
				
Price (Rials)	۲۰,۷۱۰,۰۰۰	۳۱,۹۲۰,۰۰۰	۳۰,۹۸۰,۰۰۰	۳۷,۰۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	84°	88°	91°
Night Vision Distance	IR 30 M	IR 30M	Warm Light 10/15M	IR 30 M
Dynamic Range	DWDR	DWDR	DWDR	DWDR
Built in Mic	No	No	No	No
SD Card Support	No	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,

	5	6	7	8
Dahua	DH-IPC-HFW2231SP-S2-0360B	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2	DH-IPC-HDW1239T1-LED-0280
				
Price (Rials)	۳۰,۷۵۰,۰۰۰	۴۴,۷۰۰,۰۰۰	۱۹,۰۱۰,۰۰۰	۲۱,۴۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.7"
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	87°	107°	106°	110°
Night Vision Distance	Starlight/ IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M	Warmlight/ IR 15M
Dynamic Range	WDR 120db	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC

	9	10	11	12
Dahua	DH-IPC-HDW2239TP-AS-LED-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW1230S-S5	DH-IPC-HDW2230T-AS-S2
				
Price (Rials)	۲۴,۰۵۰,۰۰۰	۲۳,۴۷۰,۰۰۰	۲۹,۹۶۰,۰۰۰	۲۹,۳۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	107° /91°	102°	102°/84°	110°/91°
Night Vision Distance	Warmlight/ IR 30 M	IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	DWDR	DWDR	DWDR
Built in Mic	Yes	No	No	Yes
SD Card Support	Yes (Up to 256G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

13

14

15

16

Dahua**DH-IPC-HDW2231TM-AS-S2****DH-IPC-HDW2231TP-AS-0360-S2****DH-IPC-HDBW2231E-S-S2****DH-IPC-HFW1431SP-0360B-S4**

Price (Rials)	۱,۸۷۰,۰۰۰	۲,۸۳۰,۰۰۰	۳۶,۰۴۰,۰۰۰	۳۳,۲۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/3"
Lens	2.8/3.6 Fixed	3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
Viewing Angle	107°/88°	88°	107°/88°	81°
Night Vision Distance	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE			
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265/; H.264/ H.264B/ MJPEG	SMART H.264/H.265
Protection	IP67	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

17

18

19

20

Dahua**DH-IPC-HFW1431S1P-S4****DH-IPC-HFW2431SP-S-0360B-S2****DH-IPC-HFW2431TP-ZS-27135-S2****DH-IPC-HFW2439MP-AS-LED-B-S2**

Price (Rials)	۲۴,۴۳۰,۰۰۰	۲۲,۸۵۰,۰۰۰	۸۹,۳۱۰,۰۰۰	۳۷,۲۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @25/30fps	4MP(2560×1440) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
Viewing Angle	93° /81°	81°	104°-27°	91°/55°
Night Vision Distance	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

Dahua**DH-IPC-HFW3441TP-ZS****DH-IPC-HFW3441EP-AS-0360B****DH-IPC-HFW3449EP-AS-LED****DH-IPC-HFW5442EP-ZE-0832**

Price (Rials)	۱۰۵,۶۴۰,۰۰۰	۵۶,۶۵۰,۰۰۰	۶۹,۸۷۰,۰۰۰	۱۵۶,۸۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°-27°	84°	103°/80°	114°-47°
Night Vision Distance	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
Protection	IP67,IK10	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

25

26

27

28

Dahua

DH-IPC-HFW2439SP-SA-LED-0360B-S2

DH-IPC-HFW4431EP-S-S4

DH-IPC-HDW3441TMP-AS

DH-IPC-HDW1431T1P-0280B-S4



Price (Rials)	۴۹,۳۱۰,۰۰۰	۵۶,۴۴۰,۰۰۰	۶۳,۹۸۰,۰۰۰	۲۱,۹۷۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
Viewing Angle	81°	81°	102°/84°	93°
Night Vision Distance	Warmlight/IR 30 M	IR 80 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ROI, AWB, AGC

29

30

31

32

Dahua**DH-IPC-HDBW1431EP-S4****DH-IPC-HDW2431TP-AS-S2****DH-IPC-HDBW2431EP-S-0360B-S2****DH-IPC-HDBW2431RP-ZS-S2**

Price (Rials)	۴۲,۰۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰	۴۳,۰۰۰,۰۰۰	۵۷,۷۴۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/3"	1/3"	1/3"
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	104°	84°	84°	114°-27°
Night Vision Distance	IR 30 M	IR 30 M	IR 30M	IR 30M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67, IK10	IP67	IP67, IK10	IP67, IK10
Other Features	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI

33

34

35

36

Dahua**DH-IPC-HDW2431TMP-AS-S2****DH-IPC-HDW2439TP-AS-LED-S2****DH-IPC-HDW3449TMP-AS-LED****DH-IPC-HDBW5442EP-ZE**

Price (Rials)	۵۶,۱۷۰,۰۰۰	۴۲,۳۱۰,۰۰۰	۵۶,۵۴۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps
Sensor Size	1/3"	1/3"	1/2.7"	1/1.8"
Lens	2.8 Fixed	2.8 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
Viewing Angle	102°	96°	103°/80°	114°-47°
Night Vision Distance	Starlight/ IR 30M	Warm light/IR 30 M	Warmlight/IR 30 M	IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 140db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC

37

38

39

Dahua**DH-IPC-HFW2531SP-S-0360B-S2****DH-IPC-HDBW2531EP-S-S2****DH-IPC-HFW2831S-S-0360B-S2**

Price (Rials)	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۵۵,۴۸۰,۰۰۰
Camera Type	Bullet	Dome	Bullet
Max Resolution	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps	8MP(3840×2160) @20fps
Sensor Size	1/2.7"	1/2.7"	1/2.7"
Lens	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
Optical zoom	103°/84°	103°/84°	87°
Night Vision Distance	Starlight/IR 30 M	Starlight/IR 30 M	Starlight/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67, IK10	IP67
Other Features	3D NR, HLC, BLC	3D NR, HLC, BLC	3D NR, HLC, BLC

40

41

42

Dahua**DH-SD5A232XA-HNR****DH-SD49225XA-HNR-S3****DH-SD5A432XA-HNR**

	٣٩٩,٦١٠,٠٠٠	٢٤٨,٥٣٠,٠٠٠	٢٩٩,٤٥٠,٠٠٠
Price (Rials)			
Camera Type	PTZ	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.8–120 mm	4.9–156 mm
Optical zoom	32x	25x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
Power Supply	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP66	IP67/IK10
Other Features	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, ROI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

43

44

45

46

Dahua**DHI-NVR1104HS-S3/H****DH-NVR4104HS-4KS2/L****DHI-NVR4104HS-P-4KS2/L****DHI-NVR1108HS-S3/H**

Price (Rials)	۳۱,۰۰۰,۰۰۰	۵۹,۰۷۰,۰۰۰	۷۹,۳۰۰,۰۰۰	۲۹,۱۴۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

47

48

49

50

Dahua**DH-NVR4108HS-4KS2****DHI-NVR4108HS-4KS2/L****DH-NVR2108-8P-4KS2****DHI-NVR2108HS-I**

Price (Rials)	۱,۹۰۰,۰۰۰	۵۶,۷۳۰,۰۰۰	۸۴,۸۱۰,۰۰۰	۵۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/ · Supports remote configuration and management of IPC	Smart H.265+/ Smart H.264+/ H.265/ AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD	H.264/H.265/Smart H.264+/Smart H.265+/JPEG	H.264/H.265/Smart H.264+/Smart H.265+/JPEG Alarm I/O 4/1

51

52

53

54

Dahua**DH-NVR2108HS-8P-4KS2****DHI-NVR5208-4KS2****DHI-NVR5208-8P-4KS2****DHI-NVR2216-I**

Price (Rials)	58,540,000	109,250,000	151,250,000	101,850,000
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	8Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	8Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

55

56

57

58

Dahua**DH-NVR2216-I2****DH-NVR2216-4KS2****DHI-NVR4116HS-4KS2/L****DHI-NVR4216-4KS2/L**

Price (Rials)	1,2,520,000	67,260,000	62,220,000	88,100,000
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	144Mbps	80Mbps	80Mbps	160Mbps
Output Bandwidth	72Mbps	80Mbps	60Mbps	64Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M
Chassis	1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG

59

60

61

62

Dahua**DHI-NVR4216-16P-4KS2/L****DHI-NVR5216-4KS2****DHI-NVR4232-4KS2****DHI-NVR4232-4KS2/L**

Price (Rials)	۱۸۷,۰۷۰,۰۰۰	۱۶۷,۰۳۰,۰۰۰	۷۴,۳۹۰,۰۰۰	۱۱۵,۶۲۰,۰۰۰
NVR Type	16 Ch	16 Ch	32 Ch	32 Ch
Input BandWidth	160Mbps	320Mbps	200Mbps	160Mbps
Output Bandwidth	64Mbps	320Mbps	96Mbps	48Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out			
Decoding Capacity	Upto 8MP	Upto 24MP	Upto 8MP	Upto 8MP
Video Output	1 Port HDMI : 4k 1 Port VGA			
POE Ports	16 POE Ports	-	-	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

63

64

65

66

Dahua**DHI-NVR5232-4KS2(V2.0)****DHI-NVR4432-4KS2/L****DHI-NVR5432-4KS2(V2.0)****DHI-NVR608-32-4KS2**

Price (Rials)	۱۶۱,۷۰۰,۰۰۰	۱۵۴,۶۸۰,۰۰۰	۲۳۵,۲۹۰,۰۰۰	۴۰۹,۸۰۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	320Mbps	200Mbps	320Mbps	384Mbps
Output Bandwidth	320Mbps	96Mbps	320Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 8MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA : 1080p	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	Standalone 1U	1.5U	1.5U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

Dahua

DH-NVR608-64-4KS2



Price (Rials)	۷۷۴,۷۳۰,۰۰۰
NVR Type	64 Ch
Input BandWidth	384Mbps
Output Bandwidth	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP
Video Output	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-
SATA Interface	8 HDD up to 64TB
Network Interface	2 RJ45 1000M
Chassis	2U
Other Features	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video