



لیست قیمت (سهمی فرداد ۱۴۰۲)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

**Dahua****DH-HAC-B1A21P-0280B****DH-HAC-B2A21P-0280B****DH-HAC-B2A21-0360B****DH-HAC-B2A41P-0280B-S2**

Price (Rials)	<b>۱۰,۹۰۰,۰۰۰</b>	<b>۱۳,۲۹۰,۰۰۰</b>	<b>۱۳,۲۹۰,۰۰۰</b>	<b>۱۷,۷۳۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	4MP (2560×1440)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F1.85	0.04Lux/F2.0	0.04Lux/F2.0
<b>Lens</b>	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	103°	103°	84°	84°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 20m	Up to 20m
<b>Body Type</b>	Plastic	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, Switchable	Smart IR, HLC, BLC, 2D DNR,AGC, Switchable

5

6

7

8

**Dahua****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200TLP-S5****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1200SP-0360B-S5**

Price (Rials)	<b>۲۰,۴۱۰,۰۰۰</b>	<b>۱۵,۷۸۰,۰۰۰</b>	<b>۴۲,۸۳۰,۰۰۰</b>	<b>۱۶,۶۲۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.002Lux/F1.5	0.02Lux/F1.8
<b>Lens</b>	3.6 Fixed	2.8 Fixed	Motorized (2.7–12 mm)	3.6 Fixed
<b>Viewing Angle</b>	84°	100°	102°-33°	84°
<b>IR Range</b>	Up to 80m	Up to 40m	Starlight Up to 80m	Up to 30m
<b>Body Type</b>	Plastic	Plastic	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	WDR 130db	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,2D NR, Switchable

9

10

11

12

**Dahua****DH-HAC-HFW1200TP-0280B-S5****DH-HAC-HFW1200THP-I8****DH-HAC-HFW1200CP-A-0360B-S5****DH-HAC-HFW1200CMP-A**

Price (Rials)	<b>۱۵,۸۱۰,۰۰۰</b>	<b>۲۱,۰۰۰,۰۰۰</b>	<b>۱۵,۹۱۰,۰۰۰</b>	<b>۲۱,۲۱۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
<b>Lens</b>	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	100°	84°	84°	84°
<b>IR Range</b>	Up to 30m	Up to 80m	Up to 30m	Up to 30m
<b>Body Type</b>	Metal	Plastic & Metal	Plastic	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic- Electronic Defog	Smart IR, HLC, BLC, Switchable, Built in Mic

13

14

15

16

**Dahua****DH-HAC-T2A21P-0280B****DH-HAC-T1A41P-0280B-S2****DH-HAC-T2A41P-0280B-S2****DH-HAC-T2A51-0280B-S2**

Price (Rials)	<b>۱۲,۸۰۰,۰۰۰</b>	<b>۱۳,۵۲۰,۰۰۰</b>	<b>۱۶,۹۹۰,۰۰۰</b>	<b>۱۹,۹۶۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
<b>Resolution</b>	HD1080P	4MP (2560×1440)	4MP (2560×1440)	5MP (2560×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F2.0
<b>Lens</b>	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	100°	100°	76.4°	88°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 20m	Up to 20m
<b>Body Type</b>	Metal	Plastic	Metal	Metal
<b>IP Standard</b>	IP67	-	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable

17

18

19

20

**Dahua**

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1239TLQP-A-LED



Price (Rials)	۱۶,۲۳۰,۰۰۰	۲۹,۲۰۰,۰۰۰	۱۵,۰۱۴,۰۰۰	۲۶,۲۰۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.001Lux/F1.6
<b>Lens</b>	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
<b>Viewing Angle</b>	106°	107°	106°	107°
<b>IR Range</b>	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Starlight/Up to 20m
<b>Body Type</b>	Plastic & Metal	Plastic	Plastic & Metal	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	Yes
<b>WDR</b>	DWDR	WDR 130db	DWDR	WDR 130db
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,3D DNR, AGC, Switchable

21

22

23

24

**Dahua****DH-HAC-HDW1200EMP-A-0280B-S5 DH-HAC-HDW1200MP-0280B-S5 DH-HAC-HFW1400TP-0280B-S3 DH-HAC-HFW1500TP-A-S2-0280B**

Price (Rials)	<b>۱۷,۵۸۰,۰۰۰</b>	<b>۱۴,۷۱۰,۰۰۰</b>	<b>۲۴,۱۴۰,۰۰۰</b>	<b>۲۶,۵۸۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	4MP (2560×1440)	5MP (2592×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F1.85
<b>Lens</b>	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	101°	101°	87°	84°
<b>IR Range</b>	Up to 50m	Up to 30m	Up to 30m	Up to 30m
<b>Body Type</b>	Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D DNR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC, Built in mic

	25	26	27	28
Dahua	DH-HAC-HFW1509CP-A-LED-0360B-S2	DH-HAC-HDW1500TMQP-A-0280B-S2	DH-HAC-HDW1509TLQP-LED-0360B-S2	DH-HAC-HDW1509TP-A-LED-0280B-S2
				
Price (Rials)	۲۴,۹۳۰,۰۰۰	۲۶,۵۰۰,۰۰۰	۲۴,۹۳۰,۰۰۰	۴۱,۱۶۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2560×1944)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.005Lux/F1.6	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	112°	105°	112°	84°
IR Range	Up to 20m	Up to 60m	Up to 20m	Up to 40m
Body Type	Plastic & Metal	Plastic & Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	WDR 120db	DWDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable

**Dahua****DH-SD42215-HC-LA****DH-SD49225-HC-LA****Price (Rials)****Call: +٩٦٠-٨٨٥٠٠٢٠****٢٢٦,٥٨٠,٠٠****Camera Type**

PTZ

PTZ

**Imaging Sensor**

2 Megapixel

2 Megapixel

**Resolution**

1920 x 1080

1920 x 1080

**Signal System**

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

**Min. Illustration**

0.005Lux/F1.6

0.005Lux/F1.6

**Lens**

5–75 mm

4.8–120 mm

**Viewing Angle**

15x

25x

**IR Range**

Starlight

Starlight

**Body Type**

Plastic

Plastic

**IP Standard**

IP66/IK10

IP66

**OSD Menu**

No

No

**WDR**

Yes (120db)

Yes (120db)

**Power Supply**

DC 12V/3A

DC 12V/3A

**Other Features**

EDefog, Rol, 3D DNR, HLC, BLC

EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

31

32

33

34

**Dahua****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I****DH-XVR5108HS-4KL-I2****DH-XVR5108HS-4KL-I3**

Price (Rials)	٦٨,٩٧٠,٠٠٠	٣٤,٧٨٠,٠٠٠	١٠٨,٥٠٠,٠٠٠	١١٥,٥٦٠,٠٠٠
<b>XVR Type</b>	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
<b>IP Video Input</b>	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
<b>SATA Interface</b>	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
<b>Other Features</b>	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

**Dahua****DH-XVR1B16-I****DH-XVR5216AN-I3****DH-XVR5216AN-4KL-I3**

Price (Rials)	٦٨,٧٠٠,٠٠٠	١٤٤,٩١٠,٠٠٠	٢٢٢,٣٧٠,٠٠٠
<b>XVR Type</b>	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4K
<b>IP Video Input</b>	16+2 Ch. Up to 6MP	16+2 Ch. Up to 6MP	16+16 Ch. Up to 8MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	2MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	4K: 25/30FPS 720P:25/30FPS
<b>Video Output</b>	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI :4k 1 Port VGA : 1080p
<b>SATA Interface</b>	1 HDD up to 6TB	2 HDD up to 16TB	2 HDD up to 16TB
<b>Network Interface</b>		1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change



لیست قیمت (سهمی) فرداد ۱۴۰۲


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۱۰

۰۹۹۳۰-۳۳۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S-0280B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2239SP-SA-LED-S2
<b>ajhua</b>				
<b>Price (Rials)</b>	۲۲,۳۰۰,۰۰۰	۲۲,۳۳۰,۰۰۰	۳۸,۶۴۰,۰۰۰	۴۹,۶۴۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps
<b>Sensor Size</b>	1/2.7"	1/2.8"	1/2.7"	1/2.8"
<b>Lens</b>	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
<b>Viewing Angle</b>	106°	88°	91°	107°
<b>Night Vision Distance</b>	IR 30M	Warm Light 10/15M	IR 30 M	Warmlight/ IR 30 M
<b>Dynamic Range</b>	DWDR	DWDR	DWDR	WDR 120db
<b>Built in Mic</b>	No	No	No	Yes
<b>SD Card Support</b>	No	No	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG
<b>Protection</b>	IP67	IP67	IP67	IP67
<b>Other Features</b>	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire

	5	6	7	8
Dahua	DH-IPC-HFW2231T-ZS-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW1230S-S5	DH-IPC-HDW2231TM-AS-S2
				
Price (Rials)	۷۳,۹۱۰,۰۰۰	۲۱,۲۳۰,۰۰۰	۲۱,۲۸۰,۰۰۰	۴۹,۷۴۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	Motorized (2.7–13.5 mm)	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	106°-29°	102°	102°/84°	107°/88°
Night Vision Distance	IR 60M	IR 30M	IR 30M	IR 30M
Dynamic Range	WDR 120db	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	Yes
SD Card Support	Yes (Up to 128G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, AWB, AGC	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

9

10

11

12

**Dahua****DH-IPC-HDW2231TP-AS-0360-S2****DH-IPC-HDW2239TP-AS-LED-0280****DH-IPC-HFW2431TP-ZAS-27135-S2****DH-IPC-HFW3441TP-ZAS**

<b>Price (Rials)</b>	<b>۴۶,۵۰,۰۰۰</b>	<b>۴۸,۰۲,۰۰۰</b>	<b>۹۳,۱۹,۰۰۰</b>	<b>۱۱۰,۲۳,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2688×1520) @30fps
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/3"	1/3"
<b>Lens</b>	3.6 Fixed	2.8 Fixed	Motorized (2.7–13.5 mm)	Motorized (2.7–13.5 mm)
<b>Viewing Angle</b>	88°	107°	104°-27°	104°-27°
<b>Night Vision Distance</b>	Starlight/ IR 30M	Warmlight/ IR 30M	IR 60 M	IR 60 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
<b>Protection</b>	IP67	IP67	IP67,IK10	IP67,IK10
<b>Other Features</b>	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, AWB	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

13

14

15

16

**Dahua****DH-IPC-HFW3441EP-SA-0360B****DH-IPC-HFW3449EP-AS-LED****DH-IPC-HDW3441TMP-AS****DH-IPC-HDBW1431EP-S4**

	<b>۶۹,۷۵۰,۰۰۰</b>	<b>۷۹,۲۵۰,۰۰۰</b>	<b>۶۶,۷۵۰,۰۰۰</b>	<b>۴۹,۸۹۰,۰۰۰</b>
<b>Price (Rials)</b>	<b>۶۹,۷۵۰,۰۰۰</b>	<b>۷۹,۲۵۰,۰۰۰</b>	<b>۶۶,۷۵۰,۰۰۰</b>	<b>۴۹,۸۹۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/2.7"	1/3"	1/3"
<b>Lens</b>	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
<b>Viewing Angle</b>	84°	80°	102°/84°	104°
<b>Night Vision Distance</b>	IR 50 M	Warmlight/ IR 30 M	IR 30 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ePoE, AWB, AGC

17

18

19

20

**Dahua****DH-IPC-HDW2431TMP-AS-S2****DH-IPC-HDW3449TMP-AS-LED****DH-IPC-HDBW2831RP-ZS-S2****DH-IPC-HFW2831TP-ZS-S2**

	<b>٩٢,٧١٠,٠٠</b>	<b>٥٦,٥٤٠,٠٠</b>	<b>١١٧,٠٢٠,٠٠</b>	<b>١٢,٧٧٠,٠٠</b>
<b>Price (Rials)</b>	<b>٩٢,٧١٠,٠٠</b>	<b>٥٦,٥٤٠,٠٠</b>	<b>١١٧,٠٢٠,٠٠</b>	<b>١٢,٧٧٠,٠٠</b>
<b>Camera Type</b>	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	8MP(3840×2160) @15fps	8MP(3840×2160) @25/30fps
<b>Sensor Size</b>	1/3"	1/2.7"	1/1.8"	1/1.8"
<b>Lens</b>	2.8 Fixed	2.8/3.6 Fixed	Motorized (3.7–11 mm)	Motorized (3.7–11 mm)
<b>Viewing Angle</b>	102°	103°/80°	112°-46°	112°-46°
<b>Night Vision Distance</b>	Starlight/ IR 30M	Warmlight/IR 30 M	IR 30 M	IR 60 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	No	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 128G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264/H.265	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67	IP67, IK10	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, AWB, AGC	3D NR, HLC, BLC, AWB, AGC

21

22

23

**Dahua****DH-SD5A232XA-HNR****DH-SD49225XA-HNR-S3****DH-SD5A432XA-HNR**

	<b>۴۸۹,۲۴۰,...</b>	<b>۲۵۹,۳۴۰,...</b>	<b>۵۲۱,۱۷۰,...</b>
<b>Camera Type</b>	PTZ	PTZ	PTZ
<b>Max Resolution</b>	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	4.9–156 mm	4.8–120 mm	4.9–156 mm
<b>Optical zoom</b>	32x	25x	32x
<b>Night Vision Distance</b>	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	No	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
<b>Power Supply</b>	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
<b>Protection</b>	IP67/IK10	IP66	IP67/IK10
<b>Other Features</b>	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, ROI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

24

25

26

27

**Dahua****DHI-NVR1104HS-S3/H****DH-NVR4104HS-4KS2/L****DHI-NVR4104HS-P-4KS2/L****DHI-NVR2216-I**

Price (Rials)	۲۳,۱۷۰,۰۰۰	۵۹,۵۲۰,۰۰۰	۸۲,۷۵۰,۰۰۰	۱۰۹,۰۹۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	1U Lite
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/ Alarm I/O 4/1	Smart H.265+ / Smart H.264+ / H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264

28

29

30

31

**Dahua****DH-NVR2216-I2****DHI-NVR4216-4KS2/L****DHI-NVR4216-16P-4KS2/L****DHI-NVR5216-4KS2**

Price (Rials)	1,09,980,000	1,49,350,000	1,87,070,000	1,83,010,000
<b>NVR Type</b>	16 Ch	16 Ch	16 Ch	16 Ch
<b>Input BandWidth</b>	144Mbps	160Mbps	160Mbps	320Mbps
<b>Output Bandwidth</b>	72Mbps	64Mbps	64Mbps	320Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8MP	Upto24MP
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
<b>POE Ports</b>	-	-	16 POE Ports	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

32

33

34

**Dahua****DHI-NVR4232-4KS2/L****DHI-NVR608-32-4KS2****DH-NVR608-64-4KS2**

<b>Price (Rials)</b>	125,870,000	Call: +91-8880002	Call: +91-8880002
<b>NVR Type</b>	32 Ch	32 Ch	64 Ch
<b>Input BandWidth</b>	160Mbps	384Mbps	384Mbps
<b>Output Bandwidth</b>	48Mbps	384Mbps	384Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8MP	Upto 12MP	Upto 12MP
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
<b>POE Ports</b>	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	8 HDD up to 10TB	8 HDD up to 64TB
<b>Network Interface</b>	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
<b>Chassis</b>	Standalone 1U	2U	2U
<b>Other Features</b>	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video