




لیست ھیئت (سەمی نىمە اردىيەشت ۲۰۱۴)

تارتەن دژ آريانا

جهت اطلاع از تخفيف جشنواره هر محصول تماس بگيريد:

۰۲۱-۸۸۵۰۰۰۲۰




نمایندگی مرکزی محصولات هایک ویژن

	1	2	3	4	5	6
Click for More information	<a href="#">DS-2CE16D0T-ITPF(2.8mm)</a>	<a href="#">DS-2CE16D0T-ITPFS</a>	<a href="#">DS-2CE16D0T-ITFS</a>	<a href="#">DS-2CE16D0T-EXIF</a>	<a href="#">DS-2CE16D0T-EXIPF</a>	<a href="#">DS-2CE16D3T-ITF</a>
						
Price (Rials)	10,735,000	18,390,000	17,620,000	12,980,000	12,400,000	21,660,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.02Lux/F1.2	0.02Lux/F1.2	0.02Lux/F1.2
Lens	2.8mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6mm Fixed	2.8/3.6mm Fixed	2.8/3.6mm Fixed
Viewing Angle	106.4°	106.4°/79.6° /51.9°	106.4°/79.6° /51.9°	102°/81°	96.5°/76.9°	106°/82°
IR Range	Up to 25m	Up to 25m (Exir)	Up to 30m (Exir)	Up to 20m	Up to 20m (Exir)	Up to 30m (Exir)
Body Type	Plastic	Plastic	Metal	Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP66	IP66	IP67
OSD Menu	No	No	No	No	No	No
WDR	DWDR	DWDR	DWDR	DWDR	DWDR	Yes (120db)
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, DNR, BLC, 2D DNR, Switchable	Smart IR, Switchable, Built in mic	HLC,2D DNR, BLC, Switchable, Built-in microphone	2D DNR, BLC, Switchable	2D DNR, BLC, AGC, Switchable	3D DNR,HLC, BLC, Switchable


	7	8	9	10	11	12
Click for More information	<a href="#">DS-2CE16D3T-IT3F(2.8mm)</a>	<a href="#">DS-2CE17D0T-IT1F</a>	<a href="#">DS-2CE17D0T-IT3F(2.8mm)</a>	<a href="#">DS-2CE10DF3T-F</a>	<a href="#">DS-2CE10DF3T-FS(2.8mm)</a>	<a href="#">DS-2CE12DF3T-F(3.6mm)</a>
						
Price (Rials)	۱۹,۶۷۰,۰۰۰	۱۸,۰۵۰,۰۰۰	۲۳,۱۹۰,۰۰۰	۲۳,۷۵۰,۰۰۰	۳۴,۰۷۰,۰۰۰	۲۹,۸۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.005Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.0005Lux/F1.0	0.0005Lux/F1.0	0.0005Lux/F1.0
Lens	2.8mm Fixed	2.8/3.6mm Fixed	2.8mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	3.6mm Fixed
Viewing Angle	106°	101°/79.6°	106.4°	98°/77° /51°	98°	77°
IR Range	Up to 50m (Exir)	Up to 30m (Exir)	Up to 40m	Up to 20m (ColorVu)	Up to 20m (ColorVu)	Up to 40m (ColorVu)
Body Type	Metal	Metal & Plastic	Metal & Plastic	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	No	No
WDR	Yes (120db)	DWDR	DWDR	Yes (130db)	Yes (130db)	Yes (130db)
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	3D DNR,HLC, BLC, Switchable	3D DNR,HLC, BLC, AGC, Switchable	HLC, BLC, AGC, Switchable	HLC, BLC, Smart IR, Switchable, 3D DNR	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	HLC, BLC, Smart IR, Switchable, 3D DNR

	13	14	15	16	17	18
Click for More information	<a href="#">DS-2CE12DF3T-FS(2.8mm)</a>	<a href="#">DS-2CE76D0T-ITPF(C)</a>	<a href="#">DS-2CE76D0T-EXIPF(2.8mm)</a>	<a href="#">DS-2CE76D0T-ITPFS</a>	<a href="#">DS-2CE76D0T-ITMF</a>	<a href="#">DS-2CE76D0T-ITMFS</a>
						
Price (Rials)	۳۸,۳۲۰,۰۰۰	۱۱,۲۵۰,۰۰۰	۱۳,۳۹۰,۰۰۰	۱۴,۸۴۰,۰۰۰	۱۶,۴۴۰,۰۰۰	۱۸,۸۱۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.0005Lux/F1.0	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2
Lens	2.8mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	2.8/3.6/6mm Fixed
Viewing Angle	98°	103°/82.2° /54°	96.5°	106°/79.6°/51°	101°	106.4°/79.6°/51.9°
IR Range	Up to 40m (ColorVu)	Up to 20m (Exir)	Up to 20m (Exir)	Up to 20m (Exir)	Up to 30m	Up to 30m (Exir)
Body Type	Metal	Plastic	Plastic	Plastic	Metal	Metal
IP Standard	IP67	IP66	IP66	IP66	IP67	IP67
OSD Menu	No	No	No	No	No	No
WDR	Yes (130db)	DWDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	Smart IR, HLC,BLC, Switchable	Smart IR, HLC,BLC, Switchable	Smart IR, HLC,BLC, Switchable	Smart IR, ICR, HLC,BLC, 2D DNR, Switchable	ICR,AGC, Switchable, Built in mic

	19	20	21	22	23	24
Click for More information	<a href="#">DS-2CE76D3T-ITPF</a>	<a href="#">DS-2CE78D0T-IT3FS</a>	<a href="#">DS-2CE76D3T-ITMF(2.8mm)</a>	<a href="#">DS-2CE56D0T-VFIR3F</a>	<a href="#">DS-2CE72DFT-FC</a>	<a href="#">DS-2CE70DF0T-PF</a>
						
Price (Rials)	۱۷,۴۲۰,...	۲۳,۸۴۰,...	۲۳,۸۴۰,...	۲۲,۲۴۰,...	۱۹,۷۰۰,...	۲۴,۷۲۰,...
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.005Lux/F1.2	0.01Lux/F1.2	0.005Lux/F1.2	0.01Lux/F1.2	0.0008Lux/F1.0	0.001Lux/F1.0
Lens	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	2.8 - 12mm VariFocal	3.6/6mm Fixed	2.8/3.6/6mm Fixed
Viewing Angle	106°/82° /51°	106.4°/79.6° /51.9°	106°	105° / 32°	83°/51°	98°/76°/50°
IR Range	Up to 30m(Exir)	Up to 40m(Exir)	Up to 30m(Exir)	Up to 40m	Up to 20m (ColorVu)	Up to 20m (ColorVu)
Body Type	Plastic	Metal & Plastic	Metal	Metal & Plastic	Metal & Plastic	Plastic
IP Standard	IP66	IP67	IP67	IP66	IP67	IP66
OSD Menu	Yes	No	No	No	No	No
WDR	Yes (120db)	DWDR	Yes (120db)	DWDR	Yes (120db)	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC,BLC, Switchable	Smart IR, AGC, Switchable, ICR, Built in mic	Smart IR, HLC,BLC, Switchable, 3D DNR	Smart IR, ICR, AGC, Switchable	3D DNR, HLC,BLC, Switchable	AGC, Switchable

	25	26	27	28	29	30
Click for More information	<a href="#">DS-2CE70DF3T-PF(3.6mm)</a>	<a href="#">DS-2CE72DF3T-F</a>	<a href="#">DS-2CE16H0T-ITPF</a>	<a href="#">DS-2CE16H0T-ITPFS</a>	<a href="#">DS-2CE16H0T-ITF</a>	<a href="#">DS-2CE16H0T-ITFS</a>
Price (Rials)	۲۶,۹۸۰,۰۰۰	۲۵,۴۱۰,۰۰۰	۱۷,۷۳۰,۰۰۰	۲۰,۷۷۰,۰۰۰	۱۹,۴۷۰,۰۰۰	۲۳,۰۵۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	5MP (2560*1944)	5MP (2592*1944)	5MP (2592*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.0005Lux/F1.0	0.0005Lux/F1.0	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1	0.01Lux/F1
Lens	3.6mm Fixed	2.8/3.6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed
Viewing Angle	77°	98°/77°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°	85.5°/80.1°/57.1°
IR Range	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 20m (Exir)	Up to 25m (Exir)	Up to 20m (Exir)	Up to 30m (Exir)
Body Type	Plastic	Metal & Plastic	Plastic	Plastic	Metal	Metal
IP Standard	IP66	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	Yes	No
WDR	Yes (130db)	Yes (130db)	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	AGC, Switchable, 3D DNR	AGC, Switchable, 3D DNR	Smart IR, BLC,AGC, DNR, Switchable	Smart IR, HLC,BLC,AGC, 2D DNR, Switchable, Built in Mic	2D DNR, DWDR, Switchable	2D DNR, Switchable, Built in Mic

	31	32	33	34	35	36
Click for More information	<a href="#">DS-2CE17H0T-IT1F</a>	<a href="#">DS-2CE17H0T-IT3F</a>	<a href="#">DS-2CE17H0T-IT3FS(2.8mm)</a>	<a href="#">DS-2CE17H0T-IT5F</a>	<a href="#">DS-2CE56H0T-IT1F</a>	<a href="#">DS-2CE76H0T-ITPF(2.8mm)</a>
						
Price (Rials)	۲۳,۲۳۰,۰۰۰	۲۳,۳۰۰,۰۰۰	۲۹,۷۹۰,۰۰۰	۲۴,۲۹۵,۰۰۰	۲۰,۹۰۰,۰۰۰	۱۸,۳۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG
Min. Illustration	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2
Lens	2.4/2.8/3.6mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	3.6/6/8mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed
Viewing Angle	110°/85°/80°	85°/80°/57°	85°	80°/57°/41°	105°/85°/65°	110°/85°/80°
IR Range	Up to 30m	Up to 40m	Up to 40m	Up to 80m	Up to 20m (Exir)	Up to 20m (Exir)
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC, BLC, HLC

	37	38	39	40	41	42
Click for More information	<a href="#">DS-2CE76H0T-ITPFS</a>	<a href="#">DS-2CE76H0T-ITMF</a>	<a href="#">DS-2CE76H0T-ITMFS</a>	<a href="#">DS-2CE78H0T-IT1F(2.4mm)</a>	<a href="#">DS-2CE78H0T-IT3F</a>	<a href="#">DS-2CE72HFT-F28(2.8mm)</a>
						
Price (Rials)	۲۰,۲۸۰,۰۰۰	۲۱,۴۴۰,۰۰۰	۲۴,۲۹۰,۰۰۰	۲۳,۸۶۰,۰۰۰	۲۵,۷۹۰,۰۰۰	۳۸,۳۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HDTVI,AHD,HDCVI,ANLOG	HD-TVI
Min. Illustration	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.01 Lux/F1.2	0.0005 Lux/F1.0
Lens	2.8/3.6/6mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed	2.4 mm Fixed	2.8/3.6/6mm Fixed	2.8mm Fixed
Viewing Angle	85°/80°/57.1°	105°/85°/65°	85°	110°	85°/80°/57°	99.7°
IR Range	Up to 20m (Exir)	Up to 30m (Exir)	Up to 30m	Up to 30m (Exir)	Up to 40m (Exir)	Up to 20m (ColorVu)
Body Type	Plastic	Metal	Metal	Metal & Plastic	Metal & Plastic	Metal & Plastic
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No	No	No
WDR	DWDR	DWDR	DWDR	DWDR	DWDR	Yes (130db)
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, ICR, AGC, Built in Mic	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC, BLC, Switchable, Built in mic	Smart IR, ICR, AGC, BLC, HLC, Switchable	Smart IR, ICR, AGC, HLC, BLC, Switchable	Smart IR, 3D DNR

43

44

45

46

47

**Click for More information**

DS-2CE72KF0T-FS(2.8mm)

DS-2CE10KF0T-FS(2.8mm)

DS-2CE12KF0T-FS(2.8mm)

DS-2CE78U8T-IT3

DS-2AE4225TI-D

**Price (Rials)**

۳۷,۴۰۰,۰۰۰

۳۴,۸۱۰,۰۰۰

۴۰,۲۶۰,۰۰۰

۶۳,۸۷۰,۰۰۰

۱۸۰,۵۲۰,۰۰۰

**Camera Type**

Dome

Bullet

Bullet

Dome

PTZ

**Imaging Sensor**

3K

3K

3K

8.29 Megapixel

2 Megapixel

**Resolution**

3K (2960\*1665)

3K (2960\*1665)

3K (2960\*1665)

8MP (3840\*2160)

1920 × 1080

**Signal System**

HD-TVI

HD-TVI

HD-TVI

HD-TVI

HD-TVI

**Min. Illustration**

0.001 Lux/F1.0

0.001 Lux/F1.0

0.001 Lux/F1.0

0.003 Lux/F1.2

0.005 Lux/F1.6

**Lens**

2.8mm Fixed

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

4.8 mm-120mm

**Viewing Angle**

102°

102°

102°

105°/85°/65°

25x Optical Zoom

**IR Range**

Up to 40m (ColorVu)

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 60m (Exir)

Up to 100m

**Body Type**

Metal &amp; Plastic

Metal &amp; Plastic

Metal

Metal &amp; Plastic

Metal

**IP Standard**

IP67

IP67

IP67

IP67

IP66

**OSD Menu**

No

No

No

No

No

**WDR**

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

**Power Supply**

12 VDC

12 VDC

12 VDC

12 VDC

12 VDC

**Other Features**

Smart IR, 3D DNR, Built in mic

Smart IR, 2D DNR, Built in mic

Smart IR, 2D DNR, Built in mic

Smart IR, ICR

Smart IR, ICR, Switchable, DarkFighter

48


49

50

51

52

53

Click for More information	IDS-7204HQHI-M1/S	IDS-7208HQHI-M1/S	DS-7216HQHI-K1	DS-7216HQHI-M1/S	iDS-7216HQHI-M2/S	DS-7232HQHI-K2
						
Price (Rials)	۴۶,۵۲۰,۰۰۰	۷۱,۲۹۰,۰۰۰	۱۲۱,۷۵۷,۰۰۰	۱۰۹,۷۷۰,۰۰۰	۱۵۱,۱۵۰,۰۰۰	۲۶۷,۳۲۰,۰۰۰
DVR Type	4+1 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	32+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	4 Ch. HDTV/Analog Up to 4MP	8 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 4MP	32 Ch. HDTV/Analog Up to 4MP
IP Video Input	1 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	3K: 30FPS 5MP: 20FPS 1080P: 30FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS
Video Output	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI 1080P 1 Port VGA, 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI 1080P 1 Port VGA 1Ch. CVBS	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265 pro+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265 Pro+/H.265 Pro/H.265/ Compression, VCA

54

55

56

57

58

59

**Click for More information**

[iDS-7232HQHI-M2/S](#)[DS-7204HUHI-K1](#)[DS-7204HUHI-K1/P](#)[DS-7204HUHI-M1/S](#)[DS-7208HUHI-M1/S](#)[DS-7216HUHI-K2](#)

Price (Rials)	۲۵۰,۰۰۰,۰۰۰	۶۷,۷۲۰,۰۰۰	۶۷,۴۰۰,۰۰۰	۷۴,۷۲۰,۰۰۰	۱۲۰,۶۱۰,۰۰۰	۲۱۸,۷۳۰,۰۰۰
<b>DVR Type</b>	32+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 +2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 +2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+16Ch.quadruple Hybrid HD-TVI /AHD/ Analog / IP
<b>Analog Video Input</b>	32 Ch. HDTV/Analog Up to 4MP	Support Up to 5MP resolution recording	Support Up to 5MP resolution recording	Support Up to 5MP resolution recording	Support Up to 5MP resolution recording	Support Up to 5MP resolution recording
<b>IP Video Input</b>	2 Ch. Up to 6MP	2 Ch. Up to 8MP	2 Ch. Up to 8MP	2 Ch. Up to 8MP	4 Ch. Up to 8MP	8 Ch. Up to 8MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out
<b>Recording</b>	4MP: 15FPS 3MP: 15FPS 1080P: 15FPS	5MP: 12FPS 4MP: 15FPS 3mp: 18FPS	5MP: 12FPS 4MP: 15FPS 3mp: 18FPS	5MP: 12FPS 4MP: 15FPS 3mp: 18FPS	5MP: 30FPS 4MP: 30FPS 3mp: 30FPS	5MP: 20FPS 4MP: 25FPS 3mp: 18FPS
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA 1Ch. CVBS	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA CVBS: PAL	1 Port HDMI : 2K 1 Port VGA CVBS: PAL	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA CVBS: PAL
<b>SATA Interface</b>	2 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ COMPR Alarm In/Out : 4/1 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 4/1 Built-in PoC	H.265/H.265+ COMPR Alarm In/Out : N/A	H.265 Pro+/H.265 Pro, Onvif	H.265/H.265+ COMPR Alarm In/Out : 16/4

[Click for More information](#)

IDS-7216HUHI-M2/S



Price (Rials)	۲۲۴,۰۰۰,۰۰۰
DVR Type	16+8 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 5MP resolution recording
IP Video Input	8 Ch. Up to 8MP
Audio Input/Output	4Ch. In / 1Ch. Out
Recording	5MP: 20FPS 4MP: 25FPS 3mp: 18FPS
Video Output	1 Port HDMI : 4K 1 Port VGA CVBS: PAL
SATA Interface	2 HDD up to 10TB
Network Interface	1 RJ45 1000M
Chassis	Standalone 1U
Other Features	H.265/H.265+ COMPR Alarm In/Out : N/A



لیست قیمت (سهمی نیمه اردیبهشت ۱۴۰۲)

تارتون دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هایک ویژن

	1	2	3	4	5	6
Click for More information	<a href="#">DS-2CD1023G0E-I</a>	<a href="#">DS-2CD1023G0-IUF</a>	<a href="#">DS-2CD1043G0-I</a>	<a href="#">DS-2CD1057G0-L</a>	<a href="#">DS-2CD1123G0E-I</a>	<a href="#">DS-2CD1323G0E-I</a>
						
Price (Rials)	۲۸,۹۰۰,۰۰۰	۴۰,۷۷۰,۰۰۰	۴۲,۳۱۰,۰۰۰	۵۸,۸۶۰,۰۰۰	۲۹,۹۱۰,۰۰۰	۲۹,۵۹۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Dome	Dome
Imaging Sensor	1/2.7" Prog. CMOS	1/2.7" Prog. CMOS	1/3" Prog. CMOS	1/2.7" Prog. CMOS	1/2.8" Prog. CMOS	1/2.7" Prog. CMOS
Resolution	2MP(1920x1080/30FPS)	2MP(1920x1080/30FPS)	4MP(2560x1440/20fps)	5MP (2560 × 1920/20fps)	2MP(1920x1080/30FPS)	2MP(1920x1080/25FPS)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.01Lux @ F1.2	0.01Lux @ F2.0	0.01Lux @ F2.0	0.001Lux @ F1.0	0.01Lux @ F1.2	0.01Lux @ F2.0
Lens	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
Viewing Angle	112.1°/90.2°	112.1°/90.2°	98°/78.7°	95°/76°	114.8°/86°	105°/81°
IR Range	Up to 30m	Up to 30m (EXIR)	Up to 30m	Up to 30m (Color Vu)	Up to 30m	Up to 30m (EXIR)
Body Type & Standard	Plastic / IP67	Metal/Plastic / IP67	Plastic / IP67	Metal / IP67	Plastic / IP67	Metal/Plastic / IP67
SD Card Support	No	Yes (Up to 256G)	No	Yes (Up to 256G)	No	No
Microphone Support	No	Yes (Built in MIC)	No	No	No	No
WDR	DWDR	DWDR	DWDR	Yes (120db)	DWDR	DWDR
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, HLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP

	7	8	9	10	11	12
Click for More information	<a href="#">DS-2CD1353G0-I (2.8mm)</a>	<a href="#">DS-2CD1357G0-L</a>	<a href="#">DS-2CD1143G0-I</a>	<a href="#">DS-2CD1143G0-IUF</a>	<a href="#">DS-2CD1153G0-I</a>	<a href="#">DS-2CD2021G1-I (2.8mm)</a>
						
Price (Rials)	۵۷,۰۰۰,۰۰۰	۵۸,۷۹۰,۰۰۰	۴۷,۴۶۰,۰۰۰	۵۵,۹۶۰,۰۰۰	۵۴,۰۴۰,۰۰۰	۴۹,۹۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Bullet
Imaging Sensor	1/2.7" Prog. CMOS	1/2.7" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/2.7" Prog. CMOS	1/2.7" Prog. CMOS
Resolution	5MP(2560x1920/20FPS)	5MP(2560x1920/20FPS)	4MP(2560x1440/20fps)	4MP(2560x1440/20fps)	5MP(2560x1920/15FPS)	2MP(1920x1080/25FPS)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.01Lux @ F2.0	0.001Lux @ F1.0	0.028Lux @ F2	0.01Lux @ F2.0	0.01Lux @ F2.0	0.005Lux @ F1.6
Lens	2.8 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
Viewing Angle	98.0°	95°/76°	98°/78.7°	98°/78.7°	98°/75.3°	111.6°/91.5°
IR Range	Up to 30m (EXIR)	Up to 30m (Color Vu)	Up to 30m	Up to 30m (Color Vu)	Up to 30m	Up to 30m (EXIR)
Body Type & Standard	Metal/Plastic / IP67	Metal/Plastic / IP67	Plastic / IP67	Plastic / IP67/ IK10	Plastic / IP67/ IK10	Metal/Plastic / IP67
SD Card Support	No	No	No	Yes (Up to 256 G)	No	Yes (Up to 256 G)
Microphone Support	No	No	No	Yes (Built in MIC)	No	No
WDR	Yes (120db)	Yes (120db)	DWDR	Yes (120db)	Yes (120db)	Yes (120db)
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, H.265+ COMP

13

14

15

16

17

18

**Click for More information**

DS-2CD2H25FWD-I2S

DS-2CD2027G2-L (2.8mm)

DS-2CD2043G2-I (2.8mm)

DS-2CD2043G2-IU(2.8mm)

DS-2CD2047G2-L

DS-2CD2063G2-I

**Price (Rials)**

۱۳۸,۸۷۰,۰۰۰

۷۱,۰۴۰,۰۰۰

۶۶,۴۶۰,۰۰۰

۷۹,۰۷۰,۰۰۰

۷۷,۷۰۰,۰۰۰

۷۲,۷۷۲,۰۰۰

**Camera Type**

Dome

Bullet

Bullet

Bullet

Bullet

Bullet

**Imaging Sensor**

1/2.8" Prog. CMOS

1/2.7" Prog. CMOS

1/3" Prog. CMOS

1/3" Prog. CMOS

1/1.8" Prog. CMOS

1/2.4" Prog. CMOS

**Resolution**

2MP(1920x1080/25FPS)

2MP(1920x1080/25FPS)

4MP(2560x1440/30fps)

4MP(2560x1440/30fps)

4MP(2560x1440/30fps)

6MP(2560x1440/30fps)

**Network Standard**

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

ONVIF

**Min. Illustration**

0.005Lux @ F1.2

0.005Lux @ F1.6

0.005Lux @ F1.6

0.005Lux @ F1.6

0.0005Lux @ F1.0

0.005Lux @ F1.6

**Lens**

2.8-12mm Motorized

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

**Viewing Angle**

105°~35°

107°

103°

103°

112°/95°

105°/78°

**IR Range**

Up to 30m

Up to 40m (Color Vu)

Up to 40m

Up to 40m

Up to 40m (Color Vu)

Up to 40m

**Body Type & Standard**

Metal / IP66/IK10

Metal / IP67

**SD Card Support**

Yes (Up to 128 G)

Yes (Up to 256 G)

Yes (Up to 512 G)

**Microphone Support**

Yes (1.ch Audio Input)

No

No

Yes (Built in MIC)

No

No

**WDR**

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

**WIFI**

No

No

No

No

No

No

**Power Supply**

12V DC or POE

**Other Features**3D DNR, BLC, ROI, HLC, H.265+  
COMP, DarkFighter3D DNR, BLC, HLC, H.265+  
COMP3D DNR, BLC, HLC, H.265+  
COMP

19

20

21

22

23

24

**Click for More information**

DS-2CD2087G2-LU (2.8mm) DS-2CD2126G2-ISU(2.8mm) DS-2CD2347G2-L(2.8mm) DS-2CD2347G2-LU(2.8mm) DS-2CD2143G2-IU DS-2CD2163G2-IU



Price (Rials)	156,550,000	81,540,000	78,910,000	89,760,000	81,000,000	89,000,000
Camera Type	Bullet	Dome	Dome	Dome	Dome	Dome
Imaging Sensor	1/1.2" Prog. CMOS	1/2.8" Prog. CMOS	1/1.8" Prog. CMOS	1/1.8" Prog. CMOS	1/3" Prog. CMOS	1/2.8" Prog. CMOS
Resolution	8MP(3072×1728/20fps)	2MP(1920x1080/25FPS)	4MP(2688 × 1520/25fps)	4MP(2688 × 1520/25fps)	4MP(2688 × 1520/25fps)	6MP(3200 × 1800/25fps)
Network Standard	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
Min. Illustration	0.0005Lux @ F1.0	0.002 Lux @ F1.4	0.0005 Lux @ F1.0	0.0005 Lux @ F1.0	0.005 Lux @ F1.6	0.005 Lux @ F1.6
Lens	2.8 mm Fixed	2.8 mm Fixed	2.8 mm Fixed	2.8 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
Viewing Angle	102°	107°	112°	112°	103°/84°	107°/87°
IR Range	Up to 40m (ColorVu)	Up to 30m	Up to 30m (Color Vu)	Up to 30m (Color Vu)	Up to 30m	Up to 30m
Body Type & Standard	Metal / IP67	Metal / IP67 & IK10	Metal / IP67	Metal / IP67	Metal / IP67 & IK10	Metal / IP67 & IK10
SD Card Support	Yes (Up to 256 G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Microphone Support	Yes (Built in MIC)	Yes (Built in MIC)	No	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)
WDR	Yes (130db)	Yes (120db)	Yes (130db)	Yes (130db)	Yes (120db)	Yes (120db)
WIFI	No	No	No	No	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Other Features	3D DNR, BLC, HLC, H.265+ COMP	3D DNR, BLC, HLC,H.265+ COMP, DarkFighter	3D DNR, BLC, HLC,H.265+ COMP			

25

26

27

28

29

30

**Click for More information**

DS-2CD2183G2-IU

DS-2CD2T43G2-2I(4mm)

DS-2CD2T43G2-4I(4mm)

DS-2CD2T63G2-4I

DS-2CD2T83G2-4I

DS-2CD2T86G2-4I



Price (Rials)	74,250,000	76,120,000	78,720,100	80,860,000	93,900,000	121,441,000
<b>Camera Type</b>	Dome	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	1/2.8" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/2.8" Prog. CMOS	1/2.5" Prog. CMOS	1/1.8" Prog. CMOS
<b>Resolution</b>	8MP(3840 × 2160/25fps)	4MP(2688×1520/25fps)	4MP(2688×1520/25fps)	6MP(3200×1800/25fps)	8MP(3840 × 2160/15fps)	8MP(3840 × 2160/25fps)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.005 Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.2	0.003Lux @ F1.6
<b>Lens</b>	2.8/4 mm Fixed	4 mm Fixed	4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed
<b>Viewing Angle</b>	107°/87°	84°	84°	107°/87°	102°/79°	111°/87°
<b>IR Range</b>	Up to 30m	Up to 60m (EXIR)	Up to 80m (EXIR)	Up to 80m (EXIR)	Up to 80m (EXIR)	Up to 80m (EXIR)
<b>Body Type &amp; Standard</b>	Metal / IP67 & IK10	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67	Metal / IP67
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Microphone Support</b>	Yes (Built in MIC)	No	No	No	No	No
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No	No	No	No	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Other Features</b>	3D DNR, BLC, HLC,H.265+ COMP	3D DNR, BLC, HLC, ROI, H.265+ COMP	3D DNR, BLC, HLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, HLC,H.265+ COMP, ROI	3D DNR, BLC, HLC,H.265+ COMP, ROI

31

32

33

34

35

**Click for More information**


DS-2CD1643G0-IZ

DS-2CD1743G0-IZ

DS-2CD2643G2-Izs

DS-2CD2743G2-Izs

DS-2CD2786G2-Izs



Price (Rials)	81,350,000	91,320,000	124,990,000	132,760,000	195,970,000
<b>Camera Type</b>	Bullet	Dome	Bullet	Dome	Dome
<b>Imaging Sensor</b>	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/3" Prog. CMOS	1/1.8" Prog. CMOS
<b>Resolution</b>	4MP(2560 × 1440/20fps)	4MP (2560x1440/20fps)	4MP(2688 × 1520/25fps)	4MP (2560x1440/20FPS)	8MP(3840 × 2160/20fps)
<b>Network Standard</b>	ONVIF	ONVIF	ONVIF	ONVIF	ONVIF
<b>Min. Illustration</b>	0.005Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.6	0.005Lux @ F1.6	0.003Lux @ F1.4
<b>Lens</b>	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Motorized
<b>Viewing Angle</b>	102°~31°	91.2°~28.3°	95.8°~29.2°	104°~29°	108°~46°
<b>IR Range</b>	Up to 50m (EXIR)	Up to 30m (EXIR)	Up to 60m	Up to 40m	Up to 40m
<b>Body Type &amp; Standard</b>	Metal / IP67	Metal / IP67	Metal / IP67,IK10	Metal / IP67,IK10	Metal / IP66,IK10
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 256G)
<b>Microphone Support</b>	No	No	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)	Yes (1.ch Audio Input)
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No	No	No	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Other Features</b>	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP, Deep Learning	3D DNR, BLC, HLC, H.265+ COMP, Deep Learning, DarkFighter

**Click for More information**

DS-2DE4225IW-DE S6

DS-2DE4425IW-DE T5



<b>Price (Rials)</b>	۲۲۲,۵۱۰,۰۰۰	۲۵۲,۱۰۰,۰۰۰
<b>Camera Type</b>	PTZ	PTZ
<b>Imaging Sensor</b>	1/2.8" Prog. CMOS	1/2.8" Prog. CMOS
<b>Resolution</b>	2MP(1920x1080/60FPS)	4MP(2560 × 1440/30FPS)
<b>Network Standard</b>	ONVIF	ONVIF
<b>Min. Illustration</b>	0.005Lux/F1.6	0.005Lux/F1.6
<b>Lens</b>	4.8-120mm Motorized	4.8-120mm Motorized
<b>Viewing Angle</b>	25x	25x
<b>IR Range</b>	Up to 100m	Up to 100m
<b>Body Type &amp; Standard</b>	Metal/IP66	Metal/IP66
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)
<b>Microphone Support</b>	No	No
<b>WDR</b>	Yes (120db)	Yes (120db)
<b>WIFI</b>	No	No
<b>Power Supply</b>	12 VDC & POE(802.3at)	12 VDC & POE(802.3at)
<b>Other Features</b>	16x Digital Zoom, H.265+, HLC, BLC, 3D DNR	16x Digital Zoom, H.265+, HLC, BLC, 3D DNR

38

39

40

41

42

43

**Click for More information**

DS-7104NI-Q1/M

DS-7108NI-Q1/M

DS-7604NI-K1

DS-7604NI-K1/4P

DS-7608NI-Q2

DS-7608NI-K1



Price (Rials)

۴۲,۳۸۰,۰۰۰

۴۹,۳۸۰,۰۰۰

۶۱,۵۶۰,۰۰۰

۸۲,۷۴۰,۰۰۰

۸۰,۰۰۰,۰۰۰

۶۸,۳۴۰,۰۰۰

NVR Type

4 Ch

8 Ch

4 Ch

4 Ch / 4 POE

8 Ch

8 Ch

Input BandWidth

40Mbps

60Mbps

40Mbps

40Mbps

80Mbps

80Mbps

Output Bandwidth

60Mbps

60Mbps

80Mbps

80Mbps

80Mbps

80Mbps

Audio Input/Output

1Ch. In / 1Ch. Out

Decoding Capacity

Upto 4Mp

Upto 4Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 1080p  
1 Port VGA1 Port HDMI : 4k  
1 Port VGA : 1080P

POE Ports

-

-

-

4 POE Ports

-

-

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 8TB

1 HDD up to 8TB

2 HDD up to 8TB

1 HDD up to 8TB

Network Interface

1 RJ45 100M

Chassis

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Standalone 1U

Other Features

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP  
Alarm I/O 4/1

44

45

46

47

48

49

Click for More information	DS-7608NI-K1/8P	DS-7616NI-Q2	DS-7716NI-Q4	DS-7716NI-Q4/16P	DS-7616NI-K1	DS-7732NI-K4
						
Price (Rials)	۱۲۶,۱۹۰,۰۰۰	۸۹,۸۱۰,۰۰۰	۱۷۸,۱۰۰,۰۰۰	۲۵۵,۱۴۰,۰۰۰	۸۵,۸۰۰,۰۰۰	۲۱۰,۳۱۰,۰۰۰
NVR Type	8 Ch / 8 POE	16 Ch	16 Ch	16 Ch / 16 POE	16 Ch	32 Ch
Input BandWidth	80Mbps	160Mbps	160Mbps	160Mbps	160Mbps	256Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	160Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P
POE Ports	8 POE Ports	-	-	16 POE Ports	-	-
SATA Interface	1 HDD up to 8TB	2 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 8TB	1 HDD up to 8TB	4 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M
Chassis	Standalone 1U	1U	1.5U	1.5U	Standalone 1U	19" 1.5 Case
Other Features	H.265+ COMP Alarm I/O 4/1	H.265+ COMPR	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR	H.265+ COMPR Alarm I/O 16/4

50

51

52

**Click for More information**

DS-7732NI-K4/16P

DS-9632NI-I8

IDS-9664NXI-I8/S



Price (Rials)	۳۲۴,۳۱۰,۰۰۰	۷۱۰,۰۰۰,۰۰۰	۷۷۰,۰۰۰,۰۰۰
NVR Type	32 Ch / 16 POE	32 Ch	64 Ch
Input BandWidth	256Mbps	320Mbps	320Mbps
Output Bandwidth	160Mbps	256Mbps	256Mbps
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 2Ch. Out	1Ch. In / 2Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	2 Port HDMI : 4K/1080P 1 Port VGA : 1080P	2 Port HDMI : 4K/1080P 1 Port VGA : 1080P
POE Ports	16 POE Ports	-	-
SATA Interface	4 HDD up to 8TB	8 HDD up to 10TB	8 HDD up to 10TB
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	19" 1.5 Case	19" 1.5 Case	2U
Other Features	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4, RAID	H.265+ COMPR Alarm I/O 16/8, RAID, DeepinMind



لیست قیمت (سنه بها)  
۱۴۰۲

تارتون دز آريانا

جهت اطلاع از تخفيف جشنواره هر محصول تماس بگيريد:

۰۹۹۳-۳۲۴۰۸۹۹  
۰۲۱-۸۸۵۰۰۰۲۰



نمایندگی مرکزی محصولات هايالوك

	1	2	3	4	5	6
	THC-B110-M	THC-B120-P	THC-B120-PC	THC-B120-M	THC-B120-MS	THC-B120-MC
<b>HiLook</b>						
<b>Price (Rials)</b>	Call: +91-88800020 11,000,000	9,790,000	Call: +91-88800020 15,000,000	11,000,000		
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Resolution</b>	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
<b>Viewing Angle</b>	105°/85°/65°	105°	105°	105°	105°	105°
<b>IR Range</b>	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
<b>Body Type</b>	Metal	Plastic	Plastic	Metal	Metal	Metal
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	No	No	No	No	No	No
<b>WDR</b>	No	No	No	No	No	No
<b>Other Features</b>	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	7	8	9	10	11	12
	THC-B123-M	THC-B140-P	THC-B140-M	THC-B150-M	THC-B220	THC-B220C
<b>HiLook</b>						
<b>Price (Rials)</b>	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Resolution</b>	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix
<b>Viewing Angle</b>	105°	105°	105°	105°	105°	105°/85°/65°
<b>IR Range</b>	Up to 30m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m	Up to 40m (EXIR)	Up to 40m (EXIR)
<b>Body Type</b>	Metal	Plastic	Metal	Metal	Metal & Plastic	Metal
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	No	No	No	No	No	Yes
<b>WDR</b>	Yes	No	No	No	No	DWDR
<b>Other Features</b>	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

13

14

15

16

17

18

**THC-B220-M****THC-B240****THC-B240-M****THC-T110-P****THC-T120****THC-T120-PC****HiLook**

<b>Price (Rials)</b>	Call: +91-888...2...	Call: +91-888...2...	Call: +91-888...2...	Call: +91-888...2...	8,180,000	Call: +91-888...2...
<b>Camera Type</b>	Bullet	Bullet	Bullet	Dome	Dome	Dome
<b>Resolution</b>	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix
<b>Viewing Angle</b>	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°	105°
<b>IR Range</b>	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
<b>Body Type</b>	Metal	Metal	Metal	Plastic	Metal & Plastic	Plastic
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	Yes	No	Yes	No	No	No
<b>WDR</b>	No	No	No	No	No	No
<b>Other Features</b>	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	19	20	21	22	23	24
	THC-T120-PS	THC-T120-M	THC-T120-MS	THC-T123	THC-T123-P	THC-T140-P
<b>HiLook</b>						
<b>Price (Rials)</b>	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	13,460,-
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Dome
<b>Resolution</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
<b>Lens</b>	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix
<b>Viewing Angle</b>	105°	105°	105°	105°/85°/65°	105°	105°
<b>IR Range</b>	Up to 20m	Up to 20m (EXIR)	Up to 20m	Up to 30m (EXIR)	Up to 30m (EXIR)	Up to 20m (EXIR)
<b>Body Type</b>	Plastic	Metal	Metal	Metal	Plastic	Plastic
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	No	No	No	No	No	No
<b>WDR</b>	No	No	No	No	Yes	No
<b>Other Features</b>	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	25	26	27	28	29	30
	THC-T140	THC-T140-M	THC-T220-P	THC-T220-PC	THC-T220-M	THC-T240-P
<b>HiLook</b>						
<b>Price (Rials)</b>	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Dome
<b>Resolution</b>	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
<b>Lens</b>	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
<b>Viewing Angle</b>	105°	105°	105°	105°	105°	105°
<b>IR Range</b>	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m	Up to 40m (EXIR)	Up to 40m (EXIR)
<b>Body Type</b>	Metal & Plastic	Metal	Plastic	Plastic	Metal	Plastic
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	No	No	No	No	No	No
<b>WDR</b>	No	No	No	No	No	No
<b>Other Features</b>	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	31	32	33	34	35	36
	THC-T240-M	THC-B320-VF	THC-B340-VF	THC-D320-VF	THC-D340-VF	THC-T320-VF
<b>HiLook</b>						
<b>Price (Rials)</b>	۱۶,۵۶۰,۰۰۰	۲۰,۲۸۰,۰۰۰	۲۷,۴۳۰,۰۰۰	۲۹,۹۱۰,۰۰۰	۲۸,۴۶۰,۰۰۰	۲۵,۲۸۰,۰۰۰
<b>Camera Type</b>	Dome	Bullet	Bullet	Dome	Dome	Dome
<b>Resolution</b>	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel
<b>Lens</b>	2.8mm Fix	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
<b>Viewing Angle</b>	105°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
<b>IR Range</b>	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
<b>Body Type</b>	Metal	Metal & Plastic	Metal & Plastic	Metal	Metal	Metal & Plastic
<b>IP Standard</b>	IP66	IP66	IP66	IP66	IP66	IP66
<b>OSD Menu</b>	No	No	No	No	No	No
<b>WDR</b>	No	No	No	No	No	No
<b>Other Features</b>	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

**THC-T340-VF****HiLook**

<b>Price (Rials)</b>	۲۷,۴۳۰,۰۰۰
<b>Camera Type</b>	Dome
<b>Resolution</b>	4 Megapixel
<b>Lens</b>	2.8 - 12mm Varifocal
<b>Viewing Angle</b>	111.5°-33.4°
<b>IR Range</b>	Up to 40m (EXIR)
<b>Body Type</b>	Metal & Plastic
<b>IP Standard</b>	IP66
<b>OSD Menu</b>	No
<b>WDR</b>	No
<b>Other Features</b>	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

38

39

PTZ-T4215I-D

PTZ-T4225I-D



**HiLook**

Price (Rials)	۱۱۰,۹۴۰,۰۰۰	۱۲۰,۲۱۰,۰۰۰
Camera Type	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x
IR Range	Up to 100m	Up to 100m
Body Type	-	-
IP Standard	IP66	IP66
OSD Menu	-	-
WDR	No	Yes
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

40

41

42

43

44

45

**DVR-104G-F1****DVR-108G-F1****DVR-116G-F1****DVR-204G-F1****DVR-208G-F1****DVR-216G-F1****Hilook**

Price (Rials)		Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	+91-88800020
DVR Type	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	45,040,000
Analog Video Input	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 2MP	16 Ch. HDTVI/Analog Up to 2MP	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 2MP	16Ch. HDTVI/Analog AHD Up to 2MP	
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	
SATA Interface	1 HDD up to 4TB	1 HDD up to 4TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Compression Standard	H.265+	H.265+	H.264+	H.264+	H.264+	H.264+	H.264+
Other Features	Smart search for efficient playback	Smart search for efficient playback	Max. 1200 m for 720p HDTVI signal transmission	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	

46

47

48

49

50

51

**DVR-216G-K1****DVR-232G-K2****DVR-204Q-F1****DVR-204Q-K1****DVR-208Q-F1****DVR-208Q-K1**

<b>Price (Rials)</b>	۵۲,۷۸۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲
<b>DVR Type</b>	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS
<b>Analog Video Input</b>	16 Ch. HDTVI/Analog Up to 3MP	32 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 3MP	8 Ch. HDTVI/Analog Up to 3MP
<b>Video Output</b>	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
<b>SATA Interface</b>	1 HDD up to 6TB	2 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 6TB
<b>Compression Standard</b>	H.264+	H.265 Pro+	H.264+	H.265+	H.264+	H.265+
<b>Other Features</b>	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage

52

53

54

55

56

57

**DVR-208Q-K2****DVR-216Q-F1****DVR-216Q-F2****DVR-216Q-K1****DVR-216Q-K2****DVR-232Q-K2**

<b>Price (Rials)</b>	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020
<b>DVR Type</b>	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS
<b>Analog Video Input</b>	8 Ch. HDTVI/Analog Up to 3MP	16 Ch. HDTVI/Analog Up to 3MP	16 Ch. HDTVI/Analog Up to 3MP	16Ch. HDTVI/Analog AHD Up to 5MP	16Ch. HDTVI/Analog AHD Up to 6MP	5 Ch. HDTVI/Analog Up to 4MP
<b>Video Output</b>	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
<b>SATA Interface</b>	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
<b>Compression Standard</b>	H.265 Pro+	H.264+	H.264+	H.265+	H.265+	H.265 Pro+
<b>Other Features</b>	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol

58

59

60

61

62

63

**DVR-204U-F1****DVR-204U-K1****DVR-208U-F1****DVR-208U-K1****DVR-216U-F2****DVR-216U-K2**

Price (Rials)	۴۲,۴۴۰,۰۰۰	۵۱,۸۷۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۲۰	Call: +۹۱-۸۸۵۰۰۲۰	۱۳۴,۰۹۰,۰۰۰	۱۳۴,۰۹۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTVI/Analog Up to 5MP	4 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	16Ch. HDTVI/Analog AHD Up to 5MP	16 Ch. HDTVI/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras

# HiLock

لیست قیمت (سنه بها)

تارتون دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳۰-۳۲۱۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M
<b>Hilook</b>						
<b>Price (Rials)</b>	Call: +91-88800020	Call: +91-88800020	₹8,800,-	Call: +91-88800020	₹12,120,-	Call: +91-88800020
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Resolution</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
<b>Lens</b>	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
<b>Viewing Angle</b>	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
<b>Body Type</b>	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
<b>Standard</b>	IP67	IP67	IP67	IP67	IP67	IP67
<b>SD Card Support</b>	No	No	No	No	No	No
<b>WDR</b>	No	No	Yes	DWDR	No	Yes
<b>Microphone Support</b>	No	No	No	No	No	No
<b>POE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Other Features</b>	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220
<b>HiLook</b>						
<b>Price (Rials)</b>	۴۲,۹۵۰,۰۰۰	۲۶,۵۵۰,۰۰۰	۲۸,۳۵۰,۰۰۰	۲۸,۸۸۰,۰۰۰	۲۹,۸۵۰,۰۰۰	۲۹,۲۶۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Dome	Dome	Dome
<b>Resolution</b>	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
<b>Viewing Angle</b>	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
<b>Body Type</b>	Plastic	-	-	Plastic	-	Metal & Plastic
<b>Standard</b>	IP67	IP67	IP67	IP67	IP67	IP67
<b>SD Card Support</b>	No	No	No	No	No	No
<b>WDR</b>	Yes	DWDR	No	No	No	Yes
<b>Microphone Support</b>	No	No	No	No	No	No
<b>POE</b>	Yes	Yes	No	Yes	No	Yes
<b>Other Features</b>	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H
<b>HiLook</b>						
<b>Price (Rials)</b>	۲۹,۶۱۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲۰	۳۹,۸۰۰,۰۰۰	۴۰,۰۰۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲۰	۴۵,۸۰۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Dome
<b>Resolution</b>	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
<b>Viewing Angle</b>	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
<b>Body Type</b>	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
<b>Standard</b>	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
<b>SD Card Support</b>	Yes	No	No	No	No	No
<b>WDR</b>	No	DWDR	No	No	No	DWDR
<b>Microphone Support</b>	No	No	No	No	No	No
<b>POE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Other Features</b>	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V
<b>HiLook</b>						
<b>Price (Rials)</b>	Call: +91-88800020	₹8,190,000	₹6,210,000	₹4,030,000	₹6,950,000	₹2,270,000
<b>Camera Type</b>	Dome	Dome	Dome	Bullet	Bullet	Bullet
<b>Resolution</b>	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
<b>Viewing Angle</b>	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
<b>Body Type</b>	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
<b>Standard</b>	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
<b>SD Card Support</b>	No	No	No	Yes	Yes	Yes
<b>WDR</b>	DWDR	No	Yes	No	No	DWDR
<b>Microphone Support</b>	No	No	No	No	No	Yes
<b>POE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Other Features</b>	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z
<b>HiLook</b>						
<b>Price (Rials)</b>	۵۹,۰۱۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲	۶۷,۲۷۰,۰۰۰	۶۱,۰۶۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۶,۲۴۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Dome	Dome	Dome
<b>Resolution</b>	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Lens</b>	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
<b>Viewing Angle</b>	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
<b>Body Type</b>	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
<b>Standard</b>	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
<b>SD Card Support</b>	Yes	Yes	Yes	No	No	No
<b>WDR</b>	DWDR	Yes	Yes	Yes	No	No
<b>Microphone Support</b>	Yes	No	No	No	No	No
<b>POE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>Other Features</b>	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z

**Hilook**

<b>Price (Rials)</b>	۳۸,۶۸۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲
<b>Camera Type</b>	Dome	Dome
<b>Resolution</b>	4 Megapixel	4 Megapixel
<b>Lens</b>	2.8-12mm Varifocal	2.8-12mm Varifocal
<b>Viewing Angle</b>	111.5°-33.4°	111.5°-33.4°
<b>IR Range</b>	Up to 30m IR	Up to 30m IR
<b>Body Type</b>	Metal	Metal
<b>Standard</b>	IP67 & IK10	IP67 & IK10
<b>SD Card Support</b>	Yes	Yes
<b>WDR</b>	Yes	Yes
<b>Microphone Support</b>	No	No
<b>POE</b>	Yes	Yes
<b>Other Features</b>	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

33

34

35

**PTZ-N4215-DE3****PTZ-N4215I-DE****PTZ-N4225I-DE**
**HiLook**

Price (Rials)	Call: +91-88800020	88,000,000	99,400,000
Camera Type	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel
Lens	5-75mm Varifocal	5-75mm Varifocal	4.8-120mm Varifocal
Viewing Angle	15x	15x	25x
IR Range	-	Up to 100m IR	Up to 100m IR
Body Type	-	-	-
Standard	-	IP66	IP66
SD Card Support	Yes	Yes	Yes
WDR	Yes	Yes	Yes
Microphone Support	No	No	No
POE	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC,	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC

	36	37	38	39	40	41
	NVR-104-B	NVR-108-B	NVR-108-B/8P	NVR-104H-D	NVR-108H-D	NVR-104MH-C
<b>HiLook</b>						
<b>Price (Rials)</b>	۲۱,۴۳۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۲۰,۴۹۰,۰۰۰	۲۰,۳۳۰,۰۰۰	۲۸,۴۷۰,۰۰۰	۲۶,۷۷۰,۰۰۰
<b>NVR Type</b>	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
<b>Input BandWidth</b>	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
<b>Output Bandwidth</b>	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
<b>Resolution Support</b>	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
<b>Video Output</b>	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
<b>POE Ports</b>	-	-	8 ch POE	-	-	-
<b>Compression Standard</b>	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
<b>SATA Interface</b>	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
<b>Other Features</b>	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42	43	44	45	46	47
<b>NVR-104MH-C/4P</b>	<b>NVR-104MH-D</b>	<b>NVR-104MH-D/4P</b>	<b>NVR-108MH-C</b>	<b>NVR-108M-C/8P</b>	<b>NVR-108MH-D</b>

**Hilook**



Price (Rials)	Call: +91-88800020	₹5,150,-***	₹4,140,-***	₹2,170,-***	Call: +91-88800020	₹2,090,-***
NVR Type	4-ch	4-ch	4-ch	8-ch	8-ch	8-ch
Input BandWidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	60Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	40Mbps
Resolution Support	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 1080P 1 Port VGA : 1080P
POE Ports	4 ch POE	-	4 ch POE	-	8 ch POE	-
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.264+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB				
Other Features	VCA detection alarm, Smart search, Smart playback	Support multiple VCA (Video Content Analytics) events	VCA detection alarm, Smart search, Smart playback			

48

49

50

51

52

**NVR-108MH-D/8P****NVR-116MH-C****NVR-208MH-C****NVR-216MH-C****NVR-216MH-C/16P****Hilook**

Price (Rials)	<b>۴۷,۰۰,۰۰۰</b>	<b>۴۸,۶۴,۰۰۰</b>	<b>۴۲,۱۷,۰۰۰</b>	Call: +۹۱-۸۸۵۰۰۰۲۰	Call: +۹۱-۸۸۵۰۰۰۲۰
<b>NVR Type</b>	8-ch	16-ch	8-ch	16-ch	16-ch
<b>Input BandWidth</b>	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
<b>Output Bandwidth</b>	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
<b>Resolution Support</b>	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
<b>POE Ports</b>	8 ch POE	-	-	-	16 ch POE
<b>Compression Standard</b>	H.265+	H.265+	H.265+	H.265+	H.265+
<b>SATA Interface</b>	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
<b>Other Features</b>	VCA detection alarm, Smart search, Smart playback				



لیست قیمت (سهی اسفند ۱۴۰۰)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳۰-۳۲۱۴۰۸۹۹



1

2

3

4

**Dahua****DH-HAC-B1A21P-0360B****DH-HAC-B2A21P-0280B****DH-HAC-HFW1200DP-0360B-S5****DH-HAC-HFW1200CMP**

Price (Rials)	۸,۸۰۰,۰۰۰	۱۲,۷۴۰,۰۰۰	۱۹,۵۶۰,۰۰۰	۱۰,۳۲۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F1.85	0.02Lux/F1.9	0.02Lux/F1.9
<b>Lens</b>	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	82°	103°	84°	84°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 80m	Up to 30m
<b>Body Type</b>	Plastic	Metal	Plastic	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

5

6

7

8

**Dahua****DH-HAC-HFW1200TLP-S5****DH-HAC-HFW1200TLP-A****DH-HAC-HFW1231RP-Z-A****DH-HAC-HFW1209TLMP-LED-0360B**

Price (Rials)	<b>15,120,000</b>	<b>15,980,000</b>	<b>21,040,000</b>	<b>11,710,000</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.002Lux/F1.5	0.001Lux/F1.6
<b>Lens</b>	2.8 Fixed	3.6 Fixed	Motorized (2.7–12 mm)	3.6 Fixed
<b>Viewing Angle</b>	100°	84°	102°-33°	86.9°
<b>IR Range</b>	Up to 40m	Up to 80m	Starlight Up to 80m	Starlight Up to 20m
<b>Body Type</b>	Plastic	Metal	Metal	Plastic & Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	Yes
<b>WDR</b>	DWDR	DWDR	WDR 130db	WDR 130db
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D NR, Switchable. Built in mic	Smart IR, HLC, BLC,AWB,AGC, Switchable. Built in mic

9

10

11

12

**Dahua****DH-HAC-HFW1239TP-LED****DH-HAC-HFW1200TLP-0360B-S5****DH-HAC-HFW1200TP-A-0360B-S5****DH-HAC-HFW1200TL-A**

Price (Rials)	<b>۱۵,۰۸۰,۰۰۰</b>	<b>۱۵,۱۲۰,۰۰۰</b>	<b>۱۰,۵۵۰,۰۰۰</b>	<b>۱۰,۹۰۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.001Lux/F1.6	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	86.9°	84°	84°	84°
<b>IR Range</b>	Starlight Up to 20m	Up to 40m	Up to 30m	Up to 80m
<b>Body Type</b>	Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	No	No	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, Switchable, Built in mic	Smart IR, HLC, BLC, 2D NR, AGC, AWB, Switchable	Smart IR, HLC, BLC, 2D NR, Built in mic, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic

13

14

15

16

**Dahua****DH-HAC-HFW1200THP-I4****DH-HAC-HFW1200THP-I8****DH-HAC-HFW1200RP-Z-IRE6****DH-HAC-HFW1209CP-LED-0360B**

Price (Rials)	<b>۱۲,۳۱۰,۰۰۰</b>	<b>۱۳,۱۰۰,۰۰۰</b>	<b>۲۳,۰۱۰,۰۰۰</b>	<b>۱۰,۰۲۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.8	0.01Lux/F1.6
<b>Lens</b>	3.6 Fixed	2.8- 3.6 Fixed	Motorized (2.7-12 mm)	3.6 Fixed
<b>Viewing Angle</b>	84°	101°/84°	105.9°-33.4°	86.9°
<b>IR Range</b>	Up to 40m	Up to 80m	Starlight/ Up to 60m	Starlight/ Up to 20m
<b>Body Type</b>	Plastic & Metal	Plastic & Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, Switchable

17

18

19

20

**Dahua****DH-HAC-HFW1209CMP-LED-0360B****DH-HAC-HFW1200CMP-A****DH-HAC-T1A21P-0280B****DH-HAC-T1A21P-0360B**

<b>Price (Rials)</b>	<b>۱۱,۲۱۰,۰۰۰</b>	<b>۲۰,۳۲۰,۰۰۰</b>	<b>۸,۴۸۰,۰۰۰</b>	<b>۷,۰۶۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.01Lux/F1.6	0.02Lux/F1.9	0.04Lux/F2.0	0.04Lux/F2.0
<b>Lens</b>	3.6 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
<b>Viewing Angle</b>	86.9°	84°	100°	82°
<b>IR Range</b>	Starlight/ Up to 20m	Up to 30m	Up to 20m	Up to 20m
<b>Body Type</b>	Metal	Metal	Plastic	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable

21

22

23

24

**Dahua****DH-HAC-T2A21P-0280B****DH-HAC-T2A21P-0360B****DH-HAC-HDW1200TRQP-A-0280B-S5****DH-HAC-HDW1200TRQP-A-0360B**

Price (Rials)	<b>۹,۵۲۰,۰۰۰</b>	<b>۱۲,۳۸۰,۰۰۰</b>	<b>۱۰,۴۲۰,۰۰۰</b>	<b>۱۰,۴۲۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F1.9	0.02Lux/F1.9
<b>Lens</b>	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
<b>Viewing Angle</b>	100°	84°	101°	84°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 25m	Up to 25m
<b>Body Type</b>	Metal	Metal	Plastic	Plastic
<b>IP Standard</b>	IP67	IP67	IP50	IP50
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, Switchable. Built in mic	Smart IR, HLC, BLC, Switchable. Built in mic, 2D NR

25

26

27

28

**Dahua**

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1200EMP-A-0280B-S5



Price (Rials)	۱۵,۱۹۰,۰۰۰	۲۴,۴۸۰,۰۰۰	۱۴,۵۱۰,۰۰۰	۱۶,۶۷۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	HD1080P	HD1080P
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85
<b>Lens</b>	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
<b>Viewing Angle</b>	106°	107°	106°	101°
<b>IR Range</b>	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Up to 50m
<b>Body Type</b>	Plastic & Metal	Plastic	Plastic & Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	No
<b>WDR</b>	DWDR	WDR 130db	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic

29

30

31

32

**Dahua****DH-HAC-HDW1200MP-S5****DH-HAC-HDW1200MP-0280B-S5****DH-HAC-HFW1400CMP****DH-HAC-HFW1400DP-0360B-S3**

Price (Rials)	<b>۹,۱۸۰,۰۰۰</b>	<b>۱۴,۱۰۰,۰۰۰</b>	<b>۱۲,۸۲۰,۰۰۰</b>	<b>۱۷,۲۶۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Bullet	Bullet
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
<b>Resolution</b>	HD1080P	HD1080P	4MP (2560×1440)	4MP (2560×1440)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F2.0
<b>Lens</b>	3.6 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	84°	101°	87°	87°
<b>IR Range</b>	Up to 30m	Up to 30m	Up to 30m	Up to 80m
<b>Body Type</b>	Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	No	No	Yes	No
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC,2D DNR, AWB, AGC, Switchable

33

34

35

36

**Dahua****DH-HAC-B2A41P-S2****DH-HAC-HDW1400TRQP-0280B-S3****DH-HAC-HDW1400TRQP-A-0280B-S3****DH-HAC-T1A41P-S2**

Price (Rials)	<b>۱۶,۹۹۰,۰۰۰</b>	<b>۸,۰۷۰,۰۰۰</b>	<b>۹,۶۲۰,۰۰۰</b>	<b>۱۲,۹۶۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Dome	Dome	Dome
<b>Imaging Sensor</b>	4 Megapixel	4 Megapixel	4 Megapixel	4 Megapixel
<b>Resolution</b>	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)	4MP (2560×1440)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.04Lux/F2.0
<b>Lens</b>	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
<b>Viewing Angle</b>	88°	105°	105°	89°
<b>IR Range</b>	Up to 20m	Up to 25m	Up to 25m	Up to 20m
<b>Body Type</b>	Metal	Plastic	Plastic	Plastic
<b>IP Standard</b>	IP67	IP50	IP50	-
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, 2D, Switchable

37

38

39

40

**Dahua****DH-HAC-T2A41P-S2****DH-HAC-B1A51P****DH-HAC-B2A51P-0360B-S2****DH-HAC-HFW1500THP-I8-0360B**

<b>Price (Rials)</b>	<b>۱۵,۸۱۰,۰۰۰</b>	<b>۱۲,۷۰۰,۰۰۰</b>	<b>۱۳,۶۸۰,۰۰۰</b>	<b>۱۸,۸۹۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	4 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	4MP (2560×1440)	5MP (2880×1620)	5MP (2880×1620)	5MP (2560×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.04Lux/F2.0	0.02Lux/F2.0	0.02Lux/F2.0	0.005Lux/F1.6
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	89°	88°	88°	92°
<b>IR Range</b>	Up to 20m	Up to 20m	Up to 20m	Up to 80m
<b>Body Type</b>	Plastic	Plastic	Metal	Plastic
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D, Switchable	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, E-Defog, Switchable

41

42

43

44

**Dahua****DH-HAC-HFW1500TLP****DH-HAC-HFW1500CMP****DH-HAC-HFW1509TLMP-LED****DH-HAC-HFW1509TLMP-A-LED**

Price (Rials)	<b>۱۵,۸۷۰,۰۰۰</b>	<b>۱۶,۶۵۰,۰۰۰</b>	<b>۱۹,۸۲۰,۰۰۰</b>	<b>۲۱,۴۲۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)	5MP (2592×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.2	0.005Lux/F1.2
<b>Lens</b>	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	98°	98°	83°	83°
<b>IR Range</b>	Starlight Up to 40m	Starlight Up to 30m	Starlight Up to 40m	Color Up to 40m
<b>Body Type</b>	Plastic	Metal	Plastic & Metal	Plastic & Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	No	Yes	Yes
<b>WDR</b>	DWDR	DWDR	DWDR	WDR 120db
<b>Power Supply</b>	12 VDC	12 VDC - PoC (CVI)	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable- Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable- Built in Mic	Smart IR, HLC, BLC, 3D NR, Switchable- Built in Mic

45

46

47

48

**Dahua****DH-HAC-HFW1500TP-0360B-S2 DH-HAC-HFW1500TP-A-S2-0280B****DH-HAC-HFW1500DP(S)****DH-HAC-HFW1500RP-Z-IRE6**

Price (Rials)	۱۵,۰۶۰,۰۰۰	۲۵,۴۶۰,۰۰۰	۳۱,۰۱۰,۰۰۰	۳۰,۱۵۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2592×1944)	5MP (2592×1944)	5MP (2880×1620)	5MP (2880×1620)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.005Lux/F1.2	0.02Lux/F1.85	0.005Lux/F1.6	0.005Lux/F1.6
<b>Lens</b>	3.6 Fixed	2.8 Fixed	3.6 Fixed	Motorized (2.7 –12 mm)
<b>Viewing Angle</b>	83°	111°	92°	107°-34°
<b>IR Range</b>	Up to 30m	Up to 30m	Up to 80m	Up to 60m
<b>Body Type</b>	Plastic & Metal	Metal	Metal	Metal
<b>IP Standard</b>	IP67	IP67	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	Yes
<b>WDR</b>	WDR 120db	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, 3D NR, Switchable-Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, AGC	Smart IR, HLC, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, AGC, Switchable

**Dahua****DH-HAC-T2A51P****DH-HAC-HDW1500TRQP-A****DH-HAC-HDW1500TLMQP-0280B-S2****DH-HAC-HDW1509TLP-A-LED**

Price (Rials)	<b>۱۹,۱۳۰,۰۰۰</b>	<b>۱۴,۲۸۰,۰۰۰</b>	<b>۱۵,۲۲۰,۰۰۰</b>	<b>۱۹,۶۱۰,۰۰۰</b>
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Imaging Sensor</b>	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
<b>Resolution</b>	5MP (2560×1944)	5MP (2560×1944)	5MP (2560×1944)	5MP (2592×1944)
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.02Lux/F2.0	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.2
<b>Lens</b>	3.6 Fixed	2.8 Fixed	2.8 Fixed	3.6 Fixed
<b>Viewing Angle</b>	88°	105°	111°	77.5°
<b>IR Range</b>	Up to 20m	Up to 30m	Up to 30m	Starlight/Up to 20m
<b>Body Type</b>	Metal	Plastic	Plastic & Metal	Metal
<b>IP Standard</b>	IP67	IP50	IP67	IP67
<b>OSD Menu</b>	Yes	Yes	No	-
<b>WDR</b>	DWDR	DWDR	DWDR	DWDR
<b>Power Supply</b>	12 VDC	12 VDC	12 VDC	12 VDC
<b>Other Features</b>	Smart IR, HLC, BLC, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic

Dahua

DH-HAC-HDW1509TLQP-LED-  
0280B

DH-HAC-HDW1509TLQP-A-LED



Price (Rials)	٢٢,٢٠٠,٠٠٠	٢١,٤٢٠,٠٠٠
Camera Type	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed
Viewing Angle	112°	88°
IR Range	Up to 20m	Color Up to 20m
Body Type	Metal	Metal
IP Standard	IP67	IP67
OSD Menu	Yes	No
WDR	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, HLC Pro, BLC, 3D NR, Switchable- Built in Mic

55

56

57

**Dahua****DH-SD42215-HC-LA****DH-SD59232-HC-LA****DH-SD49225-HC-LA**

Price (Rials)	<b>۱۱۴,۷۶۰,۰۰۰</b>	<b>۲۳۸,۹۵۰,۰۰۰</b>	<b>۱۹۰,۷۱۰,۰۰۰</b>
<b>Camera Type</b>	PTZ	PTZ	PTZ
<b>Imaging Sensor</b>	2 Megapixel	2 Megapixel	2 Megapixel
<b>Resolution</b>	1920 x 1080	1920 x 1080	1920 x 1080
<b>Signal System</b>	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
<b>Min. Illustration</b>	0.005Lux/F1.6	0.005Lux/F1.6	0.005Lux/F1.6
<b>Lens</b>	5–75 mm	4.5–144 mm	4.8–120 mm
<b>Viewing Angle</b>	15x	32x	25x
<b>IR Range</b>	Starlight	Starlight	Starlight
<b>Body Type</b>	Plastic	Plastic	Plastic
<b>IP Standard</b>	IP66/IK10	IP66	IP66
<b>OSD Menu</b>	No	No	No
<b>WDR</b>	Yes (120db)	Yes (120db)	Yes (120db)
<b>Power Supply</b>	DC 12V/3A	DC24V/2.5A	DC 12V/3A
<b>Other Features</b>	EDefog, Rol, 3D DNR, HLC, BLC	EDefog, Rol, 2D & 3D DNR, HLC, BLC, Auto iris, Auto focus	EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

**Dahua****DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

Price (Rials)	۲۳,۴۶۰,۰۰۰	۳۶,۶۱۰,۰۰۰	۶۰,۵۹۰,۰۰۰	۳۳,۳۳۰,۰۰۰
<b>XVR Type</b>	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP
<b>IP Video Input</b>	4+1 Ch. Up to 2MP	4+2 Ch. Up to 6MP	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	2MP: 25/30FPS 720P: 60FPS	5MP: 25/30FPS 4MP: 25/30FPS	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
<b>Video Output</b>	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA
<b>SATA Interface</b>	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	AI Coding/H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264

62

63

64

65

**Dahua****DH-XVR5108HS-I3****DHI-XVR5108HS-4KL****DH-XVR5108HS-4KL-I2****DH-XVR5108HS-4KL-I3**

Price (Rials)	۵۶,۳۵۰,۰۰۰	۹۱,۳۲۰,۰۰۰	۸۴,۰۹۰,۰۰۰	۱۱۰,۷۹۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	8+4 Ch. Up to 6MP	8+4 Ch. Up to 8MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

66

67

68

69

**Dahua****DH-XVR5116H-I2****DH-XVR1B16-I****DH-XVR4116HS-I****DHI-XVR5116HS-S2**

Price (Rials)	۷۲,۱۳۰,۰۰۰	۶۰,۳۵۰,۰۰۰	۵۱,۲۷۰,۰۰۰	۷۲,۴۸۰,۰۰۰
<b>XVR Type</b>	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4MP
<b>IP Video Input</b>	16+8 Ch. Up to 6MP	16+2 Ch. Up to 6MP	2+16 Ch. Up to 6MP	16+8 Ch. Up to 5MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out			
<b>Recording</b>	5MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	2MP: 25/30FPS 720P: 25/30FPS	4MP: 25/30FPS 720P: 50/60FPS
<b>Video Output</b>	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA : 1080p	1 Port HDMI : 1080p 1 Port VGA : 1080p
<b>SATA Interface</b>	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 8TB
<b>Network Interface</b>			1 RJ45 100M	1 RJ45 1000M
<b>Chassis</b>	Mini 1U	Standalone 1U	Compact 1U	Mini 1U
<b>Other Features</b>	H.265+/H.265	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264	Smart H.264+/H.264, Smart Search

70

71

72

73

**Dahua****DH-XVR5216AN-I2****DHI-XVR5216AN-S2****DHI-XVR5216AN-4KL****DH-XVR5216AN-4KL-I2**

Price (Rials)	۷۹,۸۱۰,۰۰۰	۹۴,۵۰۰,۰۰۰	۱۶۹,۴۱۰,۰۰۰	۱۴۰,۸۵۰,۰۰۰
<b>XVR Type</b>	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
<b>Analog Video Input</b>	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 4K
<b>IP Video Input</b>	16+8 Ch. Up to 6MP	16+8 Ch. Up to 5MP	16+8 Ch. Up to 8MP	16+16 Ch. Up to 8MP
<b>Audio Input/Output</b>	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
<b>Recording</b>	5MP: 25/30FPS 720P:25/30FPS	4MP: 25/30FPS 720P:50/60FPS	5MP: 25/30FPS 720P:25/30FPS	4K: 25/30FPS 720P:25/30FPS
<b>Video Output</b>	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :4k 1 Port VGA : 1080p
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Penta-brid	Standalone 1U	Standalone 1U
<b>Other Features</b>	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification	Smart H.264+/H.264, Smart Search	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Human/Vehicle secondary recognition for tripwire and intrusion/AI Search Search by target classification

**Dahua****DH-XVR5216AN-4KL-I3****DHI-XVR5232AN-S2****DH-XVR5232AN-I2**

Price (Rials)	۲۱۳,۰۱۰,۰۰۰	۱۴۲,۳۰۰,۰۰۰	۱۲۰,۲۷۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 4K	32 Ch. HDCVI/AHD/TVI Up to 4MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16+16 Ch. Up to 8MP	32 Ch. Up to 5MP	32 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 720P: 25/30FPS	4MP: 25/30FPS 720P: 50/60FPS	5MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI :1080p 1 Port VGA	1 Port HDMI :4K 1 Port VGA
SATA Interface	2 HDD up to 16TB	2 HDD up to 8TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Penta-brid 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	H.264+/H.264, Smart Search, Face Detection	AI Coding/H.265+/H.265/H.264+/H.264, AI Search, Face Detection



لیست قیمت (سهمی اسفند ۱۴۰۱)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۱۰

۰۹۹۳۰-۳۳۱۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S1P-0360B-S5	DH-IPC-HFW1230S-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2
				
Price (Rials)	۲۰,۷۱۰,۰۰۰	۳۱,۹۲۰,۰۰۰	۳۰,۹۸۰,۰۰۰	۳۷,۰۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.7"	1/2.8"	1/2.7"
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	84°	84°	88°	91°
Night Vision Distance	IR 30 M	IR 30M	Warm Light 10/15M	IR 30 M
Dynamic Range	DWDR	DWDR	DWDR	DWDR
Built in Mic	No	No	No	No
SD Card Support	No	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI,Motion detection, video tampering,

	5	6	7	8
Dahua	DH-IPC-HFW2231SP-S2-0360B	DH-IPC-HFW2239SP-SA-LED-S2	DH-IPC-HDW1239T1P-LED-0280B-S5-QH2	DH-IPC-HDW1239T1-LED-0280
				
Price (Rials)	۳۰,۷۵۰,۰۰۰	۴۴,۷۰۰,۰۰۰	۱۹,۰۱۰,۰۰۰	۲۱,۴۸۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.7"
Lens	3.6 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	87°	107°	106°	110°
Night Vision Distance	Starlight/ IR 30M	Warmlight/ IR 30 M	Warmlight/IR 30M	Warmlight/ IR 15M
Dynamic Range	WDR 120db	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC

9

10

11

12

**Dahua****DH-IPC-HDW2239TP-AS-LED-S2****DH-IPC-HDW1230T1P-0280B-S5****DH-IPC-HDW1230S-S5****DH-IPC-HDW2230T-AS-S2**

<b>Price (Rials)</b>	۲۴,۰۵۰,۰۰۰	۲۳,۴۷۰,۰۰۰	۲۹,۹۶۰,۰۰۰	۲۹,۳۶۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	2MP(1920×1080) @20fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
<b>Sensor Size</b>	1/2.8"	1/2.7"	1/2.8"	1/2.7"
<b>Lens</b>	2.8/3.6 Fixed	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
<b>Viewing Angle</b>	107° /91°	102°	102°/84°	110°/91°
<b>Night Vision Distance</b>	Warmlight/ IR 30 M	IR 30M	IR 30M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	DWDR	DWDR	DWDR
<b>Built in Mic</b>	Yes	No	No	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	No	No	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
<b>Protection</b>	IP67	IP67	IP67	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,

13

14

15

16

**Dahua****DH-IPC-HDW2231TM-AS-S2****DH-IPC-HDW2231TP-AS-0360-S2****DH-IPC-HDBW2231E-S-S2****DH-IPC-HFW1431SP-0360B-S4**

	₼1,۸۷۰,۰۰۰	₼۲,۸۳۰,۰۰۰	₼۶,۰۴۰,۰۰۰	₼۳,۲۶۰,۰۰۰
<b>Price (Rials)</b>				
<b>Camera Type</b>	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"	1/3"
<b>Lens</b>	2.8/3.6 Fixed	3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
<b>Viewing Angle</b>	107°/88°	88°	107°/88°	81°
<b>Night Vision Distance</b>	IR 30M	Starlight/ IR 30M	IR 30M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
<b>Power Supply</b>	12V DC or POE			
<b>Video Compression</b>	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265/; H.264/ H.264B/ MJPEG	SMART H.264/H.265
<b>Protection</b>	IP67	IP67	IP67, IK10	IP67
<b>Other Features</b>	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, digital watermarking, Motion detection, video tampering

17

18

19

20

**Dahua****DH-IPC-HFW1431S1P-S4****DH-IPC-HFW2431SP-S-0360B-S2****DH-IPC-HFW2431TP-ZS-27135-S2****DH-IPC-HFW2439MP-AS-LED-B-S2**

<b>Price (Rials)</b>	۲۴,۴۳۰,۰۰۰	۲۲,۸۵۰,۰۰۰	۸۹,۳۱۰,۰۰۰	۳۷,۲۹۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2688×1520) @25/30fps	4MP(2560×1440) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	2.8,3.6 Fixed	3.6 Fixed	Motorized (2.7–13.5 mm)	3.6/6 Fixed
<b>Viewing Angle</b>	93° /81°	81°	104°-27°	91°/55°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 60 M	Warm light/ IR 40 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	Yes	Yes
<b>SD Card Support</b>	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265/ H.264/ H.264B/ MJPEG	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
<b>Protection</b>	IP67	IP67	IP67,IK10	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

21

22

23

24

**Dahua****DH-IPC-HFW3441TP-ZS****DH-IPC-HFW3441EP-AS-0360B****DH-IPC-HFW3449EP-AS-LED****DH-IPC-HFW5442EP-ZE-0832**

<b>Price (Rials)</b>	<b>۱۰۵,۶۴۰,۰۰۰</b>	<b>۵۶,۶۵۰,۰۰۰</b>	<b>۶۹,۸۷۰,۰۰۰</b>	<b>۱۵۶,۸۳۰,۰۰۰</b>
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/2.7"	1/1.8"
<b>Lens</b>	Motorized (2.7–13.5 mm)	3.6 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
<b>Viewing Angle</b>	104°-27°	84°	103°/80°	114°-47°
<b>Night Vision Distance</b>	IR 60 M	IR 50 M	Warmlight/ IR 30 M	IR 50 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG
<b>Protection</b>	IP67,IK10	IP67	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, AWB, AGC, ePoE

25

26

27

28

**Dahua**

DH-IPC-HFW2439SP-SA-LED-0360B-S2

DH-IPC-HFW4431EP-S-S4

DH-IPC-HDW3441TMP-AS

DH-IPC-HDW1431T1P-0280B-S4



Price (Rials)	۴۹,۳۱۰,۰۰۰	۵۶,۴۴۰,۰۰۰	۶۳,۹۸۰,۰۰۰	۲۱,۹۷۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
<b>Viewing Angle</b>	81°	81°	102°/84°	93°
<b>Night Vision Distance</b>	Warmlight/IR 30 M	IR 80 M	IR 30 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	No	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67, IK10	IP67	IP67
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ROI, AWB, AGC

29

30

31

32

**Dahua****DH-IPC-HDBW1431EP-S4****DH-IPC-HDW2431TP-AS-S2****DH-IPC-HDBW2431EP-S-0360B-S2****DH-IPC-HDBW2431RP-ZS-S2**

<b>Price (Rials)</b>	۴۲,۰۹۰,۰۰۰	۳۵,۷۰۰,۰۰۰	۴۳,۰۰۰,۰۰۰	۵۷,۷۴۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
<b>Sensor Size</b>	1/3"	1/3"	1/3"	1/3"
<b>Lens</b>	2.8 Fixed	3.6 Fixed	3.6 Fixed	Motorized (2.7–12 mm)
<b>Viewing Angle</b>	104°	84°	84°	114°-27°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 30M	IR 30M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	Yes	Yes	Yes
<b>SD Card Support</b>	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
<b>Protection</b>	IP67, IK10	IP67	IP67, IK10	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, ePoE, AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire   Intrusion), digital watermarking	3D NR, HLC, BLC, ROI	3D NR, HLC, BLC, ROI

33

34

35

36

**Dahua****DH-IPC-HDW2431TMP-AS-S2****DH-IPC-HDW2439TP-AS-LED-S2****DH-IPC-HDW3449TMP-AS-LED****DH-IPC-HDBW5442EP-ZE**

<b>Price (Rials)</b>	۵۶,۱۷۰,۰۰۰	۴۲,۳۱۰,۰۰۰	۵۶,۵۴۰,۰۰۰	۱۴۷,۴۱۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome
<b>Max Resolution</b>	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	4MP(2688×1520) @25/30fps
<b>Sensor Size</b>	1/3"	1/3"	1/2.7"	1/1.8"
<b>Lens</b>	2.8 Fixed	2.8 Fixed	2.8/3.6 Fixed	Motorized (2.7–12 mm)
<b>Viewing Angle</b>	102°	96°	103°/80°	114°-47°
<b>Night Vision Distance</b>	Starlight/ IR 30M	Warm light/IR 30 M	Warmlight/IR 30 M	IR 40 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 140db
<b>Built in Mic</b>	Yes	Yes	Yes	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	SMART H.264/H.265	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67	IP67	IP67, IK10
<b>Other Features</b>	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, ePoE, AWB, AGC

37

38

39

**Dahua****DH-IPC-HFW2531SP-S-0360B-S2****DH-IPC-HDBW2531EP-S-S2****DH-IPC-HFW2831S-S-0360B-S2**

<b>Price (Rials)</b>	۳۶,۸۵۰,۰۰۰	۳۶,۸۵۰,۰۰۰	۵۵,۴۸۰,۰۰۰
<b>Camera Type</b>	Bullet	Dome	Bullet
<b>Max Resolution</b>	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps	8MP(3840×2160) @20fps
<b>Sensor Size</b>	1/2.7"	1/2.7"	1/2.7"
<b>Lens</b>	2.8/3.6 Fixed	2.8/3.6 Fixed	3.6 Fixed
<b>Optical zoom</b>	103°/84°	103°/84°	87°
<b>Night Vision Distance</b>	Starlight/IR 30 M	Starlight/IR 30 M	Starlight/IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	No	No
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
<b>Power Supply</b>	12V DC or POE	12V DC or POE	12V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
<b>Protection</b>	IP67	IP67, IK10	IP67
<b>Other Features</b>	3D NR, HLC, BLC	3D NR, HLC, BLC	3D NR, HLC, BLC

40

41

42

**Dahua****DH-SD5A232XA-HNR****DH-SD49225XA-HNR-S3****DH-SD5A432XA-HNR**

	<b>٣٩٩,٦١٠,٠٠٠</b>	<b>٢٤٨,٥٣٠,٠٠٠</b>	<b>٣٩٩,٤٥٠,٠٠٠</b>
<b>Camera Type</b>	PTZ	PTZ	PTZ
<b>Max Resolution</b>	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	4.9–156 mm	4.8–120 mm	4.9–156 mm
<b>Optical zoom</b>	32x	25x	32x
<b>Night Vision Distance</b>	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	No	No	Yes
<b>SD Card Support</b>	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
<b>Power Supply</b>	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
<b>Video Compression</b>	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
<b>Protection</b>	IP67/IK10	IP66	IP67/IK10
<b>Other Features</b>	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, ROI, 2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, ROI, 2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

43

44

45

46

**Dahua****DHI-NVR1104HS-S3/H****DH-NVR4104HS-4KS2/L****DHI-NVR4104HS-P-4KS2/L****DHI-NVR1108HS-S3/H**

<b>Price (Rials)</b>	۳۱,۰۰۰,۰۰۰	۵۹,۰۷۰,۰۰۰	۷۹,۳۰۰,۰۰۰	۲۹,۱۴۰,۰۰۰
<b>NVR Type</b>	4 Ch	4 Ch	4 Ch	8 Ch
<b>Input BandWidth</b>	80Mbps	80Mbps	80Mbps	80Mbps
<b>Output Bandwidth</b>	60Mbps	48Mbps	60Mbps	60Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
<b>POE Ports</b>	-	-	4 POE Ports	-
<b>SATA Interface</b>	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
<b>Network Interface</b>	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 100M
<b>Chassis</b>	Standalone 1U	Compact 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+ / Smart H.264+ / H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1

47

48

49

50

**Dahua****DH-NVR4108HS-4KS2****DHI-NVR4108HS-4KS2/L****DH-NVR2108-8P-4KS2****DHI-NVR2108HS-I**

Price (Rials)	۱,۹۰۰,۰۰۰	۵۶,۷۳۰,۰۰۰	۸۴,۸۱۰,۰۰۰	۵۱,۲۶۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	48Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 8TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Smart 1U	Standalone 1U
Other Features	Smart H.265+/ Smart H.264+/ H.265/ H.264/  · Supports remote configuration and management of IPC	AI by Camera: Face detection, perimeter protection, IVS, people counting, heat map, and SMD	H.264/H.265/Smart H.264+/Smart H.265+/JPEG	H.264/H.265/Smart H.264+/Smart H.265+/JPEG Alarm I/O 4/1

51

52

53

54

**Dahua****DH-NVR2108HS-8P-4KS2****DHI-NVR5208-4KS2****DHI-NVR5208-8P-4KS2****DHI-NVR2216-I**

Price (Rials)	۵۸,۵۴۰,۰۰۰	۱۰۹,۲۵۰,۰۰۰	۱۵۱,۲۹۰,۰۰۰	۱۰۱,۶۴۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	16 Ch
Input BandWidth	8Mbps	320Mbps	320Mbps	80Mbps
Output Bandwidth	8Mbps			80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12Mp	Upto 12MP	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	8 POE Ports	-	8 POE Ports	-
SATA Interface	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Standalone 1U	Standalone 1U	1U Lite
Other Features	H.264/H.265/Smart H.264+/Smart H.265+/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264

55

56

57

58

**Dahua****DH-NVR2216-I2****DH-NVR2216-4KS2****DHI-NVR4116HS-4KS2/L****DHI-NVR4216-4KS2/L**

<b>Price (Rials)</b>	1,2,520,000	67,260,000	62,220,000	88,100,000
<b>NVR Type</b>	16 Ch	16 Ch	16 Ch	16 Ch
<b>Input BandWidth</b>	144Mbps	80Mbps	80Mbps	160Mbps
<b>Output Bandwidth</b>	72Mbps	80Mbps	60Mbps	64Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
<b>Video Output</b>	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
<b>POE Ports</b>	-	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 100M	1 RJ45 1000M
<b>Chassis</b>	1U	Standalone 1U	Compact 1U	Standalone 1U
<b>Other Features</b>	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	H.265/H.264	Smart H.265/H.264	Smart H.265/H.265/Smart H.264/H.264/MJPEG

59

60

61

62

**Dahua****DHI-NVR4216-16P-4KS2/L****DHI-NVR5216-4KS2****DHI-NVR4232-4KS2****DHI-NVR4232-4KS2/L**

<b>Price (Rials)</b>	۱۸۷,۰۷۰,۰۰۰	۱۶۷,۰۳۰,۰۰۰	۷۴,۳۹۰,۰۰۰	۱۱۵,۶۲۰,۰۰۰
<b>NVR Type</b>	16 Ch	16 Ch	32 Ch	32 Ch
<b>Input BandWidth</b>	160Mbps	320Mbps	200Mbps	160Mbps
<b>Output Bandwidth</b>	64Mbps	320Mbps	96Mbps	48Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out			
<b>Decoding Capacity</b>	Upto 8MP	Upto 24MP	Upto 8MP	Upto 8MP
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA			
<b>POE Ports</b>	16 POE Ports	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
<b>Chassis</b>	Standalone 1U	Standalone 1U	Standalone 1U	Standalone 1U
<b>Other Features</b>	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

63

64

65

66

**Dahua****DHI-NVR5232-4KS2(V2.0)****DHI-NVR4432-4KS2/L****DHI-NVR5432-4KS2(V2.0)****DHI-NVR608-32-4KS2**

Price (Rials)	۱۶۱,۷۰۰,۰۰۰	۱۵۴,۶۸۰,۰۰۰	۲۳۵,۲۹۰,۰۰۰	۴۰۹,۸۰۰,۰۰۰
<b>NVR Type</b>	32 Ch	32 Ch	32 Ch	32 Ch
<b>Input BandWidth</b>	320Mbps	200Mbps	320Mbps	384Mbps
<b>Output Bandwidth</b>	320Mbps	96Mbps	320Mbps	384Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 12MP	Upto 8MP	Upto 12MP	Upto 12MP
<b>Video Output</b>	1 Port HDMI : 4k 1 Port VGA : 1080p	1 Port HDMI : 4k 1 Port VGA : 1080p	2 Port HDMI : 4k, 1080p 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
<b>POE Ports</b>	-	-	-	-
<b>SATA Interface</b>	2 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 10TB
<b>Network Interface</b>	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
<b>Chassis</b>	Standalone 1U	1.5U	1.5U	2U
<b>Other Features</b>	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

Dahua

DH-NVR608-64-4KS2



<b>Price (Rials)</b>	۷۷۴,۷۳۰,۰۰۰
<b>NVR Type</b>	64 Ch
<b>Input BandWidth</b>	384Mbps
<b>Output Bandwidth</b>	384Mbps
<b>Audio Input/Output</b>	1Ch. In/ 1Ch. Out
<b>Decoding Capacity</b>	Upto 12MP
<b>Video Output</b>	2 Port HDMI : 4k 2 Port VGA : 1080p
<b>POE Ports</b>	-
<b>SATA Interface</b>	8 HDD up to 64TB
<b>Network Interface</b>	2 RJ45 1000M
<b>Chassis</b>	2U
<b>Other Features</b>	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video

# Tiandy

لیست قیمت (سنه بهار ۱۴۰۲)

تارتون دژ آریانا

نمایندگی مرکزی محصولات تیاندی

تمامی کالاها دارای ۳۶ ماه گارانتی معتربر

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۳۴۰۸۹۹




7



## تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند



Tiandy

## ویژگی های برنده تیاندی:

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک
- دارای 3 سال گارانتی شرکت پارس ارتباط
- دارای خط تولید در داخل کشور
- مورد تایید سازمان ها و ارگان های دولتی
- بهترین کیفیت با قیمت مناسب
- پشتیبانی از پروتکل ONVIF
- دید در شب رنگی با حداقل لوکس نوری (0.0008)



	1	2	3	4	5	6
Tiandy	<b>TC-C32QN</b> I3/E/Y/2.8mm/V5	<b>TC-C32GN</b> I5/E/Y/C/2.8mm	<b>TC-C32GS</b> I5/E/Y/C/SD/2.8mm	<b>TC-C32WS</b> I5/E/Y/M/4mm/V4.0	<b>TC-C32WP</b> I5/E/M/Y/4mm	<b>TC-C32WP</b> W/E/Y/4mm

**Tiandy**



<b>Price (Rials)</b>	۱۹,۹۰۰,۰۰۰	۲۷,۹۰۰,۰۰۰	۳۰,۰۰۰,۰۰۰	۶۹,۲۰۰,۰۰۰	۵۹,۷۰۰,۰۰۰	۴۲,۳۰۰,۰۰۰
<b>Camera Type</b>	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
<b>Max Resolution</b>	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
<b>Sensor Size</b>	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	4mm	4mm	4mm
<b>Viewing Angle</b>	102.8°	99.7°	99.7°	85.1°	83.3°	83.3°
<b>Night Vision Distance</b>	IR 30 M	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M
<b>Dynamic Range</b>	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	N/A	N/A	N/A	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67	IP67	IP67	IP67	IP67	IP66
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C32QN</a>	<a href="#">TC-C32GN</a>	<a href="#">TC-C32GS</a>	<a href="#">TC-C32WS</a>	<a href="#">TC-C32WP</a>	<a href="#">TC-C32WP/W</a>

	7	8	9	10	11	12
Tiandy	<b>TC-C32WP</b> W/E/Y/2.8mm	<b>TC-C32XN</b> I3/E/Y/2.8mm/V5	<b>TC-C32HN</b> I3/E/Y/C/2.8mm/V4.0	<b>TC-C32HS</b> I3/E/Y/C/SD/2.8mm	<b>TC-C32XP</b> W/E/Y/2.8mm/V4.0	<b>TC-C34WS</b> I5/E/Y/M/2.8mm

**Tiandy**



<b>Price (Rials)</b>	۴۲,۳۰۰,۰۰۰	۱۹,۹۰۰,۰۰۰	۲۷,۶۰۰,۰۰۰	۲۴,۶۵۰,۰۰۰	۴۸,۰۰۰,۰۰۰	۶۳,۰۰۰,۰۰۰
<b>Camera Type</b>	Bullet	Dome	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@30fps)	2MP(1920×1080@25fps)	4MP(2560x1440@25fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.9"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm
<b>Viewing Angle</b>	99.7°	99.7°	97.4°	99.7°	99.7°	92.1°
<b>Night Vision Distance</b>	Warm Light 15~20M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 50 M
<b>Dynamic Range</b>	WDR 120db	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	Yes	Yes	N/A	N/A	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67	IP67	IP66	IP66	IP67	IP67
<b>VCA</b>	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C32WP/W</a>	<a href="#">TC-C32XN</a>	<a href="#">TC-C32HN</a>	<a href="#">TC-C32HS</a>	<a href="#">TC-C32XP</a>	<a href="#">TC-C34WS</a>

	13	14	15	16	17	18
Tiandy	<b>TC-C34WS</b> I5/E/Y/M/4mm	<b>TC-C34GN</b> I5/E/Y/C/2.8mm	<b>TC-C34GS</b> I5/E/Y/C/4mm/V4.0	<b>TC-C34GS</b> I5/E/Y/C/SD/2.8mm	<b>TC-C34WP</b> W/E/Y/M/4mm/V4.0	<b>TC-C34LP</b> I5/A/E/M/H/2.7-13.5mm

**Tiandy**



Price (Rials)	۶۳,۰۰۲,۰۰۰	۲۵,۸۵۰,۰۰۰	۲۸,۷۰۰,۰۰۰	۲۸,۷۰۰,۰۰۰	۶۴,۲۰۰,۰۰۰	۱۵۴,۰۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2592x1520@30fps)
Sensor Size	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/1.8"
Lens	4mm	2.8mm	4mm	2.8mm	4mm	Motorized 2.7-13.5mm
Viewing Angle	76.7°	103.4°	88.2°	103.4°	78°	114°~497°
Night Vision Distance	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	SuperStarlight/IR 80M
Dynamic Range	WDR 120db	DWDR	DWDR	DWDR	WDR 120db	WDR 140db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG
Protection	IP67	IP67	IP67	IP67	IP67	IP67,IK10
VCA	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification				
Click for Details	<a href="#">TC-C34WS</a>	<a href="#">TC-C34GN</a>	<a href="#">TC-C34GS</a>	<a href="#">TC-C34GS</a>	<a href="#">TC-C34WP</a>	<a href="#">TC-C34LP</a>

	19	20	21	22	23	24
Tiandy	<b>TC-C34KS</b>	<b>TC-C34HN</b>	<b>TC-C34HS</b>	<b>TC-C34HS</b>	<b>TC-C34XP</b>	<b>TC-C35US</b>
	I3/E/Y/2.8mm	I3/E/Y/C/2.8mm	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm

**Tiandy**



<b>Price (Rials)</b>	۵۰,۹۵۰,۰۰۰	۳۵,۸۵۰,۰۰۰	۳۷,۲۸۰,۰۰۰	۳۹,۷۸۰,۰۰۰	۵۱,۹۸۰,۰۰۰	۹۰,۵۰۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Dome	Dome	Dome	Bullet
<b>Max Resolution</b>	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm
<b>Viewing Angle</b>	92.1°	99.7°	103.4°	99.7°	93.8°	96.8°~32.7°
<b>Night Vision Distance</b>	IR 30 M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M
<b>Dynamic Range</b>	WDR 120db	DWDR	WDR 120db	DWDR	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
<b>Reset Button</b>	Yes	N/A	N/A	N/A	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
<b>Protection</b>	IP67,IK10	IP66	IP66	IP66	IP67	IP67
<b>VCA</b>	Tripwire, Perimeter					
<b>Click for Details</b>	<a href="#">TC-C34KS</a>	<a href="#">TC-C34HN</a>	<a href="#">TC-C34HS</a>	<a href="#">TC-C34HS</a>	<a href="#">TC-C35MP</a>	<a href="#">TC-C35US</a>

	25	26	27	28
Tiandy	<b>TC-C35KS</b> I3/E/Y/M/H/2.8mm/ V4.0	<b>TC-C35MS</b> I3/A/E/Y/M/2.8-12mm	<b>TC-C38WS</b> I5/E/Y/M//4mm/V4.0	<b>TC-C38KS</b> I3/E/Y/2.8mm/V4.0



# Tiandy

<b>Price (Rials)</b>	۱۰,۹۹۷,۰۰۰	۹۰,۵۰۰,۰۰۰	۹۰,۶۸۸,۰۰۰	۹۰,۷۰۰,۰۰۰
<b>Camera Type</b>	Dome	Dome	Bullet	Dome
<b>Max Resolution</b>	5MP(2592x1944@20fps)	5MP(2592x1944@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)
<b>Sensor Size</b>	1/2.8"	1/2.8"	1/2.8"	1/2.8"
<b>Lens</b>	2.8mm	Motorized 2.8-12mm	4mm	2.8mm
<b>Viewing Angle</b>	95.6°	96°~32.7°	86.6°	101.3°
<b>Night Vision Distance</b>	Starlight/IR 30M	Starlight/IR 30M	IR 50 M	IR 30 M
<b>Dynamic Range</b>	WDR 120db	WDR 120db	WDR 120db	WDR 120db
<b>Built in Mic</b>	Yes	Yes	Yes	Yes
<b>SD Card Support</b>	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)
<b>Reset Button</b>	Yes	Yes	Yes	Yes
<b>Video Compression</b>	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
<b>Protection</b>	IP67,IK10	IP67,IK10	IP67	IP67,IK10
<b>VCA</b>	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
<b>Click for Details</b>	<a href="#">TC-C35KS</a>	<a href="#">TC-C35MS</a>	<a href="#">TC-C38WS</a>	<a href="#">TC-C38KS</a>

Tiandy	TC-H324S
Spec:25X/I/E	



# Tiandy

Price (Rials)	۳۰۰,۰۰۰,۰۰۰
Camera Type	PTZ
Max Resolution	2MP(1920×1080@25fps)
Sensor Size	1/2.8"
Lens	Varifocal4.8mm~120mm
Viewing Angle	58.5°~2.8°
Night Vision Distance	IR 150 M
Dynamic Range	WDR 140db
Built in Mic	No
SD Card Support	Yes (Up to 512G)
Reset Button	Yes
Video Compression	S+265/H.265/H.264/M-JPEG
Protection	IP66
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture
Click for Details	<a href="#">TC-H324S</a>

	30	31	32	33	34	35
Tiandy	TC-R3105 Spec: I/B/L	TC-R3105 Spec:I/B/V3.0	TC-R3110 Spec:I/B	TC-R3120 Spec:I/B	TC-R3120 Spec:I/B/V3.0	TC-R3220 Spec:I/B/K

**Tiandy**



Price (Rials)	۲۹,۹۹۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲۰	۵۴,۵۰۰,۰۰۰	۷۳,۱۵۰,۰۰۰	۸۱,۱۰۰,۰۰۰	۱۲۱,۹۰۰,۰۰۰
Video Input	5-ch	5-ch	10-ch	20-ch	20-ch	20-ch
Recording Resolution	6MP/5MP/4MP/3MP/1080P/ UXGA/720P/VGA/4CIF/ /720P/VGA/4CIF/DCIF/ 2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/ 720P/VGA/4CIF/DCIF/2CIF/C IF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1 DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1 DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1× 5MP, 1× 4MP, 3× 1080P, 5× 720P, 5× 4CIF	1× 5MP, 1× 4MP, 3× 1080P, 5× 720P, 5× 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF
HDD	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB
Input Bandwidth	50Mbps	40Mbps	40Mbps	80Mbps	80Mbps	120Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	100Mbps
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	<a href="#">TC-R3105</a>	<a href="#">TC-R3105</a>	<a href="#">TC-R3110</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3120</a>	<a href="#">TC-R3220</a>

	36	37	38	39	40	41
Tiandy	TC-R3220 Spec:I/B/P16/K/V3.0	TC-R3240 Spec:I/B/N/H	TC-R3440 Spec:I/B/N/H/C	TC-R3440 Spec:I/B/P16/H	TC-R3840 Spec:I/B/N	TC-R3880 Spec:I/B/N

**Tiandy**



Price (Rials)	۲۴۹,۹۰۰,۰۰۰	۲۰,۰۰۰,۰۰۰	۲۱۹,۵۰۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲
Video Input	20-ch/16P	40-ch	40-ch	40-ch/16P	40-ch	80-ch
Recording Resolution	8MP/6MP/5MP/3MP/1080P/ UXGA/720P/VGA/4CIF/DCIF/ 2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1x 8MP, 1x 6MP, 1x 5MP, 2x 4MP, 2x 3MP, 4x 1080P, 8x 720P	3x 12MP, 4x 8MP, 4x6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 32x 720P, 40x 4CIF	3x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 16x720P	3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P	2x12MP, 4x4K, 5x5MP, 8x4MP, 16x1080P, 16x720P	x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 16x720P
HDD	2 up to 10TB	2 up to 10TB	4 up to 10TB	4 up to 10TB	8 up to 10TB	8 up to 10TB
Input Bandwidth	120Mbps	320Mbps	200Mbps	320Mbps	400Mbps	320Mbps
Output Bandwidth	100Mbps	320Mbps	200Mbps	320Mbps	200Mbps	320Mbps
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	2 Port HDMI : 4K 2 Port VGA	2 Port HDMI : 4K 2 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	<a href="#">TC-R3220 /16P</a>	<a href="#">TC-R3240</a>	<a href="#">TC-R3440</a>	<a href="#">TC-R3440/16P</a>	<a href="#">TC-R3840</a>	<a href="#">TC-R3880</a>

Tiandy	TC-R31680
	Spec:E/B/N

# Tiandy



Price (Rials)	Call: +٩٦٠-٨٨٥٠٠٠٢٠
Video Input	80-ch
Recording Resolution	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCI
Playback Capability	2x12MP, 4x4K, 5x5MP, 8x4MP, 16x1080P, 16x720P
HDD	16 up to 10TB
Input Bandwidth	400Mbps
Output Bandwidth	200Mbps
Network Interface	2 RJ45 1000M
Video Output	2 Port HDMI : 4K 2Port VGA
Video Compression	S+265/H.265/H.264
Click for Details	<a href="#">TC-R31680</a>