

HiLook

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1

2

3

4

5

6

THC-B110-M

THC-B120-P

THC-B120-PC

THC-B120-M

THC-B120-MS

THC-B120-MC

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٠٢٠	١١,٥٩٠,٠٠٠	٩,٧٩٠,٠٠٠	Call: +٢١-٨٨٥٠٠٠٢٠	١٥,٠٣٠,٠٠٠	١١,٥٤٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Plastic	Plastic	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

7

8

9

10

11

12

THC-B123-M

THC-B140-P

THC-B140-M

THC-B150-M

THC-B220

THC-B220C

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

4 Megapixel

4 Megapixel

5 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Plastic

Metal

Metal

Metal & Plastic

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes

WDR

Yes

No

No

No

No

DWDR

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220-M

THC-B240

THC-B240-M

THC-T110-P

THC-T120

THC-T120-PC

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٢٠		Call: +٢١-٨٨٥٠٠٢٠		Call: +٢١-٨٨٥٠٠٢٠		Call: +٢١-٨٨٥٠٠٢٠		٨,١٨٠,٠٠٠	Call: +٢١-٨٨٥٠٠٢٠	
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°/85°/65°	105°/85°/65°	105°/85°/65°	105°/85°/65°	105°	105°	105°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Metal	Metal	Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes	No	Yes	No	No	No	No	No	No	No	No
WDR	No	No	No	No	No	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

19

20

21

22

23

24

THC-T120-PS

THC-T120-M

THC-T120-MS

THC-T123

THC-T123-P

THC-T140-P

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۱۳,۴۶۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°/85°/65°

105°

105°

IR Range

Up to 20m

Up to 20m (EXIR)

Up to 20m

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 20m (EXIR)

Body Type

Plastic

Metal

Metal

Metal

Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

Yes

No

Other Features

Built in Mic, Smart IR,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
BLC, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

25

26

27

28

29

30

THC-T140

THC-T140-M

THC-T220-P

THC-T220-PC

THC-T220-M

THC-T240-P

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

١٤,٢٩٠,٠٠٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

١٥,٢٧٠,٠٠٠

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

4 Megapixel

4 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal

Plastic

Plastic

Metal

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

31

32

33

34

35

36

THC-T240-M

THC-B320-VF

THC-B340-VF

THC-D320-VF

THC-D340-VF

THC-T320-VF

HiLook



Price (Rials)

١٤,٥٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

٢٧,٤٣٠,٠٠٠

٢٤,٩١٠,٠٠٠

٢٨,٤٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

Camera Type

Dome

Bullet

Bullet

Dome

Dome

Dome

Resolution

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

2.8 - 12mm Varifocal

Viewing Angle

105°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal

Metal

Metal & Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

THC-T340-VF

HiLook



Price (Rials)	۲۷,۴۳۰,۰۰۰
Camera Type	Dome
Resolution	4 Megapixel
Lens	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°
IR Range	Up to 40m (EXIR)
Body Type	Metal & Plastic
IP Standard	IP66
OSD Menu	No
WDR	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

38

39

PTZ-T4215I-D

PTZ-T4225I-D

HiLook



Price (Rials)	110,940,000	120,210,000
Camera Type	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x
IR Range	Up to 100m	Up to 100m
Body Type	-	-
IP Standard	IP66	IP66
OSD Menu	-	-
WDR	No	Yes
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

40

41

42

43

44

45

DVR-104G-F1

DVR-108G-F1

DVR-116G-F1

DVR-204G-F1

DVR-208G-F1

DVR-216G-F1

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۴۵,۵۴۰,۰۰۰

DVR Type

4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS

Analog Video Input

4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16Ch. HDTV/Analog
AHD Up to 2MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 4TB

1 HDD up to 4TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.265+

H.265+

H.264+

H.264+

H.264+

H.264+

Other Features

Smart search for
efficient playbackSmart search for
efficient playbackMax. 1200 m for 720p
HDTV signal
transmissionSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP cameras

46

47

48

49

50

51

DVR-216G-K1

DVR-232G-K2

DVR-204Q-F1

DVR-204Q-K1

DVR-208Q-F1

DVR-208Q-K1

HiLook



Price (Rials)

۵۲,۷۸۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS

Analog Video Input

16 Ch. HDTV/Analog
Up to 3MP32 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 3MP8 Ch. HDTV/Analog
Up to 3MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.264+

H.265 Pro+

H.264+

H.265+

H.264+

H.265+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storage

52

53

54

55

56

57

DVR-208Q-K2

DVR-216Q-F1

DVR-216Q-F2

DVR-216Q-K1

DVR-216Q-K2

DVR-232Q-K2

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS

Analog Video Input

8 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16Ch. HDTV/Analog
AHD Up to 5MP16Ch. HDTV/Analog
AHD Up to 6MP5 Ch. HDTV/Analog
Up to 4MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

2 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Compression Standard

H.265 Pro+

H.264+

H.264+

H.265+

H.265+

H.265 Pro+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protoco

58

59

60

61

62

63

DVR-204U-F1

DVR-204U-K1

DVR-208U-F1

DVR-208U-K1

DVR-216U-F2

DVR-216U-K2

HiLook



Price (Rials)	۴۲,۴۰,۰۰۰	۵۱,۸۷,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۱۳۴,۵۹,۰۰۰	۱۳۴,۵۹,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 5MP	4 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	16Ch. HDTV/Analog AHD Up to 5MP	16 Ch. HDTV/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras

HiLook


لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1	2	3	4	5	6
IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۰,۸۰۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۳,۱۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	DWDR	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220



Price (Rials)	۴۲,۹۵۰,۰۰۰	۲۶,۵۵۰,۰۰۰	۲۵,۳۶۰,۰۰۰	۲۵,۸۸۰,۰۰۰	۲۴,۸۴۰,۰۰۰	۲۹,۲۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
Body Type	Plastic	-	-	Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	DWDR	No	No	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	No	Yes	No	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H

HiLook



Price (Rials)	۲۹,۶۱۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۹,۸۵۰,۰۰۰	۳۰,۰۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۲۵,۸۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
Standard	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	No	No	No	No	No
WDR	No	DWDR	No	No	No	DWDR
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٠٢٠	٣٨,١٩٠,٠٠٠	٤٦,٢١٠,٠٠٠	٥٢,٠٣٠,٠٠٠	٦٠,٩٥٠,٠٠٠	٥٢,٢٧٠,٠٠٠
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	DWDR	No	Yes	No	No	DWDR
Microphone Support	No	No	No	No	No	Yes
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z

HiLook



Price (Rials)	۵۹,۵۱۰,۰۰۰	Call: ۰۲۱-۸۸۵۰۰۰۲۰	۶۷,۲۷۰,۰۰۰	۶۱,۰۶۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۶,۲۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
Standard	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes	Yes	No	No	No
WDR	DWDR	Yes	Yes	Yes	No	No
Microphone Support	Yes	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z

HiLook



Price (Rials)	۵۸,۶۸۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Dome	Dome
Resolution	4 Megapixel	4 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR
Body Type	Metal	Metal
Standard	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes
WDR	Yes	Yes
Microphone Support	No	No
POE	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

33

34

35

PTZ-N4215-DE3

PTZ-N4215I-DE

PTZ-N4225I-DE

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۸۸,۰۰۰,۰۰۰

۹۹,۴۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

Lens

5-75mm Varifocal

5-75mm Varifocal

4.8-120mm Varifocal

Viewing Angle

15x

15x

25x

IR Range

-

Up to 100m IR

Up to 100m IR

Body Type

-

-

-

Standard

-

IP66

IP66

SD Card Support

Yes

Yes

Yes

WDR

Yes

Yes

Yes

Microphone Support

No

No

No

POE

Yes

Yes

Yes

Other Features

H.265+, 3D DNR, BLC,

H.265+, 3D DNR, BLC

H.265+, 3D DNR, BLC

36

37

38

39

40

41

NVR-104-B

NVR-108-B

NVR-108-B/8P

NVR-104H-D

NVR-108H-D

NVR-104MH-C

HiLook



Price (Rials)	۲۱,۴۳۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۳۰,۴۹۰,۰۰۰	۲۰,۳۳۰,۰۰۰	۲۸,۴۷۰,۰۰۰	۲۶,۷۷۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42

43

44

45

46

47

NVR-104MH-C/4P

NVR-104MH-D

NVR-104MH-D/4P

NVR-108MH-C

NVR-108M-C/8P

NVR-108MH-D

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۲۵,۱۵۰,۰۰۰

۴۰,۱۴۰,۰۰۰

۴۲,۱۷۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۳۲,۰۹۰,۰۰۰

NVR Type

4-ch

4-ch

4-ch

8-ch

8-ch

8-ch

Input BandWidth

40Mbps

40Mbps

40Mbps

80Mbps

80Mbps

60Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

40Mbps

Resolution Support

8 Megapixel

4 Megapixel

4 Megapixel

8 Megapixel

8 Megapixel

8 Megapixel

Video Output

1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 1080P
1 Port VGA : 1080P

POE Ports

4 ch POE

-

4 ch POE

-

8 ch POE

-

Compression Standard

H.265+

H.265+

H.265+

H.265+

H.265+

H.264+

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

1 HDD up to 6TB

Other Features

VCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackSupport multiple VCA
(Video Content
Analytics) eventsVCA detection alarm,
Smart search, Smart
playback

48

49

50

51

52

NVR-108MH-D/8P

NVR-116MH-C

NVR-208MH-C

NVR-216MH-C

NVR-216MH-C/16P

HiLook



Price (Rials)	۴۷,۵۰۰,۰۰۰	۴۸,۶۴۰,۰۰۰	۴۲,۱۷۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback