

تارتن دژ آریانا

نمایندگی مرکزی محصولات هایک ویژن

لیست قیمت رسمی تابستان ۱۴۰۳

۰۲۱-۸۸۵۰۰۰۲۰





تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

1

2

3

4

5

6

Part Number

DS-2CE16D0T-ITPF

DS-2CE16D0T-ITPFS

DS-2CE16D0T-ITF

DS-2CE16D0T-ITFS

DS-2CE16D0T-ITFS

DS-2CE16D0T-EXIF



Price (Rials)

11,611,000

16,050,000

13,900,000

17,250,000

17,040,000

10,660,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Signal System

HDTVI,AHD,
HDCVI,ANLOG

HDTVI,AHD,
HDCVI,ANLOG

HDTVI,AHD,
HDCVI,ANLOG

HDTVI,AHD,
HDCVI,ANLOG

HDTVI,AHD,
HDCVI,ANLOG

HDTVI,AHD,
HDCVI,ANLOG

Lens

2.8mm Fixed

2.8/3.6/6mm Fixed

3.6mm Fixed

2.8mm Fixed

3.6mm Fixed

2.8/3.6mm Fixed

Viewing Angle

106.4°

106.4°/79.6° /51.9°

79.6°

106.4°

79.6°

102°/81°

IR Range

Up to 25m

Up to 25m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Up to 30m (Exir)

Up to 20m

IP Standard

IP67

IP67

IP67

IP67

IP67

IP66

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Other Features

Smart IR, HLC, DNR,
BLC, 2D DNR, Switchable

Smart IR, Switchable,
Built in mic

Smart IR, HLC, DNR,
BLC, 2D DNR, Switchable

HLC,2D DNR, BLC,
Switchable, Built-in
microphone

HLC,2D DNR, BLC,
Switchable, Built-in
microphone

2D DNR, BLC, Switchable

Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1

021-88500020



تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

7

8

9

10

11

12

Part Number

DS-2CE16D3T-ITF

DS-2CE16D3T-IT3F

DS-2CE17D0T-IT1F

DS-2CE17D0T-IT3F

DS-2CE10DF0T-F

DS-2CE10DF3T-F



Price (Rials)

21,660,000

21,780,000

17,670,000

22,680,000

31,460,000

23,790,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

2.8/3.6mm Fixed

2.8mm Fixed

2.8/3.6mm Fixed

2.8mm Fixed

2.8/3.6mm Fixed

3.6mm Fixed

Viewing Angle

106°/82°

106°

101°/79.6°

106.4°

98°/76°

77°

IR Range

Up to 30m (Exir)

Up to 50m (Exir)

Up to 30m (Exir)

Up to 40m

Up to 20m

Up to 20m (ColorVu)

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

WDR

Yes (120db)

Yes (120db)

DWDR

DWDR

DWDR

Yes (130db)

Other Features

3D DNR,HLC, BLC,
Switchable3D DNR,HLC, BLC,
Switchable3D DNR,HLC, BLC, AGC,
SwitchableHLC, BLC, AGC,
SwitchableHLC, BLC, AGC,
SwitchableHLC, BLC, Smart IR,
Switchable, 3D DNRClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020



13

14

15

16

17

18

Part Number

DS-2CE10DF3T-FS

DS-2CE12DF3T-F

DS-2CE12DF3T-FS

DS-2CE76D0T-ITPFS

DS-2CE76D0T-ITMF

DS-2CE76D0T-ITMFS



Price (Rials)

33,360,000

32,770,000

37,530,000

15,351,000

16,100,000

18,420,000

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

2.8mm Fixed

3.6mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8mm Fixed

Viewing Angle

98°

77°

98°

106°/79.6°/51°

101°

106.4°

IR Range

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 40m (ColorVu)

Up to 20m (Exir)

Up to 30m

Up to 30m (Exir)

IP Standard

IP67

IP67

IP67

IP66

IP67

IP67

WDR

Yes (130db)

Yes (130db)

Yes (130db)

DWDR

DWDR

DWDR

Other Features

HLC, BLC, Smart IR,
Switchable, 3D DNR,
Built in micHLC, BLC, Smart IR,
Switchable, 3D DNRHLC, BLC, Smart IR,
Switchable, 3D DNR,
Built in micSmart IR, HLC,BLC,
SwitchableSmart IR, ICR, HLC,BLC,
2D DNR, SwitchableICR,AGC, Switchable,
Built in micClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020



19

20

21

22

23

24

Part Number

DS-2CE76D3T-ITPF

DS-2CE76D3T-ITMF

DS-2CE56D0T-VFIR3F

DS-2CE78D0T-IT3FS

DS-2CE70DF0T-PF

DS-2CE70DF3T-PF



Price (Rials)

17,060,000

23,350,000

31,570,000

23,350,000

34,720,000

25,100,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

2.8/3.6/6mm Fixed

2.8mm Fixed

2.8 - 12mm VariFocal

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

3.6mm Fixed

Viewing Angle

106°/82°/51°

106°

105°/ 32°

98°/76°/50°

98°/76°/50°

77°

IR Range

Up to 30m(Exir)

Up to 30m(Exir)

Up to 40m

Up to 40m (Exir)

Up to 20m (ColorVu)

Up to 20m (ColorVu)

IP Standard

IP66

IP67

IP66

IP67

IP66

IP66

WDR

Yes (120db)

Yes (120db)

DWDR

DWDR

DWDR

Yes (130db)

Other Features

Smart IR, HLC,BLC,
SwitchableSmart IR, HLC,BLC,
Switchable, 3D DNRSmart IR, ICR, AGC,
SwitchableAGC, Switchable, Built
in Mic

AGC, Switchable

AGC, Switchable, 3D
DNRClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020



25

26

27

28

29

30

Part Number

DS-2CE72DF3T-F

DS-2CE16H0T-ITPFS

DS-2CE16H0T-ITPFS

DS-2CE16H0T-ITFS

DS-2CE17H0T-IT1F

DS-2CE17H0T-IT3F



Price (Rials)

24,880,000

20,330,000

20,980,000

22,580,000

23,230,000

22,810,000

Camera Type

Dome

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

5 Megapixel

5MP (2592*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

3.6mm Fixed

2.8mm Fixed

3.6mm Fixed

2.8/3.6/6mm Fixed

2.4/2.8/3.6mm Fixed

2.8mm Fixed

Viewing Angle

77°

85.5°

80.1°

85.5°/80.1°/57.1°

110°/85°/80°

85°

IR Range

Up to 40m (ColorVu)

Up to 25m (Exir)

Up to 25m (Exir)

Up to 30m (Exir)

Up to 30m

Up to 40m

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

WDR

Yes (130db)

DWDR

DWDR

DWDR

DWDR

DWDR

Other Features

AGC, Switchable, 3D
DNRSmart IR, HLC,BLC,AGC,
2D DNR, Switchable,
Built in MicSmart IR, HLC,BLC,AGC,
2D DNR, Switchable,
Built in Mic2D DNR, Switchable,
Built in MicSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, SwitchableClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020



31

32

33

34

35

36

Part Number

DS-2CE17H0T-IT3F

DS-2CE17H0T-IT3FS

DS-2CE17H0T-IT5F

DS-2CE56H0T-IT1F

DS-2CE76H0T-ITPF

DS-2CE76H0T-ITPFS



Price (Rials)

23,600,000

29,170,000

23,950,000

20,900,000

17,410,000

21,080,000

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

3.6mm Fixed

2.8mm Fixed

3.6/6/8mm Fixed

2.8/3.6/6mm Fixed

2.4mm Fixed

2.8mm Fixed

Viewing Angle

80°

85°

80°/57°/41°

105°/85°/65°

110°

85.5°

IR Range

Up to 40m

Up to 40m

Up to 80m

Up to 20m (Exir)

Up to 20m (Exir)

Up to 20m (Exir)

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Other Features

Smart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, 2D DNR,
HLC,BLC, Switchable,
Built in micSmart IR, 2D DNR,
HLC,BLC, SwitchableSmart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC, BLC,
HLCSmart IR, ICR, AGC, BLC,
Switchable, Built in micClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1

021-88500020



37

38

39

40

41

42

Part Number

DS-2CE76H0T-ITMF

DS-2CE76H0T-ITMFS

DS-2CE78H0T-IT1F

DS-2CE78H0T-IT3F

DS-2CE78H0T-IT3FS

DS-2CE79H0T-IT3ZF



Price (Rials)

20,990,000

23,780,000

23,360,000

25,790,000

24,910,000

44,830,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

5MP (2560*1944)

Signal System

HDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOGHDTVI,AHD,
HDCVI,ANLOG

Lens

2.8mm Fixed

2.8mm Fixed

2.4 mm Fixed

2.8/3.6/6mm Fixed

2.8/3.6/6mm Fixed

2.7-13.5mm Motorized

Viewing Angle

85°

85°

110°

85°/80°/57°

85.5°/80°/57°

95°-26°

IR Range

Up to 30m (Exir)

Up to 30m

Up to 30m (Exir)

Up to 40m (Exir)

Up to 40m

Up to 40m

IP Standard

IP67

IP67

IP67

IP67

IP67

IP67

WDR

DWDR

DWDR

DWDR

DWDR

DWDR

DWDR

Other Features

Smart IR, ICR, AGC, BLC,
SwitchableSmart IR, ICR, AGC, BLC,
Switchable, Built in micSmart IR, ICR, AGC,
BLC,HLC, SwitchableSmart IR, ICR, AGC,HLC,
BLC, SwitchableSmart IR, ICR, AGC,
Switchable, Built in micSmart IR, 2D DNR,
Switchable, AGCClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1

021-88500020



43

44

45

46

Part Number

DS-2CE72HFT-F28

DS-2CE72KF0T-FS

DS-2CE78U8T-IT3

DS-2AE4225TI-D



Price (Rials)

39,330,000

36,630,000

67,010,000

176,770,000

Camera Type

Dome

Dome

Dome

PTZ

Resolution

5MP (2560*1944)

3K (2960*1665)

8MP (3840*2160)

1920 × 1080

Signal System

HD-TVI

HD-TVI

HD-TVI

HD-TVI

Lens

2.8mm Fixed

2.8mm Fixed

2.8/3.6/6mm Fixed

4.8 mm-120mm

Viewing Angle

99.7°

102°

105°/85°/65°

25x Optical Zoom

IR Range

Up to 20m (ColorVu)

Up to 40m (ColorVu)

Up to 60m (Exir)

Up to 100m

IP Standard

IP67

IP67

IP67

IP66

WDR

Yes (130db)

DWDR

Yes (120db)

Yes (120db)

Other Features

Smart IR, 3D DNR

Smart IR, 3D DNR, Built in mic

Smart IR, ICR

Smart IR, ICR, Switchable, DarkFighter

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020

47

48

49

50

51

52

Part Number

DS-7216HGHI-K1

IDS-7204HQHI-M1/S

IDS-7208HQHI-M1/S

IDS-7208HQHI-M2/S

DS-7216HQHI-K1

DS-7216HQHI-M1/S



Price (Rials)

50,990,000

45,810,000

67,480,000

94,231,000

119,270,000

124,090,000

DVR Type

16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4+1 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 4MP8 Ch. HDTV/Analog
Up to 2MP16 Ch. HDTV/Analog
Up to 4MP16 Ch. HDTV/Analog
Up to 4MP

IP Video Input

2 Ch. Up to 5MP

1 Ch. Up to 6MP

2 Ch. Up to 6MP

Audio In/Out

1Ch. In / 1Ch. Out

Video Output

1 Port HDMI : 1080P
1 Port VGA1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI 1080P
1 Port VGA,
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS

SATA Interface

1 HDD up to 10TB

Other Features

H.265/H.265 pro+
Compression, ONVIF,
Deep learningH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
Smart SearchH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265 pro+
Compression, ONVIF,
VCA, Smart SearchClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1

021-88500020



53

54

55

56

57

58

Part Number

IDS-7216HQHI-M2/S

IDS-7232HQHI-K2

IDS-7232HQHI-M2/S

DS-7204HUHI-K1

DS-7204HUHI-K1/P

DS-7204HUHI-M1/S



Price (Rials)

151,190,000

235,590,000

235,930,000

66,310,000

66,070,000

67,770,000

DVR Type

16+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP32+2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP4 +2 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

16 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MP32 Ch. HDTV/Analog
Up to 4MPSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 5MP resolution
recording

IP Video Input

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 6MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

2 Ch. Up to 8MP

Audio In/Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Video Output

1 Port HDMI 1080P
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 4K
1 Port VGA
1Ch. CVBS1 Port HDMI : 1080P
1 Port VGA1 Port HDMI : 1080P
1 Port VGA
CVBS: PAL1 Port HDMI : 2K
1 Port VGA
CVBS: PAL

SATA Interface

2 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

1 HDD up to 10TB

Other Features

H.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265 Pro+/H.265
Pro/H.265/ Compression,
VCAH.265/H.265+
Compression, ONVIF,
VCA, Smart SearchH.265/H.265+ COMPR
Alarm In/Out : 4/1
Onvif, VCAH.265/H.265+ COMPR
Alarm In/Out : 4/1
Built-in PoCH.265/H.265+ COMPR
Alarm In/Out : N/AClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020



59

60

61

62

63

64

Part Number

DS-7208HUHI-M1/S

DS-7216HUHI-K2

IDS-7216HUHI-M2/S

DS-7316HUHI-F4/N

IDS-7204HTHI-M1/S

IDS-7208HTHI-M2/S



Price (Rials)

122,040,000

214,190,000

226,670,000

447,270,000

100,400,000

179,190,000

DVR Type

8 + 4 Ch. quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+16Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+8 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP16+2 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP4+8 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP8+16 Ch.quadruple Hybrid
HD-TVI /AHD/ Analog / IP

Analog Video Input

Support
Up to 8MP resolution
recordingSupport
Up to 5MP resolution
recordingSupport
Up to 8MP resolution
recordingSupport
Up to 3MP resolution
recordingSupport
Up to 8MP resolution
recordingSupport
Up to 8MP resolution
recording

IP Video Input

4 Ch. Up to 8MP

16 Ch. Up to 8MP

8 Ch. Up to 8MP

2 Ch. Up to 8MP

8 Ch. Up to 8MP

16 Ch. Up to 8MP

Audio Int/Out

1Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

4Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Video Output

1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA
CVBS: PAL1 Port HDMI : 4K
1 Port VGA
CVBS: PAL2 Port HDMI : 4K/1080p
1 Port VGA
CVBS: PALPort HDMI : 4K
1 Port VGA
CVBS: PALPort HDMI : 4K
1 Port VGA
CVBS: PAL

SATA Interface

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

4 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 10TB

Other Features

H.265 Pro+/H.265 Pro,
OnvifH.265/H.265+ COMPR
Alarm In/Out : 16/4H.265/H.265+ COMPR
Alarm In/Out : N/AH.265/H.265+ COMPR
Alarm In/Out : N/AH.265/H.265+ COMPR
Alarm In/Out : N/AH.265/H.265+ COMPR
Alarm In/Out : N/AClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول




تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1



021-88500020





تارتن دژ آریانا

نمایندگی مرکزی محصولات هایک ویژن

لیست قیمت رسمی تابستان ۱۴۰۳

۰۲۱-۸۸۵۰۰۰۲۰





1

2

3

4

5

6

Part Number

DS-2CD1021G0E-I

DS-2CD1023G0E-I

DS-2CD1043G0-I

DS-2CD1053G0-I

DS-2CD1043G2-LIU

DS-2CD1063G2-LIUF



Price (Rials)

21,156,500

28,290,000

39,710,000

38,430,000

40,470,000

45,300,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2MP (1920x1080)

2MP (1920x1080)

4MP (2560x1440)

5MP (2560 x 1920)

4MP (2560x1440)

6MP (3200x1800)

Lens

2.8/4 mm Fixed

2.8 mm Fixed

Viewing Angle

112.1°/90.2°

112.1°

98.0°

98.0°

98.0°

105°

IR Range

Up to 30m

SD Card

No

No

No

No

No

Yes (Up to 256G)

Microphone

No

No

No

No

Yes

Yes

WDR

DWDR

DWDR

DWDR

DWDR

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, H.265+
COMP,PIR3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, ROI, H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک 1

021-88500020



7

8

9

10

11

12

Part Number

DS-2CD1067G2-L

DS-2CD1123G0E-I

DS-2CD1143G0-I

DS-2CD1143G2-LIU

DS-2CD1153G0-I

DS-2CD1347G0-L



Price (Rials)

61,510,000

28,410,000

44,870,000

42,770,000

54,540,000

64,960,000

Camera Type

Bullet

Dome

Dome

Dome

Dome

Dome

Resolution

6MP (3200×1800)

2MP (1920×1080)

4MP (2560×1440)

4MP (2560×1440)

5MP (2560×1920)

4MP (2560×1440)

Lens

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

4 mm Fixed

2.8/4 mm Fixed

Viewing Angle

117°

114.8°

98°

98°/78.7°

75.3°

96.5°/75.8°

IR Range

Up to 30m (Color Vu)

Up to 30m

Up to 30m

Up to 30m

Up to 30m

Up to 30m (Color Vu)

SD Card

No

No

No

No

No

No

Microphone

No

No

No

Yes (Built in MIC)

No

No

WDR

Yes (120db)

DWDR

DWDR

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, ROI,
H.265+ COMP

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, ROI, VCA,
H.265+ COMP3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, H.265+
COMP3D DNR, BLC, ROI, H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



13

14

15

16

17

18

Part Number

DS-2CD1357G0-L

DS-2CD2021G1-I

DS-2CD2023G2-I

DS-2CD2025FHWD-I

DS-2CD2027G2-L

DS-2CD2043G2-I



Price (Rials)

67,930,000

53,730,000

65,850,000

76,840,000

76,390,000

71,570,000

Camera Type

Dome

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

5MP (2560x1920)

2MP (1920x1080)

2MP (1920x1080)

2MP (1920x1080)

2MP (1920x1080)

4MP (2560x1440)

Lens

2.8/4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

Viewing Angle

95°/76°

111.6°

107°

86.4°

107°

103°

IR Range

Up to 30m (Color Vu)

Up to 30m (EXIR)

Up to 40m

Up to 30m

Up to 40m (Color Vu)

Up to 40m

SD Card

No

Yes (Up to 256 G)

No

Yes (Up to 128 G)

Yes (Up to 256 G)

Yes (Up to 256 G)

Microphone

No

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, H.265+ COMP

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, HLC, H.265+ COMP

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



19

20

21

22

23

24

Part Number

DS-2CD2043G2-IU

DS-2CD2046G2-I

DS-2CD2063G2-I

DS-2CD2066G2-I

DS-2CD2083G2-I

DS-2CD2085G1-I



Price (Rials)

77,470,000

81,280,000

75,040,000

86,250,000

69,230,000

100,850,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

4MP (2560×1440)

4MP (2688×1520)

6MP (3200×1800)

6MP (3200×1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

2.8 mm Fixed

2.8/4 mm Fixed

Viewing Angle

103°

103°

105°

105°

107°

102°/78°

IR Range

Up to 40m

Up to 30m

SD Card

Yes (Up to 256 G)

Yes (Up to 512 G)

Yes (Up to 128 G)

Microphone

Yes (Built in MIC)

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



25

26

27

28

29

30

Part Number

DS-2CD2086G2-I

DS-2CD2087G2-LU

DS-2CD2123G2-IU

DS-2CD2126G2-ISU

DS-2CD2143G2-IU

DS-2CD2163G2-IU



Price (Rials)

108,640,000

156,550,000

61,500,000

79,850,000

58,210,000

62,270,000

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Resolution

8MP (3840 × 2160)

8MP (3072×1728)

2MP (1920×1080)

2MP (1920×1080)

4MP (2688 × 1520)

6MP (3200 × 1800)

Lens

2.8 mm Fixed

Viewing Angle

111°

102°

107°

107°

103°

107°

IR Range

Up to 40m

Up to 40m (ColorVu)

Up to 30m

Up to 30m

Up to 30m

Up to 30m

SD Card

Yes (Up to 256 G)

Yes (Up to 256 G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Microphone

No

Yes (Built in MIC)

WDR

Yes (120db)

Yes (130db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMP, DarkFighter3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰





31

32

33

34

35

36

Part Number

DS-2CD2183G2-IU

DS-2CD2185FWD-I

DS-2CD2H25FWD-IZS

DS-2CD2327G2-L

DS-2CD2347G2-L

DS-2CD1T43G2-LIU



Price (Rials)

73,450,000

104,040,000

152,290,000

79,420,000

84,920,000

48,180,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Bullet

Resolution

8MP (3840 × 2160)

8MP (3840 × 2160)

2MP (1920x1080)

2MP (1920x1080)

4MP (2688 × 1520)

4MP (2560x1440)

Lens

2.8 mm Fixed

2.8/4 mm Fixed

2.8-12mm Motorized

2.8 mm Fixed

2.8 mm Fixed

4 mm Fixed

Viewing Angle

107°

107°/87°

105°~35°

107°

112°

78°

IR Range

Up to 30m

Up to 30m

Up to 30m

Up to 30m

Up to 30m (Color Vu)

Up to 50m (Hybrid Light)

SD Card

Yes (Up to 256G)

Yes (Up to 128G)

Yes (Up to 128 G)

Yes (Up to 512G)

Yes (Up to 256G)

Yes (Up to 512G)

Microphone

Yes (Built in MIC)

No

Yes (1.ch Audio Input)

No

No

Yes (Built in MIC)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+ COMP

3D DNR, BLC, HLC, H.265+ COMP

3D DNR, BLC, ROI, HLC, H.265+ COMP, DarkFighter

3D DNR, BLC, HLC, H.265+ COMP

3D DNR, BLC, HLC, H.265+ COMP

3D DNR, BLC, HLC, ROI, H.265+ COMP

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



37

38

39

40

41

42

Part Number

DS-2CD1T83G0-I

DS-2CD2T43G2-2I

DS-2CD2T45FWD-I8

DS-2CD2T43G2-4I

DS-2CD2T47G2-L

DS-2CD2T63G2-4I



Price (Rials)

75,990,000

72,870,000

139,710,000

82,781,500

81,420,000

79,620,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

8MP (3840 × 2160)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

6MP (3200×1800)

Lens

4 mm Fixed

4 mm Fixed

2.8 mm Fixed

4 mm Fixed

4 mm Fixed

4 mm Fixed

Viewing Angle

86°

84°

109°

84°

95°

87°

IR Range

Up to 50m

Up to 60m (EXIR)

Up to 80m

Up to 80m (EXIR)

Up to 60m (Color Vu)

Up to 80m (EXIR)

SD Card

No

Yes (Up to 256G)

Yes (Up to 128G)

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 256G)

Microphone

No

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, ROI, H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰





تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

43

44

45

46

47

48

Part Number

DS-2CD2T66G2-4I

DS-2CD2T67G2H-LI

DS-2CD2T83G2-4I

DS-2CD2T85G1-I5

DS-2CD2T85G1-I8

DS-2CD2T86G2-4I



Price (Rials)

101,300,000

100,700,000

93,870,000

102,090,000

103,950,000

132,957,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

6MP (3200×1800)

6MP (3200×1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

4 mm Fixed

4 mm Fixed

4 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

Viewing Angle

87°

90°

79°

110.7°/87.1°

110.7°/87.1°

111°/87°

IR Range

Up to 60m (EXIR)

Up to 60m

Up to 80m (EXIR)

Up to 50m

Up to 80m

Up to 80m (EXIR)

SD Card

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 256G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 256G)

Microphone

No

No

No

No

No

No

WDR

Yes (120db)

Yes (130db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP, ROI

Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

49

50

51

52

53

54

Part Number

DS-2CD2T87G2-L

DS-2CD2T87G2-LK

DS-2CD1643G0-IZ

DS-2CD2643G2-IZS

DS-2CD2663G2-IZS

DS-2CD2666G2-IZS



Price (Rials)

196,510,000

173,390,000

80,740,000

139,315,000

110,670,000

152,640,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

8MP (3840 × 2160)

8MP (3840 × 2160)

4MP (2560 × 1440)

4MP (2688 × 1520)

6MP (3200×1800)

6MP (3200×1800)

Lens

2.8 mm Fixed

2.8/4 mm Fixed

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

Viewing Angle

102°

102°/88°

102°~31°

95.8°~29.2°

106°~35°

106°~35°

IR Range

Up to 60m (Color Vu)

Up to 60m (Color Vu)

Up to 50m (EXIR)

Up to 60m

Up to 60m

Up to 60m

SD Card

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 512G)

Microphone

No

No

No

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

WDR

Yes (130db)

Yes (130db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP, ROI3D DNR, BLC, HLC, H.265+
COMP, ROI3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP-3D DNR, BLC, HLC, ROI,
H.265+ COMP-Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰





تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

55

56

57

58

59

60

Part Number

DS-2CD2683G2-IZS

DS-2CD2686G2-IZS

DS-2CD1743G0-IZ

DS-2CD2743G2-IZS

DS-2CD2783G2-IZS

DS-2CD2786G2-IZS



Price (Rials)

120,580,000

204,994,500

70,660,000

149,000,000

120,020,000

175,470,000

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Resolution

8MP (3840 × 2160)

8MP (3840 × 2160)

4MP (2560x1440)

4MP (2560x1440)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

Viewing Angle

108°~30°

112°~46°

91.2°~28.3°

104°~29°

112°~46°

108°~46°

IR Range

Up to 60m

Up to 50m

Up to 30m (EXIR)

Up to 40m

Up to 30m

Up to 40m

SD Card

Yes (Up to 512G)

Yes (Up to 128G)

Yes (Up to 256G)

Yes (Up to 128G)

Yes (Up to 128G)

Yes (Up to 256G)

Microphone

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

No

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, H.265+
COMP-

3D DNR, BLC, ROI, H.265+
COMP- DarkFighter

3D DNR, BLC, H.265+ COMP

3D DNR, BLC, H.265+
COMP, Deep Learning

3D DNR, BLC, ROI, H.265+
COMP- DarkFighter

3D DNR, BLC, ROI, H.265+
COMP- DarkFighter

Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

61

62

Part Number

DS-2CD2785G1-IZS

DS-2CD2443G0-IW



Price (Rials)

150,320,000

67,770,000

Camera Type

Dome

Cube

Resolution

8MP (3840 × 2160)

4MP (2688x1520)

Lens

2.8-12mm Motorized

2.8/4 mm Fixed

Viewing Angle

112°~46°

98°/78

IR Range

Up to 30m

Up to 10m

SD Card

Yes (Up to 128G)

Yes (Up to 128G)

Microphone

Yes (1.ch Audio Input)

Yes (Built in MIC)

WDR

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, H.265+
COMP- DarkFighter3D DNR, BLC, HLC, H.265+
COMP, PIRClick for More
information

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰



63

64

65

66

67

68

Part Number

DS-2SE4C225MWG-E

DS-2DE4225IW-DE T5

DS-2SE4C425MWG-E(14f0

DS-2DE4425IW-DE T5

DS-2DE7A432IW-AEB(T5)

DS-2CD2955FWD-IS



Price (Rials)

316,220,000

227,450,000

358,930,000

255,400,000

403,320,000

102,960,000

Camera Type

PTZ

PTZ

PTZ

PTZ

PTZ

Fisheye

Resolution

2MP (1920x1080)

2MP (1920x1080)

4MP (2560x1440)

4MP (2560 × 1440)

4MP (2560 × 1440)

5MP (2560 × 1920)

Lens

2.8mm (Bullet)
4.8-120mm Motorized

4.8-120mm Motorized

2.8mm (Bullet)
4.8-120mm Motorized

4.8-120mm Motorized

5.9-188.8mm Motorized

1.05mm

Viewing Angle

106°(Bullet)25x (PTZ)

25x

96.1°(Bullet)25x (PTZ)

25x

32x

180°

IR Range

Up to 30m/Up to 100m

Up to 100m

Up to 30m/Up to 100m

Up to 100m

Up to 200m

Up to 8 m

SD Card

Yes (Up to 256G)

Yes (Up to 128G)

Microphone

No

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

16x Digital Zoom, H.265+,
HLC, BLC, 3D DNR16x Digital Zoom, H.265+,
HLC, BLC, 3D DNR,
DarkFighter3D DNR, H.265+, Anti-
flickerClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

69

70

71

72

73

74

Part Number

DS-7604NI-K1

DS-7604NI-K1/4P

DS-7608NI-Q1

DS-7608NI-Q2

DS-7608NI-K1

DS-7608NI-K2

تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

Price (Rials)

58,230,000

88,970,000

58,300,000

80,792,500

63,570,000

71,200,000

NVR Type

4 Ch

4 Ch / 4 POE

8 Ch

8 Ch

8 Ch

8 Ch

Input BandWidth

40Mbps

40Mbps

80Mbps

80Mbps

80Mbps

80Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P

SATA Interface

1 HDD up to 8TB

1 HDD up to 8TB

1 HDD up to 8TB

2 HDD up to 8TB

1 HDD up to 8TB

1 HDD up to 8TB

Network Interface

1 RJ45 100M

Other Features

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP

H.265+ COMP
Alarm I/O 4/1H.265+ COMP
Alarm I/O 4/1Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

75

76

77

78

79

80

Part Number

DS-7608NI-K1/8P

DS-7616NI-Q1

DS-7616NI-Q2

DS-7716NI-Q4/16P

DS-7616NI-K1

DS-7616NI-K2

تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

Price (Rials)

126,190,000

84,294,500

78,080,000

255,140,000

93,670,000

104,966,500

NVR Type

8 Ch / 8 POE

16 Ch

16 Ch

16 Ch / 16 POE

16 Ch

16 Ch

Input BandWidth

80Mbps

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

160Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P

SATA Interface

1 HDD up to 8TB

1 HDD up to 8TB

2 HDD up to 8TB

4 HDD up to 8TB

1 HDD up to 8TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 1000M

Other Features

H.265+ COMP
Alarm I/O 4/1

H.265+ COMPR

H.265+ COMPR

H.265+ COMPR
Alarm I/O 16/4

H.265+ COMPR

H.265+ COMPR

Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

81

82

83

84

85

86

Part Number

DS-7616NXI-K1

DS-7616NXI-K2

DS-7616NI-K2/16P

DS-7616NXI-K2/16P

DS-7716NXI-K4

DS-7732NI-K4/16P



تارتن دژ آریانا

CCTV AND SECURITY SYSTEMS



Price (Rials)

82,240,000

93,410,000

180,340,000

204,260,000

205,510,000

334,310,000

NVR Type

16 Ch

16 Ch

16 Ch / 16 POE

16 Ch / 16 POE

16 Ch

32 Ch / 16 POE

Input BandWidth

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

256Mbps

Output Bandwidth

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

160Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 12Mp

Upto 12Mp

Upto 8Mp

Upto 12Mp

Upto 12Mp

Upto 8Mp

Video Output

1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P

SATA Interface

2 HDD up to 10TB

4 HDD up to 10TB

4 HDD up to 8TB

Network Interface

2 RJ45 1000M

2 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

2 RJ45 1000M

1 RJ45 1000M

Other Features

H.265+ COMPR
Alarm I/O 4/1 - Facial
RecognitionH.265+ COMPR
Alarm I/O 4/1 - Facial
Recognition

H.265+ COMPR

H.265+ COMPR
Alarm I/O 4/1 - Facial
RecognitionH.265+ COMPR
Alarm I/O 16/4- Facial
RecognitionH.265+ COMPR
Alarm I/O 16/4Click for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتن دژ آریانا

CCTV AND SECURITY SYSTEMS



87

88

89

90

91

92

Part Number

DS-7732NXI-K4

DS-9632NI-I8

IDS-9632NXI-I8/4F

DS-9632NXI-I8/S

DS-9632NI-M8

IDS-9664NXI-I8/S



تارتن دژ آریانا

CCTV AND SECURITY SYSTEMS



Price (Rials)

251,380,000

710,000,000

3,524,700,000

684,900,000

785,383,000

968,630,000

NVR Type

32 Ch

32 Ch

32 Ch

32 Ch

32 Ch

64 Ch

Input BandWidth

256Mbps

320Mbps

320Mbps

320Mbps

320Mbps

320Mbps

Output Bandwidth

160Mbps

256Mbps

256Mbps

256Mbps

256Mbps

256Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 2Ch. Out

Decoding Capacity

Upto 12Mp

Upto 12Mp

Upto 12Mp

Upto 12Mp

Upto 12Mp

Upto 12Mp

Video Output

2 Port HDMI : 4K/1080P
1 Port VGA : 1080P2 Port HDMI : 4K/1080P
1 Port VGA : 1080P2 Port HDMI : 4K/1080P
2 Port VGA : 1080P2 Port HDMI : 4K/1080P
2 Port VGA : 1080P2 Port HDMI : 4K/1080P
2 Port VGA : 1080P2 Port HDMI : 4K/1080P
2 Port VGA : 1080P

SATA Interface

4 HDD up to 10TB

8 HDD up to 10TB

Network Interface

2 RJ45 1000M

Other Features

H.265+ COMPR
Alarm I/O 16/4H.265+ COMPR
Alarm I/O 16/4, RAIDH.265+ COMPR
Alarm I/O 16/8, RAID,
DeepinMind- Esata 1H.265+ COMPR
Alarm I/O 16/8, RAID,
DeepinMind- Esata 1H.265+ COMPR
Alarm I/O 16/8, RAID,
DeepinMind- Esata 1H.265+ COMPR
Alarm I/O 16/8, RAID,
DeepinMindClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتن دژ آریانا

CCTV AND SECURITY SYSTEMS



Part Number

DS-9664NI-M8

تارتن دژ آریانا
CCTV AND SECURITY SYSTEMS

Price (Rials)

966,720,000

NVR Type

65 Ch

Input BandWidth

400Mbps

Output Bandwidth

400Mbps

Audio In/Out

1Ch. In/ 2Ch. Out

Decoding Capacity

Upto 32Mp

Video Output

2 Port HDMI : 8K/4K
2 Port VGA : 1080P

SATA Interface

9 HDD up to 16TB

Network Interface

2 RJ45 1000M

Other Features

H.265+ COMPR
Alarm I/O 16/9, RAID,
DeepinMindClick for More
information

توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتن دژ آریانا

CCTV AND SECURITY SYSTEMS





لیست قیمت رسمی فرورد ۱۴۰۲

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-HAC-B1A21P-0280B	DH-HAC-B2A21P-0280B	DH-HAC-B2A21-0360B	DH-HAC-B2A41P-0280B-S2



Price (Rials)	۱۰,۹۰۰,۰۰۰	۱۳,۲۹۰,۰۰۰	۱۳,۲۹۰,۰۰۰	۱۷,۷۳۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	4MP (2560×1440)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F1.85	0.04Lux/F2.0	0.04Lux/F2.0
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	103°	103°	84°	84°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m
Body Type	Plastic	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, Switchable	Smart IR, HLC, BLC, 2D DNR,AGC, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1200TLP-S5

DH-HAC-HFW1231RP-Z-A

DH-HAC-HFW1200SP-0360B-S5




Price (Rials)

۲۰,۴۱۰,۰۰۰

۱۵,۷۸۰,۰۰۰

۴۲,۸۳۰,۰۰۰

۱۶,۶۲۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Imaging Sensor

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

Resolution

HD1080P

HD1080P

HD1080P

HD1080P

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.02Lux/F1.9

0.02Lux/F1.9

0.002Lux/F1.5

0.02Lux/F1.8

Lens

3.6 Fixed

2.8 Fixed

Motorized (2.7–12 mm)

3.6 Fixed

Viewing Angle

84°

100°

102°-33°

84°

IR Range

Up to 80m

Up to 40m

Starlight Up to 80m

Up to 30m

Body Type

Plastic

Plastic

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

No

Yes

WDR

DWDR

DWDR

WDR 130db

DWDR

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 2D NR, Switchable

Smart IR, HLC, BLC, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable.
Built in mic

Smart IR, HLC, BLC, 2D NR, Switchable

9

10

11

12

Dahua

DH-HAC-HFW1200TP-0280B-S5

DH-HAC-HFW1200THP-I8

DH-HAC-HFW1200CP-A-0360B-S5

DH-HAC-HFW1200CMP-A




Price (Rials)	۱۵,۸۱۰,۰۰۰	۲۱,۰۰۰,۰۰۰	۱۵,۹۱۰,۰۰۰	۲۱,۲۱۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9	0.02Lux/F1.9
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	84°	84°	84°
IR Range	Up to 30m	Up to 80m	Up to 30m	Up to 30m
Body Type	Metal	Plastic & Metal	Plastic	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, Switchable, Built in Mic- Electronic Defog	Smart IR, HLC, BLC, Switchable, Built in Mic

13

14

15

16

Dahua

DH-HAC-T2A21P-0280B

DH-HAC-T1A41P-0280B-S2

DH-HAC-T2A41P-0280B-S2

DH-HAC-T2A51-0280B-S2




Price (Rials)	۱۲,۸۰۰,۰۰۰	۱۳,۵۲۰,۰۰۰	۱۶,۴۹۰,۰۰۰	۱۹,۹۶۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	4MP (2560×1440)	4MP (2560×1440)	5MP (2560×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.04Lux/F2.0	0.04Lux/F2.0	0.04Lux/F2.0	0.02Lux/F2.0
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	100°	100°	76.4°	88°
IR Range	Up to 20m	Up to 20m	Up to 20m	Up to 20m
Body Type	Metal	Plastic	Metal	Metal
IP Standard	IP67	-	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC, AGC, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B

DH-HAC-HDW1239TP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B

DH-HAC-HDW1239TLQP-A-LED




Price (Rials)	۱۶,۲۳۰,۰۰۰	۲۹,۲۰۰,۰۰۰	۱۵,۰۱۴,۰۰۰	۲۶,۲۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6	0.001Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	107°	106°	107°
IR Range	Starlight/Up to 20m	Starlight/Up to 40m	Starlight/Up to 20m	Starlight/Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	WDR 130db	DWDR	WDR 130db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, Switchable. Built in mic	Smart IR, HLC, BLC,3D DNR, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, AGC, Switchable	Smart IR, HLC, BLC,3D DNR, AGC, Switchable

21

22

23

24

Dahua

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1200MP-0280B-S5

DH-HAC-HFW1400TP-0280B-S3

DH-HAC-HFW1500TP-A-S2-0280B




Price (Rials)	۱۷,۵۸۰,۰۰۰	۱۴,۷۱۰,۰۰۰	۲۴,۱۴۰,۰۰۰	۲۵,۵۸۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	4 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	4MP (2560×1440)	5MP (2592×1944)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.85	0.02Lux/F1.9	0.02Lux/F2.0	0.02Lux/F1.85
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	101°	101°	87°	84°
IR Range	Up to 50m	Up to 30m	Up to 30m	Up to 30m
Body Type	Metal	Metal	Metal	Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC,2D DNR, AGC, Switchable, Built in mic	Smart IR, HLC, BLC,2D DNR, Switchable	Smart IR, HLC, BLC,2D DNR,AGC, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, AGC, Built in mic

25

26

27

28

Dahua

DH-HAC-HFW1509CP-A-LED-0360B-S2

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1509TLQP-LED-0360B-S2

DH-HAC-HDW1509TP-A-LED-0280B-S2



Price (Rials)

۳۴,۹۳۰,۰۰۰

۲۶,۵۰۰,۰۰۰

۳۴,۹۳۰,۰۰۰

۴۱,۱۶۰,۰۰۰

Camera Type

Bullet

Dome

Dome

Dome

Imaging Sensor

5 Megapixel

5 Megapixel

5 Megapixel

5 Megapixel

Resolution

5MP (2880×1620)

5MP (2560×1944)

5MP (2880×1620)

5MP (2880×1620)

Signal System

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

CVI, TVI, AHD, CVBS

Min. Illustration

0.001Lux/F1.0

0.005Lux/F1.6

0.001Lux/F1.0

0.001Lux/F1.0

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

3.6 Fixed

Viewing Angle

112°

105°

112°

84°

IR Range

Up to 20m

Up to 60m

Up to 20m

Up to 40m

Body Type

Plastic & Metal

Plastic & Metal

Metal

Metal

IP Standard

IP67

IP67

IP67

IP67

OSD Menu

No

Yes

Yes

Yes

WDR

WDR 120db

DWDR

WDR 120db

WDR 120db

Power Supply

12 VDC

12 VDC

12 VDC

12 VDC

Other Features

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 2D DNR, Switchable,
Built in Mic

Smart IR, HLC, BLC, 3D NR, Switchable

Smart IR, HLC, BLC, 3D NR, Switchable

29

30

Dahua

DH-SD42215-HC-LA

DH-SD49225-HC-LA




Price (Rials)	C all: +۲۱-۸۸۵۰۰۰۲۰	
Camera Type	PTZ	PTZ
Imaging Sensor	2 Megapixel	2 Megapixel
Resolution	1920 x 1080	1920 x 1080
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.005Lux/F1.6	0.005Lux/F1.6
Lens	5-75 mm	4.8-120 mm
Viewing Angle	15x	25x
IR Range	Starlight	Starlight
Body Type	Plastic	Plastic
IP Standard	IP66/IK10	IP66
OSD Menu	No	No
WDR	Yes (120db)	Yes (120db)
Power Supply	DC 12V/3A	DC 12V/3A
Other Features	EDefog, RoI, 3D DNR, HLC, BLC	EDefog, 3D DNR, HLC, BLC, Auto iris, Auto focus

31

32

33

34

Dahua

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I

DH-XVR5108HS-4KL-I2

DH-XVR5108HS-4KL-I3



Price (Rials)	۶۸,۹۷۰,۰۰۰	۳۴,۷۸۰,۰۰۰	۱۰۸,۵۰۰,۰۰۰	۱۱۵,۵۶۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 4K	8 Ch. HDCVI/AHD/TVI Up to 2MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 8MP
IP Video Input	4+4 Ch. Up to 8MP	8+2 Ch. Up to 6MP	8+8 Ch. Up to 8MP	8+8 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 6MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS	4K: 25/30FPS 5MP: 25/30FPS 4MP: 25/30FPS	4K: 7FPS 5MP: 12FPS 4MP: 15FPS
Video Output	1 Port HDMI : 4K 1 Port VGA: 1080P	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Compact 1U	Standalone 1U
Other Features	AI Coding/H.265+/H.265/H.264+/H.264/ face recognition/Human/Vehicle Classification, IoT Support	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264	AI Codin/H.265+/H.265/H.264+/H.264

35

36

37

Dahua

DH-XVR1B16-I

DH-XVR5216AN-I3

DH-XVR5216AN-4KL-I3




Price (Rials)	۶۸,۷۰۰,۰۰۰	۱۴۴,۶۱۰,۰۰۰	۲۲۲,۲۷۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 2MP	16 Ch. HDCVI/AHD/TVI Up to 4K
IP Video Input	16+2 Ch. Up to 6MP	16+2 Ch. Up to 6MP	16+16 Ch. Up to 8MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	2MP: 25FPS 720P: 25FPS	2MP: 25FPS 720P: 25FPS	4K: 25/30FPS 720P:25/30FPS
Video Output	1 Port HDMI 1 Port VGA	1 Port HDMI 1 Port VGA	1 Port HDMI :4k 1 Port VGA : 1080p
SATA Interface	1 HDD up to 6TB	2 HDD up to 16TB	2 HDD up to 16TB
Network Interface		1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	H.265+/H.265	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change	AI Coding/H.265+/H.265/H.264+/H.264, Secondary filtering for human and motor vehicle , reducing false alarms caused by leaves, rain and lighting condition change



لیست قیمت رسمی فرورد ۱۴۰۲

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



	1	2	3	4
Dahua	DH-IPC-HFW1230S-0280B-S5	DH-IPC-HFW1239S1-LED-0360-S5	DH-IPC-HFW2230SP-S-S2	DH-IPC-HFW2239SP-SA-LED-S2



Price (Rials)	۳۳,۳۰۰,۰۰۰	۳۲,۳۳۰,۰۰۰	۳۸,۶۴۰,۰۰۰	۴۶,۶۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @20fps
Sensor Size	1/2.7"	1/2.8"	1/2.7"	1/2.8"
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	106°	88°	91°	107°
Night Vision Distance	IR 30M	Warm Light 10/15M	IR 30 M	Warmlight/ IR 30 M
Dynamic Range	DWDR	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	Yes
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.264+/H.265/H.264H/MJPEG
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering,	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire

	5	6	7	8
Dahua	DH-IPC-HFW2231T-ZS-S2	DH-IPC-HDW1230T1P-0280B-S5	DH-IPC-HDW1230S-S5	DH-IPC-HDW2231TM-AS-S2



Price (Rials)	۷۳,۹۱۰,۰۰۰	۳۱,۲۳۰,۰۰۰	۳۱,۲۶۰,۰۰۰	۴۹,۷۴۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	Motorized (2.7–13.5 mm)	2.8 Fixed	2.8/3.6 Fixed	2.8/3.6 Fixed
Viewing Angle	106°-29°	102°	102°/84°	107°/88°
Night Vision Distance	IR 60M	IR 30M	IR 30M	IR 30M
Dynamic Range	WDR 120db	DWDR	DWDR	WDR 120db
Built in Mic	No	No	No	Yes
SD Card Support	Yes (Up to 128G)	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265+/H.264+/H.265/H.264H/MJPEG	H.265+/H.264+/H.265/H.264H/MJPEG	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, AWB, AGC	3D NR, BLC, HLC, AWB, AGC, ROI, EIS	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

	9	10	11	12
Dahua	DH-IPC-HDW2231TP-AS-0360-S2	DH-IPC-HDW2239TP-AS-LED-0280	DH-IPC-HFW2431TP-ZAS-27135-S2	DH-IPC-HFW3441TP-ZAS
				
Price (Rials)	۴۶,۵۵۰,۰۰۰	۴۸,۰۲۰,۰۰۰	۹۳,۱۹۰,۰۰۰	۱۱۰,۳۳۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Bullet
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2688×1520) @30fps
Sensor Size	1/2.8"	1/2.8"	1/3"	1/3"
Lens	3.6 Fixed	2.8 Fixed	Motorized (2.7–13.5 mm)	Motorized (2.7–13.5 mm)
Viewing Angle	88°	107°	104°-27°	104°-27°
Night Vision Distance	Starlight/ IR 30M	Warmlight/ IR 30M	IR 60 M	IR 60 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+
Protection	IP67	IP67	IP67,IK10	IP67,IK10
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI, AWB	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing

13

14

15

16

Dahua

DH-IPC-HFW3441EP-SA-0360B

DH-IPC-HFW3449EP-AS-LED

DH-IPC-HDW3441TMP-AS

DH-IPC-HDBW1431EP-S4




Price (Rials)	۶۹,۷۵۰,۰۰۰	۷۹,۲۵۰,۰۰۰	۶۶,۷۶۰,۰۰۰	۴۶,۸۹۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/3"	1/2.7"	1/3"	1/3"
Lens	3.6 Fixed	3.6 Fixed	2.8, 3.6 Fixed	2.8 Fixed
Viewing Angle	84°	80°	102°/84°	104°
Night Vision Distance	IR 50 M	Warmlight/ IR 30 M	IR 30 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	H.265/H.264/H.264H/H.264B/MJPEG	H.265/H.264/H.264H/H.264B/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw	3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes	3D NR, HLC, BLC, ePoE, AWB, AGC

	17	18	19	20
Dahua	DH-IPC-HDW2431TMP-AS-S2	DH-IPC-HDW3449TMP-AS-LED	DH-IPC-HDBW2831RP-ZS-S2	DH-IPC-HFW2831TP-ZS-S2



Price (Rials)	۶۲,۷۱۰,۰۰۰	۵۶,۵۴۰,۰۰۰	۱۱۷,۰۲۰,۰۰۰	۱۲۰,۷۷۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps	8MP(3840×2160) @15fps	8MP(3840×2160) @25/30fps
Sensor Size	1/3"	1/2.7"	1/1.8"	1/1.8"
Lens	2.8 Fixed	2.8/3.6 Fixed	Motorized (3.7–11 mm)	Motorized (3.7–11 mm)
Viewing Angle	102°	103°/80°	112°-46°	112°-46°
Night Vision Distance	Starlight/ IR 30M	Warmlight/IR 30 M	IR 30 M	IR 60 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 128G)	Yes (Up to 128G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264/H.265	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67, IK10	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC	3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire	3D NR, HLC, BLC, AWB, AGC	3D NR, HLC, BLC, AWB, AGC

21

22

23

Dahua

DH-SD5A232XA-HNR

DH-SD49225XA-HNR-S3

DH-SD5A432XA-HNR




	21	22	23
Price (Rials)	۴۸۹,۳۴۰,۰۰۰	۲۵۹,۳۴۰,۰۰۰	۵۲۱,۱۷۰,۰۰۰
Camera Type	PTZ	PTZ	PTZ
Max Resolution	2MP(1920×1080) @50/60fps	2MP(1920×1080) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"
Lens	4.9–156 mm	4.8–120 mm	4.9–156 mm
Optical zoom	32x	25x	32x
Night Vision Distance	Starlight/IR 150 M	Starlight/IR 100 M	Starlight/IR 150 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	No	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 512G)	Yes (Up to 256G)
Power Supply	24V DC or POE	12 VDC, 3 or POE	24V DC or POE
Video Compression	H.265+/H.265/H.264+/H.264/MJPEG	H.265+/H.265/H.264+/H.264/MJPEG	H.265+, H.264+, H.265, H.264, MJPEG
Protection	IP67/IK10	IP66	IP67/IK10
Other Features	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc.	EIS, Defog, Rol,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering

	24	25	26	27
Dahua	DHI-NVR1104HS-S3/H	DH-NVR4104HS-4KS2/L	DHI-NVR4104HS-P-4KS2/L	DHI-NVR2216-I



Price (Rials)	۳۳,۱۷۰,۰۰۰	۵۹,۵۲۰,۰۰۰	۸۲,۷۵۰,۰۰۰	۱۰۶,۰۶۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	48Mbps	60Mbps	80Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 1080p 1 Port VGA
POE Ports	-	-	4 POE Ports	-
SATA Interface	1 HDD up to 8TB	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	2 RJ45 100M	1 RJ45 1000M
Chassis	Standalone 1U	Compact 1U	Standalone 1U	1U Lite
Other Features	Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1	Smart H.265+/ Smart H.264+/ H.265/ H.264/	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264

	28	29	30	31
Dahua	DH-NVR2216-12	DHI-NVR4216-4KS2/L	DHI-NVR4216-16P-4KS2/L	DHI-NVR5216-4KS2



Price (Rials)	۱۰۶,۹۸۰,۰۰۰	۱۰۴,۳۵۰,۰۰۰	۱۸۷,۰۷۰,۰۰۰	۱۸۳,۰۱۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	144Mbps	160Mbps	160Mbps	320Mbps
Output Bandwidth	72Mbps	64Mbps	64Mbps	320Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 8Mp	Upto 8MP	Upto24MP
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	16 POE Ports	-
SATA Interface	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	1U	Standalone 1U	Standalone 1U	Standalone 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG

32

33

34

Dahua

DHI-NVR4232-4KS2/L

DHI-NVR608-32-4KS2

DH-NVR608-64-4KS2



Price (Rials)	۱۲۵,۶۷۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰
NVR Type	32 Ch	32 Ch	64 Ch
Input BandWidth	160Mbps	384Mbps	384Mbps
Output Bandwidth	48Mbps	384Mbps	384Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	2 Port HDMI : 4k 2 Port VGA : 1080p	2 Port HDMI : 4k 2 Port VGA : 1080p
POE Ports	-	-	-
SATA Interface	2 HDD up to 10TB	8 HDD up to 10TB	8 HDD up to 64TB
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Chassis	Standalone 1U	2U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG	Smart H.265/H.265/Smart H.264/H.264/MJPEG	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video

HiLook

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

1

2

3

4

5

6

THC-B110-M

THC-B120-P

THC-B120-PC

THC-B120-M

THC-B120-MS

THC-B120-MC

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٠٢٠	١١,٥٩٠,٠٠٠	٩,٧٩٠,٠٠٠	Call: +٢١-٨٨٥٠٠٠٢٠	١٥,٠٣٠,٠٠٠	١١,٥٤٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)				
Body Type	Metal	Plastic	Plastic	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS			

7

8

9

10

11

12

THC-B123-M

THC-B140-P

THC-B140-M

THC-B150-M

THC-B220

THC-B220C

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2 Megapixel

4 Megapixel

4 Megapixel

5 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°/85°/65°

IR Range

Up to 30m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal

Plastic

Metal

Metal

Metal & Plastic

Metal

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

Yes

WDR

Yes

No

No

No

No

DWDR

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220-M

THC-B240

THC-B240-M

THC-T110-P

THC-T120

THC-T120-PC

HiLook



Price (Rials)

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

Call: +٢١-٨٨٥٠٠٠٢٠

٨,١٨٠,٠٠٠

Call: +٢١-٨٨٥٠٠٠٢٠

Camera Type

Bullet

Bullet

Bullet

Dome

Dome

Dome

Resolution

2 Megapixel

4 Megapixel

4 Megapixel

1 Megapixel

2 Megapixel

2 Megapixel

Lens

2.8/3.6/6mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°/85°/65°

105°

105°/85°/65°

105°/85°/65°

105°

105°

IR Range

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 40m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 20m (EXIR)

Body Type

Metal

Metal

Metal

Plastic

Metal & Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

Yes

No

Yes

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS

19

20

21

22

23

24

THC-T120-PS

THC-T120-M

THC-T120-MS

THC-T123

THC-T123-P

THC-T140-P

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۱۳,۴۶۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8/3.6/6mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°/85°/65°

105°

105°

IR Range

Up to 20m

Up to 20m (EXIR)

Up to 20m

Up to 30m (EXIR)

Up to 30m (EXIR)

Up to 20m (EXIR)

Body Type

Plastic

Metal

Metal

Metal

Plastic

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

Yes

No

Other Features

Built in Mic, Smart IR,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSBuilt in Mic, Smart IR,
BLC, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBS, 3D
DNRSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

25

26

27

28

29

30

THC-T140

THC-T140-M

THC-T220-P

THC-T220-PC

THC-T220-M

THC-T240-P

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۱۴,۴۹۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۱۵,۲۷۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

4 Megapixel

4 Megapixel

2 Megapixel

2 Megapixel

2 Megapixel

4 Megapixel

Lens

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

2.8mm Fix

Viewing Angle

105°

105°

105°

105°

105°

105°

IR Range

Up to 20m (EXIR)

Up to 20m (EXIR)

Up to 40m (EXIR)

Up to 40m

Up to 40m (EXIR)

Up to 40m (EXIR)

Body Type

Metal & Plastic

Metal

Plastic

Plastic

Metal

Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

31

32

33

34

35

36

THC-T240-M

THC-B320-VF

THC-B340-VF

THC-D320-VF

THC-D340-VF

THC-T320-VF

HiLook



Price (Rials)

١٤,٥٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

٢٧,٤٣٠,٠٠٠

٢٤,٩١٠,٠٠٠

٢٨,٤٦٠,٠٠٠

٢٥,٢٨٠,٠٠٠

Camera Type

Dome

Bullet

Bullet

Dome

Dome

Dome

Resolution

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

4 Megapixel

2 Megapixel

Lens

2.8mm Fix

2.8 - 12mm Varifocal

Viewing Angle

105°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

111.5°-33.4°

IR Range

Up to 40m (EXIR)

Body Type

Metal

Metal & Plastic

Metal & Plastic

Metal

Metal

Metal & Plastic

IP Standard

IP66

IP66

IP66

IP66

IP66

IP66

OSD Menu

No

No

No

No

No

No

WDR

No

No

No

No

No

No

Other Features

Smart IR, BLC,
Switchable
TVI/AHD/CVI/CVBSSmart IR, BLC,
Switchable
TVI/AHD/CVI/CVBS

THC-T340-VF

HiLook



Price (Rials)	۲۷,۴۳۰,۰۰۰
Camera Type	Dome
Resolution	4 Megapixel
Lens	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°
IR Range	Up to 40m (EXIR)
Body Type	Metal & Plastic
IP Standard	IP66
OSD Menu	No
WDR	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

38

39

PTZ-T4215I-D

PTZ-T4225I-D

HiLook



Price (Rials)	110,940,000	120,210,000
Camera Type	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x
IR Range	Up to 100m	Up to 100m
Body Type	-	-
IP Standard	IP66	IP66
OSD Menu	-	-
WDR	No	Yes
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

40

41

42

43

44

45

DVR-104G-F1

DVR-108G-F1

DVR-116G-F1

DVR-204G-F1

DVR-208G-F1

DVR-216G-F1

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۴۵,۵۴۰,۰۰۰

DVR Type

4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS

Analog Video Input

4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16 Ch. HDTV/Analog
Up to 2MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 2MP16Ch. HDTV/Analog
AHD Up to 2MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 4TB

1 HDD up to 4TB

1 HDD up to 6TB

Compression Standard

H.265+

H.265+

H.264+

H.264+

H.264+

H.264+

Other Features

Smart search for
efficient playbackSmart search for
efficient playbackMax. 1200 m for 720p
HDTV signal
transmissionSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP camerasSupport multiple VCA
both analog and smart
IP cameras

46

47

48

49

50

51

DVR-216G-K1

DVR-232G-K2

DVR-204Q-F1

DVR-204Q-K1

DVR-208Q-F1

DVR-208Q-K1

HiLook



Price (Rials)

۵۲,۷۸۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS4-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS8-ch
TVI/AHD/CVI/CVBS

Analog Video Input

16 Ch. HDTV/Analog
Up to 3MP32 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 3MP4 Ch. HDTV/Analog
Up to 2MP8 Ch. HDTV/Analog
Up to 3MP8 Ch. HDTV/Analog
Up to 3MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

2 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 10TB

1 HDD up to 6TB

1 HDD up to 6TB

Compression Standard

H.264+

H.265 Pro+

H.264+

H.265+

H.264+

H.265+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storage

52

53

54

55

56

57

DVR-208Q-K2

DVR-216Q-F1

DVR-216Q-F2

DVR-216Q-K1

DVR-216Q-K2

DVR-232Q-K2

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

Call: +۲۱-۸۸۵۰۰۰۲۰

DVR Type

8-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS16-ch
TVI/AHD/CVI/CVBS32-ch
TVI/AHD/CVI/CVBS

Analog Video Input

8 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16 Ch. HDTV/Analog
Up to 3MP16Ch. HDTV/Analog
AHD Up to 5MP16Ch. HDTV/Analog
AHD Up to 6MP5 Ch. HDTV/Analog
Up to 4MP

Video Output

1 Port HDMI
1 Port VGA
1Ch. USB1 Port HDMI
1 Port VGA
1Ch. USB

SATA Interface

1 HDD up to 6TB

1 HDD up to 6TB

2 HDD up to 6TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Compression Standard

H.265 Pro+

H.264+

H.264+

H.265+

H.265+

H.265 Pro+

Other Features

SupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSupportsPTZ control via
Omnicast VMS of
Genetec protocoSmart search for
efficient playback
Support the 3rd party
cloud storageSmart search for
efficient playback
Support the 3rd party
cloud storageSupportsPTZ control via
Omnicast VMS of
Genetec protoco

58

59

60

61

62

63

DVR-204U-F1

DVR-204U-K1

DVR-208U-F1

DVR-208U-K1

DVR-216U-F2

DVR-216U-K2

HiLook



Price (Rials)	۴۲,۴۰,۰۰۰	۵۱,۸۷,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۱۳۴,۵۹,۰۰۰	۱۳۴,۵۹,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTV/Analog Up to 5MP	4 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	8 Ch. HDTV/Analog Up to 5MP	16Ch. HDTV/Analog AHD Up to 5MP	16 Ch. HDTV/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras

HiLook

لیست قیمت رسمی بهار ۱۴۰۲

تارتن دژ آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نماینده مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M

HiLook



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۰,۸۰۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۳,۱۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	DWDR	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect				

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220



Price (Rials)	۴۲,۹۵۰,۰۰۰	۲۶,۵۵۰,۰۰۰	۲۵,۳۶۰,۰۰۰	۲۵,۸۸۰,۰۰۰	۲۴,۸۴۰,۰۰۰	۲۹,۲۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
Body Type	Plastic	-	-	Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	DWDR	No	No	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	No	Yes	No	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H

HiLook



Price (Rials)	۲۹,۶۱۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۳۹,۸۵۰,۰۰۰	۳۰,۰۲۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	۲۵,۸۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
Standard	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	No	No	No	No	No
WDR	No	DWDR	No	No	No	DWDR
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V

HiLook



Price (Rials)	Call: +٢١-٨٨٥٠٠٠٢٠	٣٨,١٩٠,٠٠٠	٤٦,٢١٠,٠٠٠	٥٢,٠٣٠,٠٠٠	٦٠,٩٥٠,٠٠٠	٥٢,٢٧٠,٠٠٠
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR					
Body Type	Metal & Plastic					
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	DWDR	No	Yes	No	No	DWDR
Microphone Support	No	No	No	No	No	Yes
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect					

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z

HiLook



Price (Rials)	۵۹,۵۱۰,۰۰۰	Call: ۰۲۱-۸۸۵۰۰۰۲۰	۶۷,۲۷۰,۰۰۰	۶۱,۰۶۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۶,۲۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR					
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
Standard	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes	Yes	No	No	No
WDR	DWDR	Yes	Yes	Yes	No	No
Microphone Support	Yes	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z

HiLook



Price (Rials)	۵۸,۶۸۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	Dome	Dome
Resolution	4 Megapixel	4 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR
Body Type	Metal	Metal
Standard	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes
WDR	Yes	Yes
Microphone Support	No	No
POE	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

33

34

35

PTZ-N4215-DE3

PTZ-N4215I-DE

PTZ-N4225I-DE

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۸۸,۰۰۰,۰۰۰

۹۹,۴۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

Resolution

2 Megapixel

2 Megapixel

2 Megapixel

Lens

5-75mm Varifocal

5-75mm Varifocal

4.8-120mm Varifocal

Viewing Angle

15x

15x

25x

IR Range

-

Up to 100m IR

Up to 100m IR

Body Type

-

-

-

Standard

-

IP66

IP66

SD Card Support

Yes

Yes

Yes

WDR

Yes

Yes

Yes

Microphone Support

No

No

No

POE

Yes

Yes

Yes

Other Features

H.265+, 3D DNR, BLC,

H.265+, 3D DNR, BLC

H.265+, 3D DNR, BLC

36

37

38

39

40

41

NVR-104-B

NVR-108-B

NVR-108-B/8P

NVR-104H-D

NVR-108H-D

NVR-104MH-C

HiLook



Price (Rials)	۲۱,۴۳۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۳۰,۴۹۰,۰۰۰	۲۰,۳۳۰,۰۰۰	۲۸,۴۷۰,۰۰۰	۲۶,۷۷۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42

43

44

45

46

47

NVR-104MH-C/4P

NVR-104MH-D

NVR-104MH-D/4P

NVR-108MH-C

NVR-108M-C/8P

NVR-108MH-D

HiLook



Price (Rials)

Call: +۲۱-۸۸۵۰۰۰۲۰

۲۵,۱۵۰,۰۰۰

۴۰,۱۴۰,۰۰۰

۴۲,۱۷۰,۰۰۰

Call: +۲۱-۸۸۵۰۰۰۲۰

۳۲,۰۹۰,۰۰۰

NVR Type

4-ch

4-ch

4-ch

8-ch

8-ch

8-ch

Input BandWidth

40Mbps

40Mbps

40Mbps

80Mbps

80Mbps

60Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

80Mbps

40Mbps

Resolution Support

8 Megapixel

4 Megapixel

4 Megapixel

8 Megapixel

8 Megapixel

8 Megapixel

Video Output

1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 4K
1 Port VGA : 2MP1 Port HDMI : 1080P
1 Port VGA : 1080P

POE Ports

4 ch POE

-

4 ch POE

-

8 ch POE

-

Compression Standard

H.265+

H.265+

H.265+

H.265+

H.265+

H.264+

SATA Interface

1 HDD up to 6TB

Other Features

VCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackVCA detection alarm,
Smart search, Smart
playbackSupport multiple VCA
(Video Content
Analytics) eventsVCA detection alarm,
Smart search, Smart
playback

48

49

50

51

52

NVR-108MH-D/8P

NVR-116MH-C

NVR-208MH-C

NVR-216MH-C

NVR-216MH-C/16P

HiLook



Price (Rials)	۴۷,۵۰۰,۰۰۰	۴۸,۶۶۰,۰۰۰	۴۲,۱۷۰,۰۰۰	Call: +۲۱-۸۸۵۰۰۰۲۰	Call: +۲۱-۸۸۵۰۰۰۲۰
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback				

Tiandy

لیست قیمت (رسمی بهار ۱۴۰۲)

تارتن دژ آریانا

نمایندگی مرکزی محصولات تیاندی

تمامی کالاها دارای 36 ماه گارانتی معتبر

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹





تیاندی (Tiandy)

- دارنده رتبه **هفتم** جهان
- اولین ارائه دهنده فناوری **Starlight** (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند

ویژگی های برند تیاندی

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک ✓
- دارای 3 سال گارانتی شرکت پارس ارتباط ✓
- دارای خط تولید در داخل کشور ✓
- مورد تایید سازمان ها و ارگان های دولتی ✓
- بهترین کیفیت با قیمت مناسب ✓
- پشتیبانی از پروتکل ONVIF ✓
- دید در شب رنگی با حداقل لوکس نوری (0.0008) ✓



	1	2	3	4	5	6
Tiandy	TC-C32QN	TC-C32GN	TC-C32GS	TC-C32WS	TC-C32WP	TC-C32WP
	I3/E/Y/2.8mm/V5	I5/E/Y/C/2.8mm	I5/E/Y/C/SD/2.8mm	I5/E/Y/M/4mm/V4.0	I5/E/M/Y/4mm	W/E/Y/4mm

Tiandy



Price (Rials)	Call: +۲۱-۸۸۵۰۰۲۰					
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
Sensor Size	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	4mm	4mm	4mm
Viewing Angle	102.8°	99.7°	99.7°	85.1°	83.3°	83.3°
Night Vision Distance	IR 30 M	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M
Dynamic Range	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	N/A	N/A	N/A	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP67	IP67	IP66
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C32QN	TC-C32GN	TC-C32GS	TC-C32WS	TC-C32WP	TC-C32WP/W

	7	8	9	10	11	12
Tiandy	TC-C32WP	TC-C32XN	TC-C32HN	TC-C32HS	TC-C32XP	TC-C34WS
	W/E/Y/2.8mm	I3/E/Y/2.8mm/V5	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/2.8mm/V4.0	I5/E/Y/M/2.8mm

Tiandy



Price (Rials)	Call: +۲۱-۸۸۵۰۰۲۰					
Camera Type	Bullet	Dome	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@30fps)	2MP(1920×1080@25fps)	4MP(2560×1440@25fps)
Sensor Size	1/2.8"	1/2.8"	1/2.9"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm
Viewing Angle	99.7°	99.7°	97.4°	99.7°	99.7°	92.1°
Night Vision Distance	Warm Light 15~20M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 50 M
Dynamic Range	WDR 120db	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	Yes	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP66	IP66	IP67	IP67
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C32WP/W	TC-C32XN	TC-C32HN	TC-C32HS	TC-C32XP	TC-C34WS

	13	14	15	16	17	18
Tiandy	TC-C34WS	TC-C34GN	TC-C34GS	TC-C34GS	TC-C34WP	TC-C34LP
	I5/E/Y/M/4mm	I5/E/Y/C/2.8mm	I5/E/Y/C/4mm/V4.0	I5/E/Y/C/SD/2.8mm	W/E/Y/M/4mm/V4.0	I5/A/E/M/H/2.7-13.5mm

Tiandy



Price (Rials)	Call: +۲۱-۸۸۵۰۰۲۰					
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2592x1520@30fps)
Sensor Size	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/1.8"
Lens	4mm	2.8mm	4mm	2.8mm	4mm	Motorized 2.7-13.5mm
Viewing Angle	76.7°	103.4°	88.2°	103.4°	78°	114°~497°
Night Vision Distance	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	SuperStarlight/IR 80M
Dynamic Range	WDR 120db	DWDR	DWDR	DWDR	WDR 120db	WDR 140db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG
Protection	IP67	IP67	IP67	IP67	IP67	IP67,IK10
VCA	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification				
Click for Details	TC-C34WS	TC-C34GN	TC-C34GS	TC-C34GS	TC-C34WP	TC-C34LP

	19	20	21	22	23	24
Tiandy	TC-C34KS	TC-C34HN	TC-C34HS	TC-C34HS	TC-C34XP	TC-C35US
	I3/E/Y/2.8mm	I3/E/Y/C/2.8mm	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm

Tiandy



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰					
Camera Type	Dome	Dome	Dome	Dome	Dome	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)
Sensor Size	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm
Viewing Angle	92.1°	99.7°	103.4°	99.7°	93.8°	96.8°~32.7°
Night Vision Distance	IR 30 M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M
Dynamic Range	WDR 120db	DWDR	WDR 120db	DWDR	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67,IK10	IP66	IP66	IP66	IP67	IP67
VCA	Tripwire, Perimeter					
Click for Details	TC-C34KS	TC-C34HN	TC-C34HS	TC-C34HS	TC-C35MP	TC-C35US

	25	26	27	28
Tiandy	TC-C35KS	TC-C35MS	TC-C38WS	TC-C38KS
	I3/E/Y/M/H/2.8mm/ V4.0	I3/A/E/Y/M/2.8-12mm	I5/E/Y/M//4mm/V4.0	I3/E/Y/2.8mm/V4.0

Tiandy



Price (Rials)	C all: +۲۱-۸۸۵۰۰۰۲۰ C all: +۲۱-۸۸۵۰۰۰۲۰ C all: +۲۱-۸۸۵۰۰۰۲۰ C all: +۲۱-۸۸۵۰۰۰۲۰			
Camera Type	Dome	Dome	Bullet	Dome
Max Resolution	5MP(2592x1944@20fps)	5MP(2592x1944@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	Motorized 2.8-12mm	4mm	2.8mm
Viewing Angle	95.6°	96°~32.7°	86.6°	101.3°
Night Vision Distance	Starlight/IR 30M	Starlight/IR 30M	IR 50 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)
Reset Button	Yes	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
Protection	IP67,IK10	IP67,IK10	IP67	IP67,IK10
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C35KS	TC-C35MS	TC-C38WS	TC-C38KS

Tiandy

TC-H324S

Spec:25X/I/E

Tiandy

tiandy-cctv.com

Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲۰
Camera Type	PTZ
Max Resolution	2MP(1920×1080@25fps)
Sensor Size	1/2.8"
Lens	Varifocal4.8mm~120mm
Viewing Angle	58.5°~2.8°
Night Vision Distance	IR 150 M
Dynamic Range	WDR 140db
Built in Mic	No
SD Card Support	Yes (Up to 512G)
Reset Button	Yes
Video Compression	S+265/H.265/H.264/M-JPEG
Protection	IP66
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture
Click for Details	TC-H324S

tiandy-cctv.com

	30	31	32	33	34	35
Tiandy	TC-R3105	TC-R3105	TC-R3110	TC-R3120	TC-R3120	TC-R3220
	Spec: I/B/L	Spec:I/B/V3.0	Spec:I/B	Spec:I/B	Spec:I/B/V3.0	Spec:I/B/K

Tiandy



Price (Rials)	Call: +۹۱-۸۸۵۰۰۰۲					
Video Input	5-ch	5-ch	10-ch	20-ch	20-ch	20-ch
Recording Resolution	6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1×5MP, 1×4MP, 3×1080P, 5×720P, 5×4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF
HDD	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB
Input Bandwidth	50Mbps	40Mbps	40Mbps	80Mbps	80Mbps	120Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	100Mbps
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	TC-R3105	TC-R3105	TC-R3110	TC-R3120	TC-R3120	TC-R3220

	36	37	38	39	40	41
Tiandy	TC-R3220 Spec:I/B/P16/K/V3.0	TC-R3240 Spec:I/B/N/H	TC-R3440 Spec:I/B/N/H/C	TC-R3440 Spec:I/B/P16/H	TC-R3840 Spec:I/B/N	TC-R3880 Spec:I/B/N

Tiandy



Price (Rials)	Call: +۲۱-۸۸۵۰۰۰۲ • Call: +۲۱-۸۸۵۰۰۰۲					
Video Input	20-ch/16P	40-ch	40-ch	40-ch/16P	40-ch	80-ch
Recording Resolution	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 32× 720P, 40× 4CIF	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P	3× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P	2× 12MP, 4× 4K, 5× 5MP, 8× 4MP, 16× 1080P, 16× 720P	× 12MP, 4× 8MP, 4× 6MP, 5× 5MP, 8× 4MP, 9× 3MP, 16× 1080P, 16× 720P
HDD	2 up to 10TB	2 up to 10TB	4 up to 10TB	4 up to 10TB	8 up to 10TB	8 up to 10TB
Input Bandwidth	120Mbps	320Mbps	200Mbps	320Mbps	400Mbps	320Mbps
Output Bandwidth	100Mbps	320Mbps	200Mbps	320Mbps	200Mbps	320Mbps
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	2 Port HDMI : 4K 2 Port VGA	2 Port HDMI : 4K 2Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	TC-R3220 /16P	TC-R3240	TC-R3440	TC-R3440/16P	TC-R3840	TC-R3880

42

Tiandy

TC-R31680

Spec:E/B/N

Tiandy



Price (Rials)	Call: +۹۱-۸۸۵۰۰۰۲۰
Video Input	80-ch
Recording Resolution	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCI
Playback Capability	2×12MP, 4×4K, 5×5MP, 8×4MP, 16×1080P, 16×720P
HDD	16 up to 10TB
Input Bandwidth	400Mbps
Output Bandwidth	200Mbps
Network Interface	2 RJ45 1000M
Video Output	2 Port HDMI : 4K 2Port VGA
Video Compression	S+265/H.265/H.264
Click for Details	TC-R31680